


REV	DATE	REVISION	BY
-	11-11-13	NEW DRAWING [CT55122]	DFS



LEGEND

- AX - COIL CLEARING SWITCH (NORMAL)
- BR - BRIDGE RECTIFIER
- BX - COIL CLEARING SWITCH (EMERGENCY)
- CCS - CLOSING COIL SOLENOID
- K(#)- RELAY
- LS - LINE SELECT SWITCH
- LCD - LIQUID CRYSTAL DISPLAY
- P(#)- PLUG
- SC - SELECT COIL
- SE(#)- SWITCH POSITION CONTACT (EMERGENCY POSITION)
- SN(#)- SWITCH POSITION CONTACT (NORMAL POSITION)
- SW1 - DIP SWITCH
- TB1-(A*),-(B*) - TRANSFER SWITCH TERMINAL BLOCK
- TB1 - MPAC PROGRAMMABLE INPUT/OUTPUT TERMINAL BLOCK
- TB2-3,-4 - ENGINE START TERMINAL BLOCK
- TB2 - MPAC MODBUS TERMINAL BLOCK
- TS - TRANSFER SWITCH

NOTE:
DIAGRAM SHOWN WITH "NORMAL" ENERGIZED
AND CONTACTOR IN THE NORMAL POSITION.

MODEL KSS
800-1000A
SPECIFIC BREAKER MECHANISM
STANDARD TRANSITION
FOR WIRING DIAGRAM SEE GM89718

APPROVALS		DATE	SCALE	SHEET
DRAWN	DFS	11-11-13	1:1	1-1
CHECKED	MTL	11-11-13		
APPROVED	HCC	11-11-13		

KOHLER CO.
POWER SYSTEMS, KOHLER, WI 53044 U.S.A.
THIS DRAWING IS DESIGN AND SHALL BE KOHLER CO. PROPERTY AND
MAY NOT BE USED EXCEPT IN CONNECTION WITH KOHLER CO. WORK.
ALL RIGHTS OF DESIGN OR INVENTION ARE RESERVED.

DIAGRAM, SCHEMATIC

FILE: GM89717