ICHLER R

The Perfect Blend of Design Excellence and Performance







PROJECT CATALOGUE

- Toilets
 Intelligent Toilets
 Integrated Toilets
 Wall-Hung and Wall-Faced Toilet
 - Smart Seats Toilet Seats Commercial Products Urinals Lavatories
 - Bathroom Furnitures
 Mirrored Cabinet













A Legacy in The Making









OUR MISSION: GRACIOUS LIVING

Since 1873_™




KOHLER®

Welcome to Kohler Company. Born in the USA over 145 years ago, we are a global leader in the kitchen & bathroom industry.

We are present on all continents with 50 manufacturing facilities, 30,000 staff and thousands of patents to our name. Four design centers on three continents with designers from various countries and backgrounds help us to be truly global while respecting local tastes and preferences.

Kohler Co. sets the standards of excellence and pushes the limits of design throughout the world. Whether we are creating kitchen and bath products, tile and furniture collections, engines and generators or luxury hotels and resorts to championship golf courses, our work is born from a desire to design experiences that make the world more gracious.

Over the years we have created and acquired an impressive portfolio of brand of which a few are presented in this brochure.



CONTENTS

HISTORIC MILESTONES	6	LAVATORIES	90
VOULED TOUETO	•	Installation Types	91
KOHLER TOILETS	8	Vessel Lavatories	92
Toilet Type	10	Semi-Recessed Lavatories	94
Kohler Bold Performance	12	Pedestal Lavatories	95
INTELLIGENT TOILETS	16	Semi-Pedestal Lavatories	96
Eir	18	Self-Rimming Lavatories	97
Karing 2.0	20	Undercounter Lavatories	98
Veil	22	Wall-Hung Lavatories	100
Innate	24	Vanity Top	101
		Mop Basins	102
SMART SEATS	26	BATHROOM FURNITURE	104
C ³ -520	28		104
C ³ -150	30	Maxispace 2.0 Rubicon	100
C ³ -430	32	HydroShield	110
C ³ -050	34	Aleutian 1200	112
C ³ -035	36	Family Care	113
C ³ -030	38	Maxi Space	116
Puretide	40	Flexi Space	118
INTEGRATED TOILETS	42	New Reach	119
Feature Chart	46	Reach	121
Toutaro onare	10	Aleutian	123
ONE-PIECE TOILETS	50	Forefront	124
TWO-PIECE TOILETS	56	Toobi	126
WALL-HUNG TOILETS &		MIRRORED CABINET	128
WALL-FACED TOILETS	62	Maxispace 2.0	130
		Family Care	131
TOILET SEATS	68	Maxi Space	133
COMMERCIAL PRODUCTS		New Verdera	134
		Devonshire	135
URINALS	81	Archer	135
		Sequoia	135
URINAL SENSOR	86	Elosis	136



The story of Kohler

Since 1873, Kohler Co. has been improving the level of gracious living by providing exceptional products and services for our customers' homes and their lifestyles. We believe better business and a better world go hand-in-hand. Fueled by the passion of more than 36,000 associates worldwide, we strive to enhance the quality of life for current and future generations through design, craftsmanship and innovation.

1883

World's First Cast Iron Bathtub Pioneering advancement by Kohler sees first- ever 'manger' cast iron bathtub.





2002

Kohler Thailand

customers worldwide.

1967 The Bold Look of Kohler

Advertising Manager Armond "Bud" Grube, along with Charles Pagnucco and Alfred Ellrodt, developed the concept of boldly colored products under the tagline THE BOLD LOOK OF KOHLER®.



1985

Introduction of Artist Editions The juice glasses we use every morning

to the sideboard that holds our table linens, the objects we choose for our homes reflect who we are and narrate the rhythm and texture of our lives. Balancing artistry and craftsmanship with utility, Artist Editions products invite you to celebrate beauty and creativity each





2008 Kohler with WaterSense® Award

since 2008.

The U.S. Environmental Protection Agency presents Kohler with its first watersense® award. Kohler has received every year





2011 Kohler Most Advanced Toilet Numi Intelligent Toilet is launched in Asia



2012 Celebrate 10 Years **Kohler Thailand**

Celebrating the 10th anniversary of Kohler

2013

Kohler Celebrates 140th Anniversary Kohler Co. celebrates 140 years of cut-

ting-edge design and innovations.



2014 **Kelston Series Debuts, Luxury Collection**

A combination of classic and modern design. Living on the edge of design and technology.





2015 **Global Launch of Veil** Intelligent Toilet

Veil Intelligent Toilet combines stunning good looks and state-of-the-art technology. Since its introduction it made waves around the world and is a big hit with designers, architects and consumers alike.



2016 **Avid and Composed Faucet Series**

Classical and modern design are elevated to a new height of innovation and refinement

2017 The first KEC opened in New York City

Kohler Co. reinvents its approach to global retail with the launch of Kohler Experience Centers. Created to serve the fast-growing segment of design professionals working on projects around the world and to offer consumers on-site product immersion, the new retail concept will make it easier than ever to experience and buy KOHLER products.



The color and shininess of products shown in the picture may differ from actual products due to printing.

2018 We've partnered with Manchester United

Together, Kohler and Manchester United will promote a culture of equality and inclusion as we strive to make the world a better place for all.





TOILET TYPE

Intelligent

Offering superior comfort and cleaning, intelligent toilets simply deliver a better experience, top to bottom. From heated seats and warm-water cleansing to automated flushing and more, our intelligent toilets help redefine one of life's most basic rituals.

Leading-Edge Design


Intelligent toilets feature an innovative tankless design that makes a stunning style statement.

Dynamic Cleansing

A warm-water wand, precision air dryer and a deodorizing filter provide personalized cleansing.

Personalized Comfort

Temperature, cleansing settings and more can be controlled with an intuitive touch-screen remote.



Wall-Hung

Ideal for bathrooms with a limited footprint, wall-hung toilets feature a sleek, easy-to-clean design. With a hidden in-wall tank, only the bowl and flush plate are mounted to the wall, resulting in a streamlined profile that saves up to 12" of space over standard floor-mount toilets and simplifies cleaning.



One-Piece

One-piece toilets are crafted from one single piece of ceramic, so the bowl and tank are integrated. This eliminates the seam between the bowl and tank, which means the toilet is easier to keep clean. Available with a concealed or skirted trapway, it's easier still.



This is the most common type of toilet, and it offers great value. A separate tank and bowl are assembled together. Bowls are

trapways.

Two-Piece

available with concealed or skirted **Skirted Trapway**

TOILET LENGTHS



Elongated Bowl

- Fits most residential spaces.
- Provides added room and comfort for seating.



Compact Elongated Bowl

- Fits the elongated bowl into a round-front toilet footprint.
- Saves up to 10 percent more space than an elongated bowl.
- Offers added room and comfort for seating compared to a roundfront toilet.



Round-Front Bowl

- Requires less space.
- · A good solution for small spaces

SEAT HEIGHTS



Standard Height

- Traditional-height toilets are ideal for small statures.
- Low-profile models are perfect for small spaces.



Comfort Height_®

- Sit at chair height approximately two inches higher than standardheight toilets.
- Makes standing and sitting easier.
- Many are ADA-compliant when installed per applicable guidelines.



Custom Height

- Wall-hung toilets can be positioned at a custom height from 153/8" to 281/2" to accommodate a range of statures.
- Raised bowl allows cleaning underneath.

TRAPWAY STYLES



Offers an easy-to-clean smooth surface from front to back.



Concealed Trapway

Features a smooth trapway surface that's easy to wipe clean.



Exposed Trapway

Traditionally designed, exposed trapways can be seen from the side of the toilet.

OTHER CONSIDERATIONS



Rough-In

Most bathrooms have a standard 12" rough-in (the measurement between the wall and outlet pipe). We also offer 10" and 14" options.



WaterSense_® - Labeled Toilets

WaterSense toilets meet strict EPA flushing guidelines, including using at least 20 percent less water than 1.6-gallon toilets. Look for the WaterSense label as you shop.



Revolution 360

THE PERFECT SWIRL

Extraordinary flushing performance for complete hygiene.

Kohler upgrades your toilet performance with the introduction of the new Revolution 360 swirl flush technology, ensuring a powerful flush and a cleaner bowl. When activating the toilet flush, the dynamic flow of water bursts into the toilet bowl thanks to a larger water inlet, moves along the track of the rimless bowl's edge and forms a 360 degrees swirling flow of water, ensuring full coverage of the bowl for improved hygiene. Thanks to the swirling motion, Revolution 360 flush technology ensures a cleaner bowl compared to toilets featuring conventional flush. The bowl's new rimless design differs from conventional toilets' rim holes, featuring a smooth surface where dirt and germs have nowhere to hide for better cleanability.





More Powerful

The high-speed water flow generated by the larger flush valve along with the additional water jet ensure extraordinary flushing and bulk removal performance to effectively prevent clogging.



Water Saving

Eco water consumption flushing (3/4.8L) satisfies LEED and Green Building certifications' standards.



Improved Hygiene

The 360-degrees swirl water flush reaches the entire inner bowl for optimized cleaning performance and hygiene.



Rimless Bowl

Rimless Flush provides an extraordinary flushing performance and enables each flush to reach the entire inner bowl, ensuring no place for germs and dirt to hide.



Class Five™

Extraordinarily Powerful Flushing Performance.

Flushing performance and water savings are always in style, which is why Kohler Class Five™ technology packs a powerful punch to eliminate clogs. We never compromise when it comes to flushing performance. Why should you?





More Powerful

The high-speed water flow generated by the larger flush valve along with the additional water jet ensure extraordinary flushing and bulk removal performance to effectively prevent clogging.




Improved Hygiene

The bigger flushing valve -3.25 inches in diameter versus 2.8-3 inches of conventional toilets - generates a higher speed, and thus pushes out the waste faster. KOHLER Class Five™ toilet bowl design features an additional rim jet designed to provide an extra powerful push.



Water Saving

Eco water consumption flushing (3/4.5 liters) satisfies LEED and Green Building certification



















- Overall dimensions 418 x 700 x 523 mm.
- Elongated bowl.
- Dual Flush system 3/3.8 liter per flush.





Eir, KOHLER's new intelligent toilet, embodies beauty and innovation. Installable against the wall and available with S-trap or P-trap for different installation and low water pressure environments. The Eir water filtration system purifies water sprayed from the wand onto the body, removing impurities, residual chlorine and heavy metals for a healthier bidet experience. A one-click sanitizer button activates both Electrolyzed water and UV light functions to clean the toilet's bowl and wand, ensuring unparalleled hygiene.



















• Wireless LCD with touch button remote control.



• Water Filtration. Filtering the water also protects the bidet system against clogging from sediment and mineral build up.



• French Curve seat with Silver Ion Anti- Bacterial Technology offers enhanced comfort and hygiene.



• 360° powerful rim washing. Covers the whole inner bowl, ensuring there is no place for dirty and germs to remain.




• Create a strong siphon for an efficient flush.




• Various water stream experience i.e. front wash, rear wash and pulsating

Dimensions are approximate Unit: mm

The color and shininess of products shown in the picture may differ from actual products due to printing.



Note: The recommended dimension for installation can be adjusted according to user preferences and layout.














Intelligent Toilet K-77780X-0

Karing 2.0





• Rough-in S-Trap 305 mm.





With its tankless design, the KOHLER KARING toilet makes a stunning style statement in any bath decor while offering the personal comfort of bidet cleansing. Inspired by a stone shaped by water, the designers sought to create an object that eliminates clutter and complements the bathroom environment.













• Wireless LCD with touch button remote control




• Water filtration for better cleanness and wellness



- Stainless steel wand with UV-Enhanced.
- Disinfecting Technology and Electrolyzed water.



• The air-clean technology fresh the air and eliminate the bacterial with delighted using experience.




• French Curve seat with Silver Ion Anti- bacterial Technology offers enhanced comfort and hygiene.



• Power Lite flushing system with 4.0 liter per flush.

Dimensions are approximate



Note: The recommended dimension for installation can be adjusted according to user preferences and layout.

The color and shininess of products shown in the picture may differ from actual products due to printing.













Intelligent Toilet K-5401X-S-0

- Overall dimensions 438 x 670 x 533 mm.
- · Elongated bowl.
- Direct Water Supply flushing system with 3/4.8 liter per flush.
- Rough-in S-Trap 305 mm.





Veil. When technology meets art. Balanced curves and ultra-responsive controls set the Veil toilet apart. The epitome of minimalist and ergonomic design, its sculpted form pairs with a suite of customized features fine-tuned to offer optimum hygiene and the ultimate in individual comfort. Veil, the perfect marriage of technology and art.
















• Wireless LCD with touch button remote control.



• Stainless steel wand with UV-Enhanced Disinfecting Technology.



• Auto open/close seat with three distance settings.



• 360° powerful rim washing. Covers the whole inner bowl, ensuring there is no place for dirty and germs to remain




• French Curve seat with Silver Ion Anti- bacterial Technology offers enhanced comfort and hygiene.



• Rimless bowl for an exceptionally clean flush.






Note: The recommended dimension for installation can be adjusted according to user preferences and layout.









K-8340X-2EX-0



- Overall dimensions 432 x 720 x 550 mm.
- Elongated bowl. Class Five flushing system with 5.5 liter per flush.
- Rough-in S-Trap 305 mm.





Innate intelligent toilet, like the streamlined design of waves, it brings a unique sense of flow to the vision. Considerate consideration, from installation to use, to make every user







enjoy clean health and everywhere care.















• Ergonomically and anti-theft designed remote control provide comfort control and adequate



• Stainless steel wand with UV-Enhanced Disinfecting Technology.



• French Curve seat with Silver Ion Anti- bacterial Technology offers enhanced comfort and hygiene.



• Class Five Flushing System with tank provide powerful bulked removal performance and ability to flush even when electricity is off.





• Auto open/close seat with three distance settings.



• Various water stream experience i.e. front wash, rear wash and pulsating wash.

Dimensions are approximate





Note: The recommended dimension for installation can be adjusted according to user preferences and layout.



















Electronic Smart Seat K-31333X-0

 C^3 -520



• Overall dimensions 454 x 529 x 158 mm.

• Elongated closed front seat fits most elongated toilets.



• Includes power cord, 3 way connector, water supply hoses and water inlet filter.







Recommended Toilets:

One-Piece Toilet

San Raphael Class Five / San Raphael Grande / Tresham / Aerodyne / Veil / Karess / Reach / Adair / Family Care

Two-Piece Toilet

Reach / Karess / Persuade / Reach Concealed / New Patio / Adair Concealed / Family Care

Cleanliness



• Water filtration for better cleanness and wellness.



• Stainless steel wand with UV-Enhanced Disinfecting Technology.



• Anti-bacterial seat with Silver Ion Anti-Bacterial Technology.

Comfort



• French Curve seat offers enhanced comfort and hygiene.



• Instant heating system. Stable warm water supply.



• Automatic Deodorizer with activated carbon to eliminate unpleasant odors.

Convenience



• User presets for up to 3 people recall individual saved preferences.




• Easy-operation Side Panel. Frequently used buttons are enlarged for easy operation.




• LED Night Light. For ease of use at night.

Dimensions are approximate. Unit: mm



The color and shininess of products shown in the picture may differ from actual products due to printing.



Note: The recommended dimension for installation can be adjusted according to user preferences and layout.







C^3 -150 Electronic Smart Seat

- K-8297X-0 • Overall dimensions 447 x 523 x 130 mm.
- Elongated closed front seat fits most elongated toilets.
- Includes power cord, 3 way connector and water supply hoses.









Recommended Toilets:

One-Piece Toilet

San Raphael Class Five / San Raphael Grande / Tresham / Aerodyne / Veil / Karess / Reach / Ove / Adair / Family Care

Two-Piece Toilet

Reach / Karess / Persuade / Ove / Reach Concealed / New Patio / Adair Concealed / Family Care





Cleanliness



• Stainless steel wand with self-cleaning function before and after use.



• Anti-bacterial seat with Silver Ion Anti-Bacterial Technology.

Comfort



• Ergonomically designed seat ring (Squatting angle and French Curve) can help user adjust to healthier seated position and offer enhanced comfort.



• Adjustable water temperature, water pressure, and seat temperature to accommodate personal preference.



• Automatic Deodorizer with activated carbon to eliminate unpleasant odors.

Convenience



• Ergonomical Side Panel. The control panel is lifted together with the toilet seat which allows you to use it easily without turning around.





• Easy-operation Side Panel. Frequently used buttons are enlarged for easy operation.



• LED Night Light. For ease of use at night.

Dimensions are approximate. Unit: mm





Note: The recommended dimension for installation can be adjusted according to user preferences and layout.





C^{3} -430 Electronic Smart Seat

- K-22445X-0
- Overall dimensions 430 x 524 x 120 mm. • Elongated closed front seat fits most elongated toilets.
- Includes power cord, 3 way connector and water supply hoses.









Recommended Toilets:

One-Piece Toilet

San Raphael Class Five / San Raphael Grande / Tresham / Aerodyne / Veil / Karess / Reach / Ove / Adair / Family Care

Two-Piece Toilet

Reach / Karess / Persuade / Ove / Reach Concealed / New Patio / Adair Concealed / Family Care

Cleanliness



• Stainless steel wand with self-cleaning function before and after use.



• UV-Enhanced Disinfecting Technology. UV-enhanced disinfecting ensures long-lasting hygiene. Identify disinfecting period to accommodate your individual preference.



• Anti-bacterial seat with Silver Ion Anti-Bacterial Technology.

Comfort



• Ergonomically designed seat ring (Squatting angle and French Curve) can help user adjust to healthier seated position and offer enhanced comfort.



• Adjustable water temperature, water pressure, and seat temperature to accommodate personal preference.

Convenience



• Ergonomical Side Panel. The control panel is lifted together with the toilet seat which allows you to use it easily without turning around.





• Easy-operation Side Panel. Frequently used buttons are enlarged for easy operation.



• LED Night Light. For ease of use at night.

Dimensions are approximate. Unit: mm





Note: The recommended dimension for installation can be adjusted according to user preferences and layout.







C^3 -050 Electronic Smart Seat K-18751X-0

- Overall dimensions 429 x 524 x 120 mm.
- Elongated closed front seat fits most elongated toilets.
- Includes power cord, 3 way connector and water supply hoses.









Recommended Toilets:

One-Piece Toilet

San Raphael Class Five / San Raphael Grande / Tresham / Aerodyne / Veil / Karess / Reach / Ove / Adair / Family Care

Two-Piece Toilet

Reach / Karess / Persuade / Ove / Reach Concealed / New Patio / Adair Concealed / Family Care

Cleanliness



• Stainless steel wand with self-cleaning function before and after use.



• Stainless steel wand with self-cleaning function before and after use.



• Anti-bacterial seat with Silver Ion Anti-Bacterial Technology.

Comfort



• Ergonomically designed seat ring (Squatting angle and French Curve) can help user adjust to healthier seated position and offer enhanced comfort.



• Adjustable water temperature, water pressure, and seat temperature to accommodate personal preference.

Convenience




• Ergonomical Side Panel. The control panel is lifted together with the toilet seat which allows you to use it easily without turning around.





• Easy-operation Side Panel. Frequently used buttons are enlarged for easy operation.

Dimensions are approximate. Unit: mm



The color and shininess of products shown in the picture may differ from actual products due to printing.





Note: The recommended dimension for installation can be adjusted according to user preferences and layout.





C³-035 Cleansing Seat

- K-28010K-0
- Overall dimensions 431 x 506 x 78 mm. • Elongated closed front seat fits most elongated toilets.





Recommended Toilets:

One-Piece Toilet

San Raphael Class Five / San Raphael Grande / Veil / Reach / Aerodyne / Tresham / Karess

Two-Piece Toilet

Ove / Karess / Reach / Persuade / Reach Concealed / New Patio / Adair Concealed

Flush Valve Bowl

Highcliff / Wellcome

Cleanliness



• Various water spray patterns. Dual wand provides two different water sprays, rear wash and gentle front wash for female.



 Anti-bacterial seat is made of a special material containing silver ion to effectively prevent the growth of bacteria.




• Easy to clean. Anti-bacterial glaze prevent the growth of bacteria and germs for optimal hygiene.

Comfort



 Katalyst Air™. Air is infused in the water sprayed onto the body, providing a more gentle and comfortable experience.



• Adjustable water pressure.



• Ergonomically designed wide French Curve toilet seat offers enhanced seating comfort.

Convenience



• User-friendly operation. Brings extra convenience to daily usage.




• Quick-release hinges enable easy removal of the toilet seat, facilitating fast and thorough clening.




• Quiet-close. Toilet seat closes slowly and quietly without slamming.

Dimensions are approximate. Unit: mm



The color and shininess of products shown in the picture may differ from actual products due to printing.





Note: The recommended dimension for installation can be adjusted according to user preferences and layout.





C^3 -030 Cleansing Seat

- K-98804X-0
- Overall dimensions 411 x 502 x 78 mm. • Elongated closed front seat fits most elongated toilets.





Recommended Toilets:

One-Piece Toilet

San Raphael Class Five / San Raphael Grande / Veil / Reach / Aerodyne / Tresham / Karess

Two-Piece Toilet

Ove / Karess / Reach / Persuade / Reach Concealed / New Patio / Adair Concealed

Flush Valve Bowl

Highcliff / Wellcome

Cleanliness



• Plastic Dual wands.



• Self-cleaning function before and after use.

Comfort



• Super Slim 78 mm height with ergonomic seat design.



• Soft water spray with air bubble.

Convenience



• Easy Operation with the side panel that can adjust water pressure (3 levels) to accommodate personal preference.




• Adjustable hinge (135-215 mm) allows the seat to be compatible with many toilet models.




• Quick-release hinge.

Dimensions are approximate.



Note: The recommended dimension for installation can be adjusted according to user preferences and layout.

The color and shininess of products shown in the picture may differ from actual products due to printing.



New/Arrival



Puretide Cleansing Seat

- K-5724K-0
- Overall dimensions 450 x 521 x 111 mm. • Elongated closed front seat fits most elongated toilets.







Recommended Toilets:

One-Piece Toilet Veil / Reach / Aerodyne / Adair

Ove / Reach / Persuade / Reach Concealed / New Patio / Adair Concealed

Cleanliness



• Single wand provides ambient-water cleansing.



• Self-cleaning wand automatically rinses after each use.

Comfort



• Ergonomically contoured seat for enhanced user comfort.



• Adjustable water spray position and pressure using the convenient side handle. Turning the lever (left/ right) increases or decreases water flow.



• Pushing down on the lever to transition spray from posterior to anterior cleaning.

Convenience



Manually operated handle requires NO batteries or electrical power.





 Quiet-Close™ elongated seat allows seat to close quietly.




 Quick-Release™ functionality allows the seat to be removed quickly for easy cleaning.

Dimensions are approximate. Unit: mm







Note: The recommended dimension for installation can be adjusted according to user preferences and layout.



KOHLER® INTEGRATED TOILETS A Smart Toilet within Reach

Introducing the new integration of powerful flushing performance and smart bidet seat. A premium bathroom experience is now readily available and affordable.



Concealed wiring and plumbing connections and perfect matching for a clean.



Better Flushing

Powerful flushing performance for complete hygiene and better



Smart seat for better hygiene and comfort at more affordable price point.

One-Piece Integrated Toilets



KOHLER. CLASS FIVE,


San Raphael Class Five with C3-150 Smart Seat (Hidden Cord)

One-Piece Toilet K-29993X-150-0

- Overall dimension 520 x 734 x 620 mm.
- · Elongated bowl.
- Hidden cord design.
- Class Five flushing system with 4.8 liter per flush.
- Rough-in S-Trap 305 mm.
- · Ceramic trapway.
- C³-150 Smart Seat with bidet functionality.
- Supply hose, shut off valve and power cord.










KOHLER. CLASS FIVE:+

Veil with C³-150 Smart Seat (Hidden Cord) One-Piece Toilet

K-27450X-150-0 • Overall dimension 447 x 725 x 692 mm.

- · Elongated bowl.
- · Hidden cord design.
- Class Five+ Dual Flush flushing system with 3/4.5 liter per flush.
- Rough-in S-Trap 305 mm.
- · Ceramic trapway.
- C³-150 Smart Seat with bidet functionality.
- Supply hose, shut off valve, and power cord.








San Raphael Grande with C^3 -430 Smart Seat One-Piece Toilet

K-28232X-430-0

- Overall dimension 521 x 736 x 624 mm.
- · Elongated bowl.
- Class Five flushing system with 4.8 liter per flush.
- Rough-in S-Trap 305 mm.
- · Ceramic trapway.
- C³-150 Smart Seat with bidet functionality.
- Supply hose, shut off valve, and power cord.







Two-Piece Integrated Toilets




Reach with C3-050 Smart Seat Two-Piece Toilet

K-30312X-0

- Overall dimension 430 x 740 x 790 mm.
- Elongated bowl.
- Class Five+ Dual Flush flushing system with 3/4.8 liter per flush.
- Rough-in S-Trap 305 mm.
- Ceramic trapway.
- C³-050 Smart Seat with bidet functionality.
- Supply hose, shut off valve, and power cord.










Reach with C3-030 Cleansing Seat Two-Piece Toilet

- K-25991X-0
- Overall dimension 414 x 732 x 790 mm.
- · Elongated bowl.
- Class Five+ Dual Flush flushing system with 3/4.8 liter per flush.
- Rough-in S-Trap 305 mm.
- Ceramic Trapway.
- C3-030 Cleansing Seat with bidet functionality.
- Supply hose and shut off valve.












Adair Concealed with $\ensuremath{\text{C}}^3\text{-030}$ Smart Seat Two-Piece Toilet

K-78144X-0

- Overall dimension 430 x 725 x 746 mm.
- · Elongated bowl.
- Siphonic Wash Down flushing system with 4 liter per flush.
- Rough-in S-Trap 305 mm.
- · Ceramic Trapway.
- C3-030 Cleansing Seat with bidet functionality.
- · Supply hose and shut off valve.
















KOHLER® INTELLIGENT TOILETS & SMART SEATS Feature Chart





KOHLER. Intelligent Toilets



(White)





Intelligent Toilet K-77795X-EX-0 (White) K-77795X-EXSG-0 (Sunrise Gold)



Intelligent Toilet K-77780X-0

	Dimension (mm.)	432 x 720 x 550	438 x 670 x 533	418 x 700 x 523	451 x 705 x 526
Comfort	Water consumption (Liter)	Single Flush / Class Five 5.5L	Dual Jet Flush 3/4.8L	Direct Flush 3/3.8L	Power Lite 4.0L
	Adjustable wand position	3 levels	5 levels	5 levels	5 levels
	Pulsating wash	•	•	•	•
	Oscillate wash	•	•	•	•
	Adjustable water temperature	3 levels	5 levels	5 levels	5 levels
	Adjustable seat temperature	3 levels	5 levels	5 levels	5 levels
	Adjustable air temperature of dryer	•	5 levels	•	5 levels
Cleanliness	Wand type	Stainless steel 316	Stainless steel 316	Stainless steel 316	Stainless steel 316
	Anti-microbial seat	•	•	•	•
	Wand sanitizing	UV	Electrolyzed Water + UV	Electrolyzed Water + UV	Electrolyzed Water + UV
	Bowl cleansing by Electrolyzed Water	_	_	_	•
	Automatic deodorizer	•	•	•	with anti-bacterial
Convenience	Auto open/close lid	•	•	•	•
	Quiet close seat	•	•	•	•
	Remote control	•	•	•	•
	User preset	_	_	_	2 people
	Automatic LED night light	•	•	•	•

KOHLER. Electronic Smart Seats









C³-520 Electronic Smart Seat K-31333X-0

C³-150 Electronic Smart Seat K-8297X-0

 C^3 -430 Electronic Smart Seat K-22445X-0

C³-050 Electronic Smart Seat K-18751X-0

	Dimension (mm.)	454 x 529 x 158	447 x 523 x 130	430 x 524 x 120	429 x 524 x 120
Comfort	Adjustable wand position	5 levels	5 levels	_	_
	Pulsating wash	•	•	_	_
	Oscillate wash	•	•	•	•
	Adjustable water temperature	5 levels	5 levels	5 levels	3 levels
	Water heating technology	Instant Water Heater	Hybrid Water Heater	Hybrid Water Heater	Hybrid Water Heater
	Adjustable seat temperature	5 levels	5 levels	3 levels	_
	Adjustable air temperature of dryer	5 levels	5 levels	_	_
	Kid Mode	•	_	_	_
Cleanliness	Wand type	Stainless steel 316	Stainless steel 304	Stainless steel 304	Stainless steel 304
	Anti-bacterial seat	•	•	•	•
	Self-cleaning nozzles	Water clean + UV sanitization	Water clean	Water clean + UV sanitization	Water clean + UV sanitization
	Water Filtration	•	_	_	_
	Automatic deodorizer	•	•	_	_
Convenience	User sensor	Capacitive	Weight	Capacitive	Weight
	Quiet-Close seat	•	•	•	•
	One second Quick-release hinges	•	•	•	•
	Remote control	_	_	_	_
	User preset	•	_	_	_
	Energy saving mode	•	•	_	-
	Automatic LED night light	•	•	•	_



The color and shininess of products shown in the picture may differ from actual products due to printing.








C³-035 Cleansing Seat K-28010K-0

C³-030 Cleansing Seat K-98804X-0

Puretide Cleansing Seat K-5724K-0

Dimension (mm.)		431 x 506 x 78	411 x 502 x 78	450 x 521 x 111
Comfort	Adjustable water pressure	•	•	•
	Air water (Katalyst Air)	•	•	_
	French Curve Seat	•	•	•
Cleanliness	Wand type	Plastic (Dual)	Plastic (Dual)	Plastic (Single)
	Anti-bacterial material	•	_	_
	Spray pattern	Front & Rear	Front & Rear	Front & Rear
	Self-cleaning wand	Water Clean	Water Clean	Water Clean
Convenience	Cuiet-Close	•	•	•
	Quick-Release	•	•	•



One-Piece Toilets




San Raphael Grande One-Piece Toilet

K-8688X-S-0

- Overall dimension 521 x 736 x 624 mm.
- Elongated bowl.
- Class Five flushing system with 4.8 liter per flush. • Rough-in S-Trap 305 mm.
- French Curve Grande Quiet-Close Quick-Release toilet seat and cover with polished chrome trip
- Supply hose, connector and shut off valve.

KOHLER. CLASS FIVE.,,








San Raphael Grande One-Piece Toilet

- K-28232X-S-0
- Overall dimension 521 x 736 x 624 mm.
- · Elongated bowl.
- Class Five flushing system with 4.8 liter per flush.Rough-in S-Trap 305 mm.
- · Ceramic trapway.
- French Curve Grande Quiet-Close Quick-Release toilet seat and cover with polished chrome trip
- · Supply hose and shut off valve.

KOHLER. CLASS FIVE.,,





New/Arrival




Brazn One-Piece Toilet K-22378X-C-0

- Overall dimension 378 x 733 x 750 mm.
- Elongated bowl.
- Revolution 360 flushing system with 3/4.8 liter per flush.
- Rough-in S-Trap 305 mm.
- Slim French Curve Quiet-Close Quick-Release toilet seat and cover with polished chrome trip
- Supply hose, connector and shut off valve.







One-Piece Toilets

New/Arrival




Family Care One-Piece Toilet K-23188X-C-0

- Overall dimension 378 x 700 x 748 mm.
- · Elongated bowl.
- Revolution 360 flushing system with 3/4.8 liter per flush.
- Rough-in S-Trap 305 mm.
- French Curve Quiet-Close Quick-Release toilet seat and cover with polished chrome push
- Supply hose, connector and shut off valve.

REVOLUTION 36© 3/4.8L






Tresham

One-Piece Toilet K-3854X-C-0

- Overall dimension 417 x 723 x 746 mm.
- · Elongated bowl.
- Class Five+ Dual Flush flushing system with 3/4.8 liter per flush.
- Rough-in S-Trap 305 mm.
- French Curve Quiet-Close Quick-Release toilet seat and cover with polished chrome trip lever.
- Supply hose, connector and shut off valve.










San Raphael Class Five One-Piece Toilet

K-75920X-S-0

- Overall dimension 520 x 734 x 620 mm.
- · Elongated bowl.
- Class Five flushing system with 4.8 liter per flush.
- Rough-in S-Trap 305 mm.
- · Ceramic trapway.
- French Curve Quiet-Close Quick-Release toilet seat and cover with polished chrome trip lever.
- Supply hose, connector and shut off valve.







One-Piece Toilet


One-Piece Toilet

K-45382X-S-0 / K-45382X-SP-0

- Overall dimension 370 x 730 x 700 mm.
- Elongated bowl.
- Dual Flush flushing system with 3/4.5 liter per
- Rough-in S-Trap 305 mm / P-Trap 185 mm.
- Quiet-Close toilet seat and cover with polished chrome push button.
- Supply hose, connector and shut off valve.










Aerodyne One-Piece Toilet

- K-3869X-S-0
- Overall dimension 392 x 730 x 708 mm.
- · Elongated bowl.
- Class Five+ Dual Flush flushing system with 3/4.8 liter per flush.
- Rough-in S-Trap 305 mm.
- Quiet-Close toilet seat and cover with polished chrome push button.
- Supply hose, connector and shut off valve.










Karess K-3902X-S-0

- One-Piece Toilet
- Overall dimension 367 x 730 x 750 mm
- · Elongated bowl.
- Class Five+ Dual Flush flushing system with 3/4.8 liter per flush.
- Rough-in S-Trap 305 mm.
- Quiet-Close toilet seat and cover with polished chrome push button.
- Supply hose, connector and shut off valve.





One-Piece Toilets



KOHLER. CLASS FIVE ...+

One-Piece Toilet K-31741X-S-0

- Overall dimension 387 x 725 x 692 mm.
- Elongated bowl.
- Class Five+ Dual Flush flushing system with 3/4.5 liter per flush.
- Rough-in S-Trap 305 mm.
- Ceramic trapway.Quiet-Close toilet seat and cover with polished chrome trip lever.
- Supply hose and shut off valve.






One-Piece Toilet K-77739X-SL-0

- Overall dimensions 365 x 700 x 737 mm.
- European with rimless bowl and clean coat technology for better cleanliness.
- Revolution 360 flushing system with 3/4.5 liters
- Rough-in S-Trap 305 mm.
- Slim Quiet-Close toilet seat and cover with polished chrome push button.
- Supply hose, connector and shut off valve.










Cimarron Skirted One-Piece Toilet K-5697X-C-0

- Overall dimension 480 x 744 x 709 mm.
- Elongated bowl.
- Class Five flushing system with 4.8 liter per flush.
- Rough-in S-Trap 305 mm.
- French Curve Quiet-Close Quick-Release toilet seat and cover with polished chrome trip lever.
- Supply hose, connector and shut off valve.







One-Piece Toilet




One-Piece Toilet

- K-76815X-S-0
- Overall dimension 366 x 724 x 722 mm.
- Elongated bowl.
- Class Five+ Dual Flush flushing system with 3/4.8 liter per flush.
- Rough-in S-Trap 305 mm.
- Ceramic trapway.Quiet-Close toilet seat and cover with polished chrome push button.
- Supply hose and shut off valve.










Adair

One-Piece Toilet K-5171X-0

- Overall dimension 411 x 723 x 706 mm.
- · Elongated bowl.
- Class Five+ flushing system with 4.2 liter per
- Rough-in S-Trap 305 mm.
- French Curve Quiet-Close Quick-Release toilet seat and cover with polished chrome trip lever.
- Supply hose and shut off valve.









Two-Piece Toilets

New/Arrival




Family Care Two-Piece Toilet K-25737X-C-0

- Overall dimension 398 x 700 x 782 mm.
- Elongated bowl. • Revolution 360 flushing system with 3/4.8 liter per flush.
- Rough-in S-Trap 305 mm.
- French Curve Quiet-Close Quick-Release toilet seat and cover with polished chrome push
- Supply hose, connector and shut off valve.











Modernlife Two-Piece Toilet

K-20614X-SLM-0

- Overall dimension 394 x 650 x 800 mm.
- European with rimless bowl and clean coat technology for better cleanliness.
- Dual Flush flushing system with 3/4.5 liter per
- Rough-in S-Trap 305 mm.
- Slim Quiet-Close toilet seat and cover with polished chrome push button.
- Supply hose, connector and shut off valve.










Two-Piece Toilet


K-45679X-S-0 / K-45679X-SP-0 • Overall dimension 390 x 740 x 777 mm.

- · Elongated bowl.
- Dual Flush flushing system with 2.6/4 liter per
- Rough-in S-Trap 305 mm / P-Trap 185 mm. Quiet-Close toilet seat and cover with polished chrome push button.
- Supply hose, connector and shut off valve.

KOHLER DUAL FLUSH







Two-Piece Toilets




KOHLER. DUAL FLUSH


Panache Two-Piece Toilet

K-15246X-S-0 / K-15246X-SP-0

- Overall dimension 370 x 700 x 775 mm.
- European bowl.
- Dual Flush flushing system with 3/4.5 liter per
- Rough-in S-Trap 305 mm / P-Trap 185 mm.
- Quiet-Close toilet seat and cover with polished chrome push button.
- Supply hose, connector and shut off valve.









KOHLER. CLASS FIVE:+

Karess

Two-Piece Toilet K-75921X-S-0

- Overall dimension 370 x 730 x 805 mm.
- · Elongated bowl.
- Class Five+ Dual Flush flushing system with 3/4.2 liter per flush.
- Rough-in S-Trap 305 mm.
- · Ceramic trapway.
- Quiet-Close toilet seat and cover with polished chrome push button.
- Supply hose and shut off valve.

K-45363X-0 / K-45363X-P-0

chrome push button.

Elongated bowl.

• Overall dimension 366 x 711 x 808 mm.

Dual Flush flushing system with 3/4.5 liter per

• Rough-in S-Trap 305 mm / P-Trap 185 mm.

• Supply hose, connector, shut off valve.


K-45363X-C-0 / K-45363X-CP-0


• French Curve Toilet seat and cover with polished

• French Curve Quiet-Close Quick-Release toilet

seat and cover with polished chrome push botton.











KOHLER. DUAL FLUSH



Persuade Two-Piece Toilet





Two-Piece Toilets

Odeon Up Two-Piece Toilet


K-22621X-C-0

- Overall dimension 406 x 650 x 796 mm. · European bowl. • Dual Flush flushing system with 3/4.5 liter per

- Rough-in P-Trap 185 mm.
- Quiet-Close toilet seat and cover with polished chrome push button.
- Supply hose, connector and shut off valve.













Reach Two-Piece Toilet

- K-75991X-S-0
- Overall dimension 388 x 732 x 790 mm.
- · Elongated bowl.
- Class Five+ Dual Flush flushing system with 3/4.8 liter per flush.
- Rough-in S-Trap 305 mm.
- Ceramic trapway.
- Quiet-Close toilet seat and cover with polished chrome push button.
- · Supply hose and shut off valve.















New Patio Two-Piece Toilet

- K-22586X-S-0
- Overall dimension 362 x 700 x 760 mm. · Elongated bowl.
- Class Five+ Dual Flush flushing system with 3/4.5 liter per flush.
- Rough-in S-Trap 305 mm.
- · Ceramic trapway.
- Quiet-Close toilet seat and cover with polished chrome trip lever.
- Supply hose and shut off valve.



The color and shininess of products shown in the picture may differ from actual products due to printing.





Two-Piece Toilets




Reach Concealed Two-Piece Toilet K-22244K-S-0

- Overall dimension 391 x 734 x 776 mm.
- Elongated bowl.
- Siphonic Wash Down flushing system with 3/4.5 liter per flush.
- Rough-in S-Trap 305 mm.
- Ceramic trapway.Quiet-Close toilet seat and cover with polished chrome push button.
- Supply hose and shut off valve.







DUAL FLUSH

Odeon Two-Piece Toilet K-45682X-S-0

- Overall dimension 390 x 733 x 786 mm.
- Elongated bowl.
- Dual Flush flushing system with 2.6/4 liter per
- Rough-in S-Trap 305 mm.
- Quiet-Close toilet seat and cover with polished chrome push button.
- Supply hose and connector.



Two-Piece Toilet K-18187X-S-0

• Dual Flush flushing system with 3/4.5 liter per flush.



Wall gap 13-30




Wellworth Class Five Two-Piece Toilet

K-72635X-0

- Overall dimension 462 x 762 x 743 mm.
- Elongated bowl.
- Class Five flushing system with 4.8 liter per flush.
- Rough-in S-Trap 305 mm.
- · Ceramic trapway.
- French Curve toilet seat and cover with polished chrome trip lever.
- Supply hose and shut off valve.

KOHLER. CLASS FIVE,





nmended dimension for installation can be adjusted according to user preferences and layout

Two-Piece Toilets




Adair Concealed Two-Piece Toilet

K-22248K-C-0

- Overall dimension 423 x 725 x 746 mm.
- Elongated bowl.
- Siphonic Wash Down flushing system with 4 liter per flush.
- Rough-in S-Trap 305 mm.
- Ceramic trapway.
- French Curve Quiet-Close Quick-Release toilet seat and cover with polished chrome trip lever.
- Supply hose and shut off valve.





Flush Valve Toilets




Highcliff Ultra Flush Valve Toilet K-22274X-0

- Overall dimension 371 x 670 x 500 mm.
- · Elongated bowl.
- 1-1/2" top spud.
- 4.8 or 6 liter per flush (Use with Flush Valve).
- 254 mm or 305 mm rough-in for S-trap.
- Include French Curve toilet seat.



4.8L or 6L




Wellcomme Ultra Flush Valve Toilet K-30594X-0

- Overall dimension 378 x 670 x 460 mm.
- · Elongated bowl.
- 1-1/2" top spud.
- 4.8 or 6 liter per flush (Use with Flush Valve).
- 254 mm or 305 mm rough-in for S-trap.
- Include French Curve toilet seat.



4.8L or 6L



Note: The recommended dimension for installation can be adjusted according to user preferences and layour



The color and shininess of products shown in the picture may differ from actual products due to printing.

Wall-Hung Toilets

Wall-Hung Toilet

- 1. K-3594X-S-0 (with Quiet-Close Seat)
- Overall dimension 366 x 586 x 426 mm.



2. K-3594X-NS-0 (without Seat)

- Overall dimension 366 x 586 x 360 mm.
- Elongated bowl.
- Dual flushing system with 3/4.5 Liter, 3/6 Liter, 4.5 Liter, 6 liter per flush. (Depend on In-Wall Tank or Flush Valve).
- Rough-in P-Trap 224 mm.

DUAL FLUSH



3/4.5L, 3/6L, 4.5L or 6L (Depend on In-Wall Tank or Flush Valve)

Note: The recommended dimension for installation can be adjusted according to user preferences and layor

Wall-Hung Toilet


- 1. K-19957K-0 (with Seat)
- Overall dimension 366 x 540 x 391 mm.

- 2. K-19957X-NS-0 (without Seat)
- Overall dimension 360 x 540 x 335 mm.
- European bowl.
- Dual flushing system with 3/4.5 Liter, 3/6 Liter, 4.5 Liter, or 6 liter per flush. (Depend on In-Wall Tank or Flush Valve).
- Rough-in P-Trap 225 mm.

KOHLER. DUAL FLUSH



3/4.5L, 3/6L, 4.5L or 6L (Depend on In-Wall Tank or Flush Valve)



Note: The recommended dimension for installation can be adjusted according to user preferences and layout.

Wall-Hung Toilet

- 1. K-31082X-S-0 (with Quiet-Close Seat)
- Overall dimension 385 x 555 x 392 mm.


- 2. K-31082X-NS-0 (without Seat)
- Overall dimension 385 x 555 x 340 mm.
- · Elongated bowl.
- Dual flushing system with 3/4.5 Liter, 3/6 Liter, 4.5 Liter, or 6 liter per flush. (Depend on In-Wall Tank or Flush Valve).
- Rough-in P-Trap 225 mm.

KOHLER DUAL FLUSH



3/4.5L, 3/6L, 4.5L or 6L (Depend on In-Wall Tank or Flush Valve)

This diagram shown with K-4141X sea



Note: The recommended dimension for installation can be adjusted according to user preferences and layout

Wall-Hung Toilets

Parliament Grande Wall-Hung Toilet

1. K-32484X-C-0 (with Quiet-Close Seat)

• Overall dimension 373 x 565 x 387 mm.

2. K-32484X-TSS-0 (with Slim Quiet-Close Seat)

• Overall dimension 373 x 565 x 389 mm.

3. K-32484X-TNL-0 (with Night Light Quiet-Close Seat)

• Overall dimension 373 x 565 x 389 mm.

4. K-32484X-NS-0 (without Seat)

• Overall dimension 370 x 565 x 342 mm.

European bowl.

• Dual flushing system with 3/4.5, 3/6, 4.5, or 6 liter

• Rough-in P-Trap 211 mm.

per flush. (Depend on In-Wall Tank or Flush Valve). Note: The recommended dimension for installation can be adjusted according to user preferences and layout

Wall gap 0-6

DUAL FLUSH

DUAL FLUSH



Reach Up Wall-Hung Toilet

1, K-32483X-TSS-0 (with Slim Quiet-Close Seat)

• Overall dimension 366 x 565 x 388 mm.

2. K-32483X-TNL-0 (with Wrapped and Night Light Quiet-Close Seat)

• Overall dimension 366 x 565 x 400 mm.

3. K-32483X-NS-0 (without Seat)


• Overall dimension 366 x 565 x 350 mm.

European bowl.

• Dual flushing system with 3/4.5, 3/6, 4.5, or 6 liter per flush. (Depend on In-Wall Tank or Flush Valve). Note: The recommended dimension for installation can be adjusted according to user preferences and layout.

• Rough-in P-Trap 224 mm.

3/4.5L, 3/6L, 4.5L or 6L (Depend on In-Wall Tank or Flush Valve)



This diagram shown with K-75200K seat

Wall-Faced Toilets

Wall-Faced Toilet


- 1. K-31980X-C-0 (with Quiet-Close Seat and S-Trap Connector)
- 2. K-31980X-CP-0 (with Quiet-Close Seat and P-Trap Connector)
- 3. K-31980X-CNT-0 (with Quiet-Close Seat)
- Overall dimension 366 x 555 x 452 mm.




- Overall dimension 365 x 555 x 395 mm.
- European bowl.
- Dual flushing system with 3/4.5, 3/6, 4.5, or 6 liter per flush. (Depend on In-Wall Tank or Flush
- Rough-in P-Trap 185 mm or S-Trap 90 and 160 mm.









Note: The recommended dimension for installation can be adjusted according to user preferences and layout

Panache

Wall-Faced Toilet

- 1. K-31981X-S-0 (with Quiet-Close Seat and S-Trap Connector)
- 2. K-31981X-SP-0 (with Quiet-Close Seat and P-Trap Connector)
- 3. K-31981X-SNT-0 (with Quiet-Close Seat)
- Overall dimension 368 x 560 x 456 mm.


- 4. K-18154X-0 (without Seat)
- Overall dimension 365 x 560 x 400 mm.


• European bowl.

- Dual flushing system with 3/4.5, 3/6, 4.5, or 6 liter per flush. (Depend on In-Wall Tank or Flush
- Rough-in P-Trap 185 mm or S-Trap 90 and 150 mm.









Wall-Faced Toilets

ModernLife

Wall-Faced Toilet

- 1. K-29646X-SLMS-0 (with Slim Quiet-Close Seat and S-Trap Connector)
- 2. K-29646X-SLMP-0 (with Slim Quiet-Close Seat and P-Trap Connector)
- 3. K-29646X-SLM-0 (with Slim Quiet-Close Seat) 4. K-29646X-TNLS-0 (with Slim and Night Light
- Quiet-Close Seat and S-Trap Connector) 5. K-29646X-TNLP-0 (with Slim and Night Light
- Quiet-Close Seat and P-Trap Connector)
- 6. K-29646X-TNL-0 (with Slim and Night Light Quiet-Close Seat)
- Overall dimension 360 x 560 x 433 mm.

7. K-29646X-0 (without Seat)

- Overall dimension 360 x 560 x 390 mm.
- European bowl.
- Dual flushing system with 3/4.5, 3/6, 4.5, or 6 liter per flush. (Depend on In-Wall Tank or Flush
- Rough-in P-Trap 185 mm or S-Trap 90 and 160

DUAL FLUSH



Parliament Grande

- Wall-Faced Toilet
- 1. K-29648X-CS-0 (with Quiet-Close Seat and S-Trap Connector)
- 2. K-29648X-CP-0 (with Quiet-Close Seat and P-Trap Connector)
- 3. K-29648X-C-0 (with Quiet-Close Seat)
- Overall dimension 373 x 580 x 435 mm.


- 4. K-29648X-TSSS-0 (with Slim Quiet-Close Seat and S-Trap Connector)
- 5. K-29648X-TSSP-0 (with Slim Quiet-Close Seat and P-Trap Connector)
- 6. K-29648X-TSS-0 (with Slim Quiet-Close Seat)
- Overall dimension 373 x 580 x 437 mm.


7. K-29648X-0 (without Seat)

- Overall dimension 373 x 580 x 390 mm.
- European bowl.
- Dual flushing system with 3/4.5, 3/6, 4.5, or 6 liter per flush. (Depend on In-Wall Tank or Flush
- Rough-in P-Trap 185 mm or S-Trap 125 and 190 mm.

DUAL FLUSH







Note: The recommended dimension for installation can be adjusted according to user preferences and layout.

Wall-Faced Toilets

Reach Up

Wall-Faced Toilet

- 1. K-29647X-TSSS-0 (with Slim Quiet-Close Seat and S-Trap Connector)
- 2. K-29647X-TSSP-0 (with Slim Quiet-Close Seat and P-Trap Connector)
- 3. K-29647X-TSS-0 (with Slim Quiet-Close Seat)
- Overall dimension 370 x 565 x 433 mm.
- 4. K-29647X-TWSS-0 (with Wrapped Quiet-Close Seat and S-Trap Connector)
- 5. K-29647X-TWSP-0 (with Wrapped Quiet-Close Seat and P-Trap Connector)
- 6. K-29647X-TWS-0 (with Wrapped Quiet-Close
- 7. K-29647X-TNLS-0 (with Wrapped and Night Light Quiet-Close Seat and S-Trap Connector)
- 8. K-29647X-TNLP-0 (with Wrapped and Night Light Quiet-Close Seat and P-Trap Connector)
- 9. K-29647X-TNL-0 (with Wrapped and Night Light Quiet-Close Seat)
- Overall dimension 370 x 565 x 446 mm.

10. K-29647X-0 (without Seat)

- Overall dimension 370 x 565 x 395 mm.
- European bowl.
- Dual flushing system with 3/4.5, 3/6, 4.5, or 6 liter per flush. (Depend on In-Wall Tank or Flush
- Rough-in P-Trap 185 mm or S-Trap 90 and 150 mm.

DUAL FLUSH



3/4.5L, 3/6L, 4.5L or 6L (Depend on In-Wall Tank or Flush Valve)

Wall-Faced Toilet

- 1. K-29062X-CS-0 (with Quiet Close Seat and S-Trap Connector)
- 2. K-29062X-CP-0 (with Quiet Close Seat and P-Trap Connector)
- 3. K-29062X-C-0 (with Quiet Close Seat)
- Overall dimension 373 x 594 x 437 mm.


- 4. K-29062X-SLMS-0 (with Slim Quiet-Close Seat and S-Trap Connector)
- 5. K-29062X-SLMP-0 (with Slim Quiet-Close Seat and P-Trap Connector)
- 6. K-29062X-SLM-0 (with Slim Quiet-Close Seat)
- Overall dimension 373 x 594 x 434 mm.

7. K-29062X-0 (without Seat)


- Overall dimension 373 x 594 x 385 mm.
- Elongated bowl.
- Dual flushing system with 3/4.5, 3/6, 4.5, or 6 liter per flush. (Depend on In-Wall Tank or Flush
- Rough-in P-Trap 185 mm or S-Trap 90 and 160 mm.


DUAL FLUSH






Note: The recommended dimension for installation can be adjusted according to user preferences and layour







Electronic Smart Seats




 C^3 -520

Electronic Smart Seat K-31333X-0

- Overall dimensions 454 x 529 x 158 mm. • Elongated closed front seat fits most elongated
- · Includes power cord, 3 way connector, water supply hoses and water inlet filter.










C³-150

Electronic Smart Seat

- K-8297X-0
- Overall dimensions 447 x 523 x 130 mm.
- Elongated closed front seat fits most elongated
- Includes power cord, 3 way connector and water supply hoses.






 C^{3} -430

Electronic Smart Seat

- K-22445X-0
- Overall dimensions 430 x 524 x 120 mm.
- Elongated closed front seat fits most elongated
- Includes power cord, 3 way connector and water supply hoses.






reddot reddot

 C^3 -050

Electronic Smart Seat K-18751X-0

- Overall dimensions 429 x 524 x 120 mm.
- Elongated closed front seat fits most elongated
- · Includes power cord, 3 way connector and water supply hoses.




Cleansing Seats

New/Arrival

C³-035 Cleansing Seat




- K-28010K-0 • Overall dimensions 431 x 506 x 78 mm.
- Elongated closed front seat fits most elongated





C^3 -030 Cleansing Seat K-98804X-0

- Overall dimensions 411 x 502 x 78 mm.
- Elongated closed front seat fits most elongated toilets.




New/Arrival



Puretide Cleansing Seat K-5724K-0

- Overall dimensions 450 x 521 x 111 mm.
- Elongated closed front seat fits most elongated toilets.



French Curve Seats



French Curve Toilet Seat and Cover K-4653X-0 • Overall dimension 363 x 471 x 85 mm.



French Curve Quiet-Close Quick-Release Toilet Seat and Cover K-4713X-0

• Overall dimension 360 x 473 x 83 mm.



French Curve Grande Quiet-Close Quick-Release Toilet Seat and Cover

K-18762X-0

• Overall dimension 383 x 500 x 80 mm.



French Curve Quiet-Close Quick-Release Toilet Seat and Cover K-4195X-0

• Overall dimension 363 x 475 x 56 mm.




Family Care French Curve Quiet-Close Quick-Release Toilet Seat and Cover K-23204X-0

• Overall dimension 383 x 468 x 67 mm.





Slim French Curve Quiet-Close Quick-Release Toilet Seat and Cover K-22380K-0


• Overall dimension 377 x 492 x 67 mm.

















Cachet Seat



Cachet Quiet-Close Quick-Release Toilet Seat and Cover K-4636X-U-0

• Overall dimension 360 x 473 x 56 mm.

Slim Toilet Seat



ModernLife Slim Quiet-Close Toilet Seat and Cover K-77380X-0

• Overall dimension 360 x 441 x 44 mm.



ModernLife Slim Quiet-Close Toilet Seat and Cover K-76417K-0

• Overall dimension 359 x 440 x 44 mm.



Parliament Grande Slim Quiet-Close Toilet Seat and Cover K-22756K-0

• Overall dimension 370 x 427 x 47 mm.




Reach Up Slim Quiet-Close Toilet Seat and Cover K-28773K-0


• Overall dimension 365 x 463 x 43 mm.





Reach Up Slim Quiet-Close Toilet Seat and Cover K-77471K-0


• Overall dimension 373 x 488 x 58 mm.














Night Light Toilet Seat



Parliament Grande Night Light Toilet Seat and Cover K-23207K-0

• Overall dimension 370 x 427 x 47 mm.



Reach Up Wrapped and Night Light Quiet-Close Toilet Seat and Cover K-28767K-0

• Overall dimension 365 x 467 x 70 mm.



ModernLife Slim and Night Light Quiet-Close Toilet Seat and Cover

K-77858K-0

• Overall dimension 359 x 440 x 44 mm.

Other Toilet Seat



Quiet-Close Toilet Seat and Cover K-99078X-0

• Overall dimension 365 x 500 x 62 mm.



Aquarelle Quiet-Close Toilet Seat and Cover K-17246K-S-0


• Overall dimension 372 x 470 x 83 mm.





Toilet Seat and Cover

The color and shininess of products shown in the picture may differ from actual products due to printing.


• Overall dimension 368 x 433 x 59 mm.











Other Toilet Seat



Quiet-Close Toilet Seat and Cover K-4141X-2P-0

• Overall dimension 365 x 500 x 54 mm.



Parliament Grande Quiet-Close Quick-Release Toilet Seat and Cover K-75200K-0

• Overall dimension 377 x 430 x 54 mm.



Ove Quiet-Close Toilet Seat and Cover K-2552X-0

• Overall dimension 366 x 426 x 64 mm.



Ove Quiet-Close Toilet Seat and Cover K-17660X-M-0

• Overall dimension 357 x 479 x 55 mm.




Panache Quiet-Close Toilet Seat and Cover K-17674X-0


• Overall dimension 368 x 429 x 65 mm.




Reach Up Wrapped Quiet-Close Toilet Seat and Cover K-28770K-0

• Overall dimension 365 x 467 x 70 mm.

















Other Toilet Seat



Odeon Up Quiet-Close Toilet Seat and Cover K-76185K-0

• Overall dimension 359 x 460 x 56 mm.



Brevia Toilet Seat and Cover K-4664X-0

• Overall dimension 360 x 479 x 48 mm.



Reach Quiet-Close Toilet Seat and Cover

K-4087X-0

• Overall dimension 365 x 498 x 66 mm.



New Patio Quiet-Close Toilet Seat and Cover K-20188X-0


• Overall dimension 362 x 492 x 61 mm.




Odeon Quiet-Close Toilet Seat and Cover K-8827X-0


The color and shininess of products shown in the picture may differ from actual products due to printing.


• Overall dimension 375 x 453 x 50 mm.
















Flush Valve for Toilet



Recommend Accessor

Flush Valve for Toilet 4.5 Liter K-77681X-G

- Brass construction.
- Intended for urinal installations with 3/4" spud coupling connection.
- Includes M3/4"- FM3/4" flexible hose.

Recommend to use with

 Ove Wall-Faced Toilet K-31980X-C-0 (S-Trap) K-31980X-CP-0 (P-Trap)



Flush Valve for Toilet 6 Liter K-77682X-G

- Brass construction.
- Intended for urinal installations with 3/4" spud coupling connection.
- Includes M3/4"- FM3/4" flexible hose.

Recommend to use with

- Panache Wall-Faced Toilet K-31981X-S-0 (S-Trap) K-31981X-SP-0 (P-Trap)
- Via Wall-Hung Toilet* K-3594X-S-0
- Ove Wall-Hung Toilet* K-19957K-0



Outlet Pipe for Toilet Flush Valve K-29525X-G

- Dimension 720 x 300 mm.
- Recommend to use with toilet 4.5 or 6.0



Ove Wall-Faced Toilet K-31980X-C-0 (S-Trap) K-31980X-CP-0 (P-Trap)



Panache Wall-Faced Toilet K-31981X-S-0 (S-Trap) K-31981X-SP-0 (P-Trap)




Via Wall-Hung Toilet* K-3594X-S-0



Ove Wall-Hung Toilet* K-19957K-0

Max 84 Adjust height range of outlet pipe according to toilet manufacturer



K-29525X-G

Note: The recommended dimension for installation can be adjusted according to user preferences and layout.

- * Required In-Wall Bracket for installation
- ** Required SP1369533 (Adapter) for installation





SP1369533 Adapter

Flush Valve for Urinal



Beam

Flush Valve for Urinal 0.5 Liter K-77691X-G

- Brass construction.
- Intended for urinal installations with 3/4" spud coupling connection.
- Includes M3/4" FM3/4" flexible hose.

Recommend to use with

- Bardon Accuflush Urinal, Rear Spud K-4991X-ER-0
- Patio Eco Urinal* K-18645X-Y-0
- Strucktura Wall-Hung Eco Urinal, Rear Spud**
- K-5777X-2ER-0 • Steward Eco Urinal, Rear Spud** K-4986X-ER-0





Flush Valve for Urinal 1 Liter K-77692X-G

- Brass construction.
- Intended for urinal installations with 3/4" spud coupling connection.
- Includes M3/4"- FM3/4" flexible hose.

Recommend to use with Wall-Hung Urinal

- Bardon Accuflush Urinal, Rear Spud K-4991X-ER-0
- Patio Eco Urinal** K-18645X-Y-0
- Strucktura Wall-Hung Eco Urinal, Rear Spud** . K-5777X-2ER-0

Floor Standing Urinal

• Strucktura Floor Standing Urinal, Rear K-5889X-2ER-0





Beam

Flush Valve for Urinal 3 Liter K-77693X-G

- Brass construction.
- Intended for urinal installations with 3/4" spud coupling connection.
- Includes M3/4" FM3/4" flexible hose.

Recommend to use with Wall-Hung Urinal

- Bardon Accuflush Urinal, Rear Spud K-4991X-ER-0
- Patio Eco Urinal** K-18645X-Y-0
- Strucktura Wall-Hung Eco Urinal, Rear Spud** K-5777X-2ER-0

Floor Standing Urinal

• Strucktura Floor Standing Urinal, Rear Spud K-5889X-2ER-0





Bardon Accuflush Urinal, Rear Spud K-4991X-ER-0



Rear Spud K-5777X-2ER-0



Strucktura** Wall-Hung Eco Urinal,





Strucktura Floor Standing Urinal, Rear Spud K-5889X-2ER-0




Steward Eco** Urinal, Rear Spud K-4986X-ER-0



Patio Eco** Urinal K-18645X-Y-0

Dimensions are approximate




Note: The recommended dimension for installation can be adjusted according to user preferences and layout.

- * Required In-Wall Bracket for installation
- ** Required SP1369533 (Adapter) for installation



SP1369533 Adapter







Exposed Flush Valve for Toilet (1.28 GPF) K-13517X-CP

- Brass construction.
- Fixture-mount design.
- Intended for urinal installations with 1-1/2" spud coupling connection.
- Non-hold open piston technology for accurate
- 4.85 liter per flush for standard water consumption.



Exposed Flush Valve for Toilet (1.6 GPF) K-13516X-CP

- Brass construction.
- Fixture-mount design.
- Intended for urinal installations with 1-1/2" spud coupling connection.
- Non-hold open piston technology for accurate
- 6 liter per flush for standard water consumption.



Recommend Products





 Highcliff Ultra flush valve bowl with French Curve seat K-22274X-0



 Wellcomme Ultra flush valve bowl with French Curve seat K-30594X-0

Dimensions are approximate Unit: mm





Note: The recommended dimension for installation can be adjusted according to user preferences and layout.

Exposed Flush Valve for Urinal (0.125 GPF) K-13520X-CP

- Brass construction.
- Fixture-mount design.
- Intended for urinal installations with 3/4" spud coupling connection.
- Non-hold open piston technology for accurate
- 0.5 liter per flush for low water consumption washout urinal.

Recommended Product

 Bardon Accuflush Urinal, Top Spud K-4991X-ET-0



Exposed Flush Valve for Urinal (1.0 GPF) K-13518X-CP

- Brass construction.
- Fixture-mount design.
- Intended for urinal installations with 3/4" spud coupling connection.
- Non-hold open piston technology for accurate
- 3.8 liter per flush for low water consumption washout urinal.

Recommended Product

 Bardon Accuflush Urinal, Top Spud K-4991X-ET-0



• Brass construction.

K-13519X-CP

Fixture-mount design.Intended for urinal installations with 3/4" spud coupling connection.

Exposed Flush Valve for Urinal (0.5 GPF)

- Non-hold open piston technology for accurate
- 1.9 liter per flush for low water consumption washout urinal.

Recommended Product

 Bardon Accuflush Urinal, Top Spud K-4991X-ET-0



Exposed Flush Valve for Urinal (1.0 GPF) K-13521X-CP


- Brass construction.
- Fixture-mount design.
- Intended for urinal installations with 3/4" spud coupling connection.
- Non-hold open piston technology for accurate
- 3.8 liter per flush for Siphon Jet urinal.





 Bardon Accuflush Urinal, Top Spud K-4991X-ET-0

Dimensions are approximate Unit: mm



Note: The recommended dimension for installation can be adjusted according to user preferences and layout.



Waterless Urinal K-4918X-0

Steward Waterless Urinals by Kohler conservation. INNOVATION...

Functional Innovation, Seamless Installation.

KOHLER waterless urinals conserve up to 40,000 gallons of water per fixture per year compared to water-based urinals, as well as significantly reduce sewage and maintenance costs. These highly functional urinals provide outstanding performance and feature innovative, stylish characteristics that integrate a natural ellipse with an architectural feel. Their cartridge-free design means easy routine maintenance, and their touch-free operation offers increased hygiene. Additionally, their large, clean footprint simplifies installation without the need for tiling or rough-in changes. The result is an aesthetic that communicates a fresh, sleek design not found in traditional urinals.







- Urinal wall hangers Existing outlet pipe
- D Universal mounting bracket E Gasket
- F Screw and washer

Functionality

Liquid waste passes into the fully glazed trapway through the debris-catching strainer. The unique design of the trapway slows the flow of liquid waste as it passes through the sealing liquid, ensuring that the sealing liquid isn't washed out of the trapway. Being less dense than liquid waste, the sealing liquid maintains its position at the top of the trapway, thus providing a barrier to block trapway odors. Through simple displacement, the liquid waste then makesits way into the waste pipe.

Retrofit Advantages

Due to an integrated trapway design, most Wall-Hung retrofit installations require no rough-in changes to the waste pipe. A • Urinal Cleaner 32Oz. universal mounting bracket will fit onto most urinal collars in the industry, allowing the installer to use the existing urinal collar in many cases. The large, clean footprint of the Steward™ waterless urinal (K-4918X) minimizes the need for aesthetic changes (tiling, painting, etc.) in a retrofit installation.

Waterless urinal must use with

- Sealing Liquid 128Oz. K-1048656
- K-1174866

Urinal




reddot

Steward Waterless Urinal

K-4918X-0

• Overall dimension 381 x 397 x 752 mm. • Includes urinal outlet assy, sealing liquid sample, cleaner sample, screws, strainer, universal attachment bracket and hangers.






mmended dimension for installation can be adjusted according to user preferences and layout



Steward S Waterless Urinal K-4917X-0

- Overall dimension 279 x 375 x 603 mm.
- Includes outlet assy, sealing liquid sample, cleaner sample, strainer and hangers.






ended dimension for installation can be adjusted according to user preferences and layor



Bardon Touchless Urinal K-4915X-0

- Overall dimension 464 x 362 x 822 mm.
- Washout.
- Touchless electronic flush valve (battery operated AAA 2 pcs).
- 1.9 liter per flush.
- Includes strainer, outlet assy, hangers, battery and mounting kit.







Struktura


Floor Standing Urinal, Rear Spud K-5889X-2ER-0

- Overall dimensions 370 x 398 x 952 mm.
- Washout.
- 1/2" rear spud.
- 1 to 2.5 liter per flush.
- Includes strainer assy, cap, urinal outlet assy, nozzle assy, hose and rubber gasket.



Dimensions are approximate

1.9L



Note: The recommended dimension for installation can be adjusted according to user preferences and layout

Urinal




Steward Eco

Urinal, Rear Spud K-4986X-ER-0

- Overall dimensions 381 x 415 x 750 mm.
- Washout.
- 0.5 liter per flush.
- Includes urinal outlet assy, cap ,outlet assy, nozzle assy, hose and hanger.








Struktura

Wall-Hung Eco Urinal, Rear Spud K-5777X-2ER-0

- Overall dimensions 340 x 361 x 744 mm.
- Washout.
- 1/2" rear spud.
- 0.5 to 2.5 liter per flush.
- Includes strainer assy, cap, urinal outlet assy, nozzle assy, hangers and hose.





Note: The recommended dimension for installation can be adjusted according to user preferences and layout.



Patio Eco Urinal

K-18645X-Y-0

- Overall dimensions 332 x 335 x 642 mm.
- Wash down flushing system.
- 0.5 to 3 liter per flush.
- Includes outlet, outlet assy, slip nut, mounting kit, hose and hanger.




Note: The recommended dimension for installation can be adjusted according to user preferences and layout.



Bardon Accuflush Urinal, Top Spud

- K-4991X-ET-0
- Overall dimensions 464 x 361 x 681 mm.
- 3/4" top spud.
- Washout.
- 0.5 to 3.8 liter per flush.
- Includes beehive strainer, inlet and outlet spuds and hangers.





Note: The recommended dimension for installation can be adjusted according to user preferences and layout.


Urinal



Bardon Accuflush Urinal, Rear Spud

- K-4991X-ER-0 • Overall dimensions 464 x 361 x 681 mm.
- 3/4" rear spud.
- Washout.
- 0.5 to 3 liter per flush.
- Includes beehive strainer, inlet and outlet spuds and hangers.








Paper Urinal K-20099T-Y-0 (DC Version) K-20099T-YC05-0 (AC Version)

- Overall dimensions 410 x 316 x 680 mm.
- 0.5 liter per flush.
- · Non-stock item.





Notice.

** Recommended dimensions for installation only, please adjust according to actual situation.

** Indicates the location of inlet pipe, while inlet connector size is G1/2.


Note: The recommended dimension for installation can be adjusted according to user preferences and layout

Paper Urinal

K-20099T-W-0 (DC Version) K-20099T-WC05-0 (AC Version)

- Overall dimensions 410 x 316 x 680 mm.
- 1 liter per flush.
- · Non-stock item.





Recommended dimensions for installation only, please adjust according to actual situation. Indicates the location of inlet pipe, while inlet connector size is G1/2.


Note: The recommended dimension for installation can be adjusted according to user preferences and layout.



Paper Urinal


K-20099T-0 (DC Version) K-20099T-C05-0 (AC Version)

- Overall dimensions 410 x 316 x 680 mm.
- 3 liter per flush.
- Non-stock item.



Recommended dimensions for installation only, please adjust according to actual situation.
 Indicates the location of inlet pipe, while inlet connector size is G1/2.

Note: The recommended dimension for installation can be adjusted according to user preferences and layout.



Urinal Sensor



Mini

Urinal Sensor

- K-8872X-C03-CP
- Used with AC Power Unit 220V.
- 3 liter per flushing.


Optional Accessories

• K-16306X-NA AC power unit.

- Recommended with

 K-4991X-ER-0 Bardon Accuflush Urinal, Rear Spud.
- K-18645X-Y-0 Patio Eco Urinal.





Note: The recommended dimension for installation can be adjusted according to user preferences and layout



Bardon

Urinal Sensor

- K-8787X-B03-CP
- Used with AC Power Unit 220V. • 3 liter per flushing.


Optional Accessories

- K-16306X-NA AC power unit.
- K-2464X-NA Outlet pipe for top spud urinal

Recommended with

- K-4991X-ER-0 Bardon Accuflush Urinal, Rear Spud.
- K-18645X-Y-0 Patio Eco Urinal.





Note: The recommended dimension for installation can be adjusted according to user preferences and layout.



PSD

Urinal Sensor

- K-8881X-VC03-BN
- Vibrant brushed Nickel panel. Used with AC Power Unit 220V.
- 0.5/1 liter per flushing.

Optional Accessories


• K-16306X-NA AC power unit.

• K-2464X-NA Outlet pipe for top spud urinal sensor.

Recommended with

- K-4986X-ER-0 Steward Eco Urinal, Rear Spud.
- K-4991X-ER-0 Bardon Accuflush Urinal, Rear Spud.
- K-4991X-ET-0 Bardon Accuflush Urinal, Top Spud.
- K-18645X-Y-0 Patio Eco Urinal.





Dimension Model	А	В
K-4904X-ER	534	-
K-4904X-ET	534	150
K-4986X-ER	402	-
K-4991X-ER	534	-
K-4991X-ET	534	150
K-5016T-YER	486	-
K-18645X-Y	455	-

Note: The recommended dimension for installation can be adjusted according to user preferences and layout

Urinal Sensor

Patio

Urinal Sensor

K-8988X-C03-CP

- Used with AC Power Unit 220V.
- 1 liter per flushing.

Optional Accessories

- K-16306X-NA AC power unit.
- K-2464X-NA Outlet pipe for top spud urinal sensor.

Recommended with

- K-4991X-ER-0 Bardon Accuflush Urinal, Rear Spud.
- K-4991X-ET-0 Bardon Accuflush Urinal, Top Spud.
- K-18645X-Y-0 Patio Eco Urinal.



Patio Urinal Sensor

K-8791X-YC03-CP

- Used with AC Power Unit 220V.
- 0.5 liter per flushing.


Optional Accessories

- K-16306X-NA AC power unit.
- K-2464X-NA Outlet pipe for top spud urinal sensor.

Recommended with


- K-4986X-ER-0 Steward Eco Urinal, Rear Spud.
- K-4991X-ER-0 Bardon Accuflush Urinal, Rear Spud.
- K-4991X-ET-0 Bardon Accuflush Urinal, Top Spud.
- K-18645X-Y-0 Patio Eco Urinal.





Dimension	Α	В
K-4904X-ER	534	-
K-4904X-ET	534	≈150
K-4986X-ER	402	-
K-4991X-ER	534	-
K-4991X-ET	534	≈150
K-5016T-YER	486	-
K-18645X-Y	455	-

Note: The recommended dimension for installation can be adjusted according to user preferences and layout.




Dimension	Α	В
K-4904X-ER	534	-
K-4904X-ET	534	≈150
K-4986X-ER	402	-
K-4991X-ER	534	-
K-4991X-ET	534	≈150
K-5016T-YER	486	-
K-18645X-Y	455	-

Note: The recommended dimension for installation can be adjusted according to user preferences and layout.

Power Supply

AC Power Unit K-16306X-NA

- Input voltage AC 220V 50/60Hz and Output voltage DC 3V.
- AC power supply box for one sensor or two sensors use.
- Save the trouble of replacing batteries.
- Connecting wire DC voltage maximum length 10 m.
- Protection Degree IP24.




Note: The recommended dimension for installation can be adjusted according to user preferences and layout.



Outlet Pipe for Top Spud Urinal Sensor K-2464X-NA

- · Polished chrome surface, strong corrosion-resistant surface.
- Product used with top spud urinal sensor.



Note: The recommended dimension for installation can be adjusted according to user preferences and layout.



INSTALLATION TYPES

Exceptional quality, innovative designs and artistic craftmanship.

These are the hallmarks of KOHLER® lavatories, from their solid material construction to their unique styles, shapes and colors. Make your bathroom remarkable. Choose a distinctive-even unusual-design from our Vessels collection, or perhaps one of the handcrafted, surface-decorated basin we call Artist Edition-above the countertop, wall-mount bracket or a selfrimming application.



PREMIUM QUALITY MATERIALS

With an ultra-thick layer of enamel, KOHLER® Cast Iron provides outstanding performance and durability. Its high-gloss finish resists staining, scratching and chipping to maintain a lustrous sheen for years of beauty. Each KOHLER® Cast Iron lavatory offers a smooth, easy-to-clean surface and is backed by our Lifetime and Limited Warranty for lasting value and peache of mind.

Vitreous China and Fireclay

Products made of these clay mixture materials are fired at an intense heat to vitrify and fuse the glaze. The result is a durable, nonporous product with hard, glossy or satin finish that protects the surface of our vitreous china and fireclay fixtures. The result is a remarkably clean sanitary product that maintains its beauty for years.

Nature's Chemistry

A number of artful designs created from fundamental natural materials such as marble, spun glass and lavastone.


A full palette of KOHLER® colors to complement individual preferences in decor. Our colors are consistent whether the lavatories are made of KOHLER® Cast Iron, vitreous china or fireclay. This allows for complete coordination with other KOHLER® fixtures.

Vessel Lavatories



Mica Square Vessel Lavatory K-90011X-0 (No faucet hole)


- Overall dimension 394 x 394 x 158 mm.
- · Without overflow.





Mica Round Vessel Lavatory K-90012X-0 (No faucet hole)


- Overall dimension 410 x 410 x 155 mm.
- Without overflow.





Carillon Rectangular Vessel Lavatory


- K-96117X-0 (No faucet hole) • Overall dimension 533 x 368 x 167 mm.





Carillon Round Vessel Lavatory K-96118X-0 (No faucet hole)


- Overall dimension 442 x 442 x 167 mm.
- · With overflow.





Forefront Rectangular Vessel Lavatory K-2660X-1-0 (Single Hole) K-2660X-8-0 (8" Center) • Overall dimension 584 x 460 x 173 mm.

• With overflow.




Vessel Lavatories



ModernLife Vessel Lavatory K-77761X-1-0 (Single Hole) K-77761X-8-0 (8" Center)


- Overall dimensions 598 x 481 x 181 mm
 With overflow.





ModernLife Vessel Lavatory K-77762X-0 (No faucet hole)


- Overall dimensions 598 x 397 x 176 mm
- · With overflow.





Forefront Square Vessel Lavatory


- K-2661X-0 (No faucet hole) • Overall dimension 413 x 413 x 175 mm.
- · With overflow.





Parliament Vessel Lavatory K-14715X-1-0 (Single Hole) K-14715X-8-0 (8" Center) • Overall dimension 562 x 442 x 185 mm.


With overflow.





Chalice Vessel Lavatory K-14800X-0 (No faucet hole)

- Overall dimension 420 x 420 x 203 mm.
- With overflow.




Vessel Lavatories



Family Care Vessel Lavatory K-21914T-1-0 (Single Hole)
 Overall dimension 560 x 535 x 192.5 mm.

- Without overflow.
- Non Stock Item.




Semi-Recessed Lavatories



Parliament Semi-Recessed Lavatory K-14715X-1G-0 (Single Hole) K-14715X-8G-0 (8" Center)


- Overall dimension 562 x 442 x 185 mm.
- With overflow.





Forefront Rectangular Semi-Recessed Lavatory K-11479X-VC1-0 (Single Hole) K-11479X-VC8-0 (8" Center)

- Overall dimension 578 x 462 x 172 mm.
- With overflow.






Karess Semi-Recessed Lavatory K-2772X-1-0 (Single Hole)

Semi-Recessed Lavatory K-11160X-1-0 (Single Hole)

· With overflow.

• Overall dimension 546 x 454 x 203 mm.

- Overall dimension 615 x 442 x 197 mm.
- · With overflow.




Semi-Recessed Lavatories




Ladena Semi-Recessed Lavatory K-72907X-1-0 (Single Hole) K-72907X-8-0 (8" Center)

- Overall dimension 545 x 465 x 177 mm.
- With overflow.



Forefront Square Semi-Recessed Lavatory K-98930X-1-0 (Single Hole)


- Overall dimension 429 x 466 x 180 mm.
- · With overflow.





Family Care Semi-Recessed Lavatory K-21915T-1-0 (Single Hole)

- Overall dimension 560 x 535 x 193 mm.
- · Without overflow.
- Non Stock Item.




Pedestal Lavatories



Memoirs (Classic Design) Pedestal Lavatory K-2239X-1-0 (Single Hole) K-2239X-8-0 (8" Center) K-2267X-0 (Pedestal)


- Overall dimension 610 x 502 x 868 mm.
- With overflow.





Pedestal Lavatory K-2018X-1-0 (Single Hole) K-2018X-8-0 (8" Center) K-2019X-0 (Pedestal)

- Overall dimension 610 x 479 x 860 mm.
- · With overflow.




Pedestal Lavatories



Panache Pedestal Lavatory K-17156X-0 (Single Hole) K-17153X-0 (Pedestal)

- Overall dimension 600 x 480 x 885 mm.
- With overflow.






Sacramento Pedestal Lavatory K-8703X-1-0 (Single Hole) K-8705X-0 (Pedestal)

• Overall dimension 538 x 470 x 854 mm.

• With overflow.




Semi-Pedestal Lavatories




Semi-Pedestal Lavatory K-2018X-1-0 (Single Hole) K-2018X-8-0 (8" Center) K-11340X-0 (Semi-Pedestal)

- Overall dimension 610 x 479 x 440 mm.
- · With overflow.





Panache Semi-Pedestal Lavatory K-17156X-0 (Single Hole) K-17154X-0 (Semi-Pedestal) • Overall dimension 600 x 480 x 445 mm. • With overflow.






Semi-Pedestal Lavatory K-18564X-1-0 (Single Hole) K-18564X-8-0 (8" Center) K-18566X-0 (Semi-Pedestal) • Overall dimension 572 x 454 x 410 mm. · With overflow.

Self-Rimming Lavatories



Self-Rimming Lavatory K-2886X-1-0 (Single Hole) K-2886X-8-0 (8" Center)


- Overall dimension 838 x 483 x 213 mm.
- · With overflow.
- Made from Cast Iron.





Self-Rimming Lavatory K-2991X-1-0 (Single Hole) K-2991X-8-0 (8" Center)


- Overall dimensions 554 x 420 x 205 mm.
- · With overflow.





Portrait Self-Rimming Lavatory K-2189X-1-0 (Single Hole) K-2189X-8-0 (8" Center)


- Overall dimension 572 x 484 x 228 mm.
- · With overflow.





Memoirs (Classic Design) Self-Rimming Lavatory K-2241X-1-0 (Single Hole) K-2241X-8-0 (8" Center)


- Overall dimension 579 x 459 x 220 mm.
- With overflow.





Self-Rimming Lavatory K-2759X-1-0 (Single Hole)

- Overall dimension 615 x 443 x 197 mm.
- With overflow.



Self-Rimming Lavatories



Pennington Self-Rimming Lavatory K-2196X-1-0 (Single Hole) K-2196X-8-0 (8" Center)


- Overall dimension 514 x 445 x 215 mm.
 With overflow.

Undercounter Lavatories



Ladena 27" Undercounter Lavatory K-76509K-0


- Overall dimension 686 x 423 x 213 mm.
- With overflow.





Verticyl Undercounter Lavatory K-2889X-UDL-0


- Overall dimension 575 x 420 x 178 mm.
- With overflow.






Ladena 21" Undercounter Lavatory K-2215X-0

- Overall dimension 581 x 402 x 206 mm.
- With overflow.



Ladena 18" Undercounter Lavatory K-2214X-0

- Overall dimension 530 x 365 x 206 mm.
- With overflow.




Undercounter Lavatories



Caxton 19" Undercounter Lavatory K-2211X-0


- Overall dimension 540 x 438 x 191 mm.
- · With overflow.





Caxton 17" Undercounter Lavatory K-2210X-0

- Overall dimension 489 x 413 x 191 mm.
- With overflow.






Family Care Undercounter Lavatory
K-21916T-1-0 (Single Hole)

Overall dimension 620 x 555 x 193 mm.

- · Without overflow.
- Non Stock Item.




Wall-Hung Lavatories



Modernlife Wall-Hung Lavatory (Without Towel Bar) K-77767K-1-0 (Single Hole)

K-77767K-8-0 (8" Center) K-77767K-0 (No faucet hole)

- Overall dimension 550 x 450 x 220 mm.
- With overflow.
- Towel bar (optional) K-24987T-CP






Forefront

Wall-Hung Lavatory (Without Towel Bar) K-24985K-1-0 (Single Hole)


- K-24985K-8-0 (8" Center) K-24985K-0 (No faucet hole)
- Overall dimensions 450 x 450 x 173 mm.
- With overflow.
- Towel bar (optional) K-24986T-CP





Candide Wall-Hung Lavatory K-17151X-0 (Single Hole)


- Overall dimension 600 x 485 x 182 mm.
- · With overflow.





Sacramento Wall-Hung Lavatory

- K-8758X-1-0 (Single Hole)
- Overall dimension 538 x 470 x 203 mm.
- · With overflow.




Vanity Top



ModernLife 600 mm Vanity Top K-77835X-1-0 (Single Hole)

- K-77835X-8-0 (8" Center)

 Overall dimensions 598 x 481 x 181 mm.
- Without overflow.
- Include innovative drain.
- CleanCoat treatment on the surface.









ModernLife 900 mm Vanity Top K-77838X-1-0 (Single Hole) K-77838X-8-0 (8" Center)

- Overall dimensions 925 x 475 x 186 mm.
- Without overflow.
- Include basin Rack.
- Include innovative drain.
- CleanCoat treatment on the surface.






Mop Basins



Sudbury S Mop Basin

- Include K-6178T-0 (Sink), K-6179T-0 (Pedestal).
- Overall dimensions 515 x 477 x 837 mm.
- Non-stock item.




ote: The recommended dimension for installation can be adjusted according to user preferences and layout



Norma

- Mop Basir
- Include K-6193T-0 (Sink), K-6179T-0 (Pedestal)
- Overall dimensions 450 x 355 x 694 mm.
- Non-stock item.



Note: The recommended dimension for installation can be adjusted according to user preferences and layout.

KOHLER_® Bathroom Furniture Complete your bath or powder room with KOHLER® bathroom furniture and console tables. Every exquisite detail of KOHLER® bathroom furniture has been thoughtfully designed and meticulously crafted. From classic to contemporary and charming to tropical, discover the options that suit your personality and style preferences. With a wide variety of elegant designs, including those featuring premium hardwoods and veneers, dovetail-joint drawers and integrated cast iron lavatories as well as vanities featuring KOHLER®'s patented Express assembly system, it's easy to enhance both functionality and beauty in the bathroom. Family Care 800 mm Bathroom Cabinet K-31501X-L-PD1





Highly Durable Waterproof Material

The new HydroShield material has an excellent water-proof performance and, unlike wood or fiberboard, will not swell or crack in a hot, humid environment.



Eco Friendly

E1-Certified material with assured quality and safety, free of volatile organic compounds and Formaldehyde.







Rust-Free Hardware

Has passed at least 48H stringent CASS (Copper-Accelerated Acetic Acid Salt Spray) Test.



Lasting color

Cabinet color stays fresh without fading or change despite exposure to strong irradiance and UV



Generous Storage Space

The extended storage area is convenient and easy to access.





Wide Door Swing

Wide opening gives easy access to items.



Modular design

Brings extra flexibility to the storage area.



High Durability

Quality door hinges and drawer slides have passed 80,000 cycles of open-close testing.



Damp-Proof Material

Exquisitely crafted with triple-layered, damp-proof paint and precision sealing on the edges.



Well-Organized Space

Intelligently arranged storage space with pop out extendible desk and laundry basket, capable of satisfying all grooming needs.









Bathroom Furniture Accessories

To make the most of your bathroom space, KOHLER accessories help you keep your essential bath items conveniently organized. Easy-to-install, match these practical options to the external décor of your choice for a finished and personalized combination.



Washboard



Acrylic Storage Boxes



Laundry box



Push Open and Explore

The color and shininess of products shown in the picture may differ from actual products due to printing.



Hair Collector



Hair Dryer Hook



Maxispace 2.0

The multifunctional Maxispace 2.0 bathroom cabinet creates an exclusive and elegant space for grooming and applying makeup, enabling you to start the day with the perfect look and mood.


New/Arrival



Maxispace 2.0 800 mm Bathroom Cabinet K-23799X-MT9

• Overall dimesion 770 x 430 x 810 mm.

- 3 units of Acrylic Box. Storage Tray which can use either Towel rack or storage tray.
- Hair Dressing Tools storage.






Maxispace 2.0 800 mm Vanity Top K-24369X-1-0

• Overall dimesion 800 x 450 x 202 mm.

- Flexible pipe.
- Washboard.





Rubicon

A versatile blend of contemporary and classic, the Rubicon® bathroom vanity includes a vanity top and sink for a complete, easyinstall solution. The durable composite-stone top offers the elegant look of natural marble. The vanity comes with a removable heatresistant appliance tray for holding grooming tools, and a spill containment tray to protect the interior cabinet and simplify cleaning.

New/Arrival




Rubicon

Bathroom Furniture with Composite Stone Top and Vanity K-R81107X-ASB-0

• Overall dimesion 914 X 457 X 921 mm.

Include

- Top with sink.
- Spill tray and Silicone appliance organizer.





Heat-resistant silicone appliance organizer



Removeable spill tray




Premium composite stone with sink



Durable finish resists moisture, scratches and stains



Full-access slowclose drawers and doors





HydroShield Collection

100% Waterproof Material bathroom cabinet



Highly Durable Waterproof Material

The new HydroShield material has an excellent water-proof performance and, unlike wood or fiberboard, will not swell or crack in a hot, humid environment.

Introducing HydroShieldcabinet material


When it comes to cabinet materials, the choices are vast. The new HydroShieldmaterial on the Toobi Plus Hydroshield cabinet is waterproof in humid and hot environments. How do we know? We submerged the HydroShieldfor 7 days to test its water absorption. Not only was there 0, but it outperformed all other materials.





Toobi Plus Hydroshield 600 mm Bathroom Cabinet K-27457X-ZP-VRK

• Overall dimension 590 x 490 x 450 mm.








Toobi 600 mm Vanity Top K-45473X-0

• Overall dimension 600 x 500 x 160 mm.




Note: The recommended dimension for installation can be adjusted according to user preferences and law





Regatta Hydroshield Plain 500 mm for 14715X Bathroom Cabinet K-31092X-GSK


• Overall dimension 512 X 416 X 360 mm.





Parliament Vessel Lavatory K-14715X-1-0 (Single Hole) K-14715X-8-0 (8" Center)

- Overall dimension 562 x 442 x 185 mm.
- · With overflow.



Note: The recommended dimension for installation can be adjusted according to user preferences and layou



Aleutian 1200

To enrich the size offering of humanized Aleutian bathroom furniture with improved storage space to better meet the demand of consumers.



Aleutian 1200 mm Bathroom Cabinet

- K- 24203X-PD1
- Overall dimesion 1,164 x 505 x 575 mm.

Include

- Acrylic Box.
- Basket.
- · Glass Partition.




Forefront 1200 mm Vanity Top K-2748X-1-0


• Overall dimesion 1,200 x 520 x 190 mm.




Feet for Aleutian 1200 Bathroom Furniture K-45765T-0

- Overall Dimension 70 x 70 x 175 mm.
- 2 pieces per package.










Family Care

With environmentally friendly materials and considerate details, Kohler creates a bathroom that truly belongs to the whole family. It is safe, easy to use and takes special care of children and elders, ensuring every family member can enjoy a relaxing and worry-free time.



Family Care 600 mm Bathroom Cabinet K-31500X-PD1

• Overall dimesions 576 x 438 x 540 mm.






Family Care 600 mm Vanity Top K-22778X-1-0

The color and shininess of products shown in the picture may differ from actual products due to printing.


• Overall dimesions 600 x 557 x 190 mm.





Family Care 800 mm Bathroom Cabinet K-31501X-L-PD1


- Overall dimesions 776 x 438 x 540 mm.
- Left open storage shelves.






Family Care 800 mm Bathroom Cabinet K-31501X-R-PD1

- Overall dimesions 776 x 438 x 540 mm.
- Right open storage shelves.



Family Care 800 mm Vanity Top K-22779X-1-0


• Overall dimesions 800 x 558 x 194 mm.





Family Care 1000 mm Bathroom Cabinet K-31503X-L-PD1


- Overall dimesions 976 x 438 x 540 mm.
- Left open storage shelves.





Family Care 1000 mm Bathroom Cabinet K-31503X-R-PD1


- Overall dimesions 976 x 438 x 540 mm.
- Right open storage shelves.





Family Care 1000 mm Vanity Top K-22780X-1-0


• Overall dimesions 1000 x 558 x 185 mm.





Feet for Family Care Bathroom Furniture K-31505T-NA

- Overall dimesions 80 x 80 x 195 mm.
- 2 pieces per package.




Dimensions are approxin Unit: mm



Family Care Baby Bathing mat K-70374X-MG1


• Overall dimesions 665 x 385 x 127 mm.


• Overall dimesions 357 x 276 x 160 mm.



ne recommended dimension for installation can be adjusted according to user preferences

Dimensions are approxima Unit: mm







lote: The recommended dimension for installation can be adjusted according to user preferences and layout.

Family Care Children Stool K-21936X-0




Maxi Space

Kohler is here to help you make more of the space you already have. Blending function with design, we push back the drain on your vanity to give you more work and wash space. We help you expand and organize your space — with drawers, cabinets and shelves; with modular organizers for drawers, showers and kitchens; and more — all to help you have a place for everything. Kohler is here to help you get more from your space so that you can enjoy carefree, comfortable living.



Maxi Space 600 mm Bathroom Cabinet K-20019X-M-H14

• Overall dimesion 593 x 450 x 657 mm.






Maxi Space 600 mm Vanity Top K-96120X-1-0

• Overall dimesion 600 x 450 x 100 mm.

Include


- Flexible pipe.
- Washboard.





Maxi Space 900 mm Bathroom Cabinet K-20020X-M-H14

• Overall dimesion 892 x 450 x 657 mm.





Maxispace2.0 800 mm Vanity Top


K-96121X-1-0

• Overall dimesion 900 x 450 x 100 mm.

Include

• Flexible pipe.


Washboard.





Feet for Maxi Space Bathroom Furniture K-76082T-LK

- Overall dimesion 50 x 50 x 120 mm.
- 2 pieces per package.





Flexi Space

Kohler provides solutions for small spaces. We increase the depth and breadth of basins as well as provide pull-out taps for washing hair and rinsing delicate clothing items. What's more, we push back the sink's drain to ensure you have ample space in the vanity to organize your personal items. Keeping everything neat and tidy.



Flexi Space 600 mm Bathroom Cabinet K-75836X-B08

- Overall dimesion 570 x 455 x 615 mm.
- Include
- Flexible pipe.



Flexi Space 600 mm Vanity Top K-96110X-1-0

• Overall dimesion 600 x 514 x 130 mm.


Include

• Flexible pipe.



Feet for Flexi Space Bathroom Furniture K-75853T-NA

- Overall dimesion 50 x 50 x 122 mm
- 2 pieces per package






New Reach

Better performance with moisture-resistant storage space.



New Reach 700 mm Bathroom Cabinet (White Glass) K-76664T-GLW


• Overall dimesion 660 x 483 x 510 mm.





Reach 700 mm Vanity Top K-18572T-1-0


• Overall dimesion 700 x 500 x 150 mm.





New Reach 1000 mm Bathroom Cabinet (White Glass) K-76663T-GLW

• Overall dimesion 1,020 x 483 x 510 mm.




Dimensions are approximate



Reach 1000 mm Vanity Top K-18571T-1-0

• Overall dimesion 1,055 x 500 x 510 mm.




Note: The recommended dimension for installation can be adjusted according to user preferences and layor



Adjustable Feet for Bathroom Cabinet K-15045T-NA

- Overall dimension 80 x 80 x 280 mm.
- 2 pieces per package.






Reach

Evoking sleek contemporary tones, the one-piece Reach basin and vanity top in glistening white ceramic is a perfect complement for the gleaming white wall-hung cabinet. The spacious and modern glossy wooden cabinet with deep, slow-close drawer offers the ultimate storage solution for a clutter-free bathroom. Available in several sizes and with optional legs for a floor mount.



Reach 700 mm Bathroom Cabinet K-14333T-0

• Overall dimension 660 x 483 x 510 mm.




Note: The recommended dimension for installation can be adjusted according to user preferences and layout.



Reach 700 mm Vanity Top K-18572T-1-0

• Overall dimension 700 x 500 x 150 mm.




Note: The recommended dimension for installation can be adjusted according to user preferences and layout.



Reach 1000 mm Bathroom Cabinet K-14334T-0


• Overall dimesion 1,010 x 483 x 510 mm.





Reach 1000 mm Vanity Top K-18571T-1-0


• Overall dimesion 1,055 x 500 x 510 mm.





Adjustable Feet for Bathroom Cabinet K-15045T-NA

- Overall dimension 80 x 80 x 280 mm.
- 2 pieces per package.






Aleutian

Home comforts begin with a large bathroom sink and drawers with double compartments. The Aleutian vanity makes fitting in what you need to store simpler and tidier. Create a functional bathroom that's simply fun to use.



Aleutian 900 mm Bathroom Cabinet K-45764X-0


• Overall dimension 892 x 517 x 575 mm.






Aleutian Vanity Top K-2746X-1-0 (Single Hole) K-2746X-8-0 (8" Center)

• Overall dimension 700 x 500 x 150 mm.







Feet for Bathroom Furniture K-45765X-NA

- Overall Dimension 70 x 70 x 175 mm.
- 2 pieces per package.




Forefront

Wood textures and mellow finishes combine with sculpted and flowing lines for a harmonious interplay between nature and design. Featuring clean edges and rounded corners, the KOHLER Forefront vanity top pairs beautifully with contemporary vanities to breathe new life into your bathroom with natural simplicity.



Forefront 900 mm Bathroom Cabinet K-45764X-E63 (Walnut)


• Overall dimension 892 x 517 x 575 mm.





Forefront 900 mm Bathroom Cabinet K-45764X-C38 (White Oak)

• Overall dimension 892 x 517 x 575 mm.






Forefront 900 mm Vanity Top K-2749X-1-0 (Single Hole) K-2749X-8-0 (8" Center)

• Overall dimension 900 x 520 x 145 mm.








Feet for Bathroom Furniture K-45765X-NA

- Overall Dimension 70 x 70 x 175 mm.
- 2 pieces per package.






Toobi

Feel the lure of nature in this Toobi integrated basin vanity top and its wood-grained vanity. With a sleek, modern profile, the Toobi vanity opens to reveal shelves for storing bath essentials.



Toobi 800 mm Bathroom Cabinet K-25265X-YY-LU


• Overall dimension 800 x 500 x 160 mm.





Toobi 800 mm Vanity Top K-45471X-ZW-0


• Overall dimension 800 x 500 x 160 mm.






Toobi 600 mm Bathroom Cabinet K-45472X-BWP K-45472X-ZZ-BWP (with Drain)

Overall dimension 590 x 490 x 450 mm.






• Overall dimension 600 x 500 x 160 mm.





Toobi 900 mm Bathroom Cabinet K-45470X-BWP K-45470X-ZZ-BWP (with Drain)


• Overall dimension 890 x 490 x 450 mm.





Toobi 900 mm Vanity Top K-45471X-0


• Overall dimension 900 x 500 x 160 mm.





Feet for Toobi Bathroom Furniture K-45405X-NA

- Overall dimension 80 x 80 x 360 mm.
- 2 pieces per package.









Quality Material

Kohler mirrors are able to hold a maximum weight of 12kg for more than 48 hours, and the glass shelves have passed stringent load testing (5kg)all without cracking or deforming.



Wide Door Swing Gives easy access to stored items.



Copper Free Mirror

Copper-free coating prevents corrosion and enhances environmental benefits.



Electronic defogger

Enhances your grooming experience in a humid environment.



Tempered Glass Shelf

Heat-tempered safety glass is 4 times stronger than ordinary glass, with good anti-banding and impact-resistance.



Pivot Magnifying Mirror

With adjustable height and 3X magnifying effect, the pivot mirror caters to your grooming needs.



Generous Storage Space

Extended storage area is convenient and easy to



Trulight

Renders the truest light (300 lux, CRI at 90) at the most flattering 4000K light color to better reflect your skin-tone for better makeup and skincare.





Soft Touch





Built-In Socket



Hair Dryer Hook

Modular design



Maxispace 2.0

Multifunctional Storage Shelves. Keeps toothbrushes and toiletries in perfect order.

Easy-access Drawer. A simple pull-out motion is all that's needed to get frequently-used grooming items.


Grooming Lighting. LED lighting with soft illumination provides the truest light for applying makeup and skin care.

Constant Temperature Cabinet (with Fridge model). Keeps cosmetics at a suitable and constant temperature, preventing deterioration.



Maxispace 2.0 800 mm Mirrored Cabinet with Lights and Defogger K-24375X-NA


- Overall dimensions 856 x 178 x 800 mm.
- For surface-mount installation.





Maxispace 2.0 1000 mm (Fridge Version) Mirrored Cabinet with Lights and Defogger K-24372X-NA

- Overall dimensions 1,069 x 178 x 800 mm.
- For surface-mount installation.






Family Care

Every family member-men, women, children and the elderly-receive all-around care from Kohler, where your safety, health and convenience have all been carefully considered in detail.



Family Care 600 mm Mirrored Cabinet with Lights and Defogger K-25237X-L-NA (Left-open) K-25237X-R-NA (Right-open)


- Overall dimensions 576 x 152 x 790 mm.
- Match with Family Care 600 mm. Kids Mirror.
- For surface-mount installation





Family Care 600 mm Kids Mirror K-25240X-NA


- Overall dimensions 579 x 269 mm.
- For surface-mount installation.





Family Care 800 mm Mirrored Cabinet with Lights and Defogger K-25238X-NA


- Overall dimensions 767 x 152 x 790 mm.
- Match with Family Care 800 mm. Kids Mirror
- For surface-mount installation.





• Overall dimensions 779 x 269 mm.


• For surface-mount installation.





Family Care 1000 mm Mirrored Cabinet with Lights and Defogger K-25239X-NA


- Overall dimensions 976 x 152 x 790 mm.
- Match with Family Care 1000 mm Kids Mirror.
- For surface-mount installation.





Family Care 1000 mm Kids Mirror K-25242X-NA

- Overall dimensions 979 x 269 mm.
- For surface-mount installation.






Maxi Space

KOHLER Maxi Space Mirrored Cabinet with integrated LED lighting transmit 3000K of even, optimally bright illumination in the truest natural color spectrum for makeup application, grooming and skin care without harsh shadows and hot spots. An integrated electronic defogger keeps the mirror clear in a damp environment. Extended depth up to 120mm, Maxi Space Mirrored Cabinet provides more inner space for storage than any normal mirrored cabinet, which including electrical socket for hair dryer, shaver or cell phone, and a magnifying mirror that can be positioned as needed.



Maxi Space 590 mm Mirrored Cabinet With Light And Defogger K-96106X-NA


- Overall dimensions 590 x 158 x 776 mm.
- For surface-mount installation.






Maxi Space 890 mm Mirrored Cabinet With Light And Defogger K-96107X-NA

- Overall dimensions 890 x 158 x 776 mm.
- For surface-mount installation.






New Verdera

Integrated lighting in mirror cabinet is specially designed for applying makeup and grooming. Embedded LED lighting design ensures the mirror is uniformly illuminated without shadows and true to natural skin color. Provides professional lighting for all your grooming needs.



New Verdera 610 mm Mirrored Cabinet with Lights and Defogger K-78202X-L-NA


- Overall dimensions 610 x 133 x 762 mm.
- For recessed or surface-mount installation.





New Verdera 866 mm Mirrored Cabinet with Lights and Defogger K-78282X-NA

- Overall dimensions 866 x 133 x 762 mm.
- For recessed or surface-mount installation.








Devonshire Mirrored Cabinet K-15035T-NA


- Overall dimensions 508 x 136 x 752 mm.
- For recessed or surface-mount installation.





Archer Mirrored Cabinet K-3073T-NA

- Overall dimensions 508 x 124 x 788 mm.
- For recessed or surface-mount installation.






Sequoia

Mirrored Cabinet with Lights and Defogger K-12098X-NA

- Overall dimensions 800 x 125 x 700 mm.
- For recessed or surface-mount installation.






Elosis

Offering customizable features, KOHLER mirrored cabinets come with adjustable glass panels and mirrors which can be mounted on the wall or embedded with your cabinetry. Create your desired ambience and the functional layout that best suits you.



Elosis 381 mm Mirrored Cabinet


- Overall dimensions 381 x 122 x 662 mm.
- For surface-mount installation.





Elosis 508 mm Mirrored Cabinet K-15031T-NA

- Overall dimensions 508 x 122 x 662 mm.
- For surface-mount installation.






Elosis 635 mm. Mirrored Cabinet K-15032T-NA

- Overall dimensions 635 x 122 x 662 mm.
- For surface-mount installation.









Elosis 762 mm Mirrored Cabinet K-15033T-NA

- Overall dimensions 762 x 122 x 662 mm.
- For surface-mount installation.







Kohler (Thailand) Public Company Limited

16th Floor, Jasmine City Building, 2 Soi Sukhumvit 23, Sukhumvit Road, Klongtoey Nua, Wattana, Bangkok 10110, Thailand Tel.+66-(0)-2-204-6000 Call Center +66-(0)-2-204-6222 e-mail: callcenterthailand@kohler.com www.kohler.co.th © 2021 by Kohler Co.



40,000