



Bathtubs have special meaning to KOHLER. In fact, KOHLER stepped into the bathroom sanitary business exactly because of the founder's inspiration to remodel a horse trough/hog scalder into the first cast-iron bathtub. From that day in 1883 till today, KOHLER has continuously developed bathtubs and other breakthrough bathtubs and other breakthrough bath and kitchen innovation to become the leader in the sanitary industry and to make your life more relaxed and gracious.

BATH & SHOWERS

The way bathing was meant to be.



System Bathtubs

Dual System

010	E	Devel Questions Death	
013	EVOK _{TM}	Dual System Bath	

Bubble Massage System

015	$Evok_{TM}$ 1800 BubbleMassage Bath
017	$Serif_{{}^{_{TM}}} BubbleMassage \ Bath$
019	$Regatta_{_{TM}}$ 1800 BubbleMassage Bath
021	Ove _{TM} BubbleMassage Bath
023	Patio _{TM} 1700 BubbleMassage Bath
024	Patio _{TM} 1600 BubbleMassage Bath
025	Patio _{TM} 1500 BubbleMassage Bath

Whirlpool System

033	Karess _{TM} 1700 Intergrated Massage Bath (Corner)
034	Karess _{TM} 1800 Intergrated Massage Bath (Drop-in)
035	Karess _{TM} 1700 Intergrated Massage Bath (Drop-in)
037	Aleutian _m 1.7 Proflex Whirlpool Bath
038	Aleutian _{TM} 1.5 Proflex Whirlpool Bath
039	Aleutian _{TM} Proflex Whirlpool Bath (Corner)
041	Presquile _{TM} Whirlpool Bath
043	Studio _{TM} Whirlpool Bath
044	Patio _™ 1600 Whirlpool Bath
045	Patio _™ 1500 Whirlpool Bath
047	Duo _{TM} 1.5 Whirlpool Bath

Plain Bathtubs

Freestanding Cast Iron Bath

059	Cleo _{TM}	Freestanding Cast Iron Bath
061	$\text{Volute}_{\text{\tiny TM}}$	1800 Freestanding Cast Iron Bath
061	$\text{Volute}_{\text{\tiny TM}}$	1700 Freestanding Cast Iron Bath
061	$\text{Volute}_{\text{\tiny TM}}$	1600 Freestanding Cast Iron Bath
063	Lovee	Oval Freestanding Cast Iron Bath

Freestanding Lithocast Bath

069	$\text{Ceric}_{{}^{\text{\tiny TM}}}$	Freestanding Lithocast Bath
071	$\text{Veil}_{\text{\tiny TM}}$	Freestanding Lithocast Bath
073	$Brazn_{\rm TM}$	Oval Freestanding Lithocast Bath
077	$Abrazo_{\rm TM}$	Freestanding Lithocast Bath
079	$Karing_{\scriptscriptstyle TM}$	1300 Round Freestanding Lithocast Bath
081	$Evok_{{}^{TM}}$	1800 Freestanding Lithocast Bath
081	$Evok_{{}^{TM}}$	1700 Freestanding Lithocast Bath
083	Karing™	1800 Oval Lithocast Bath
083	$Karing_{\scriptscriptstyle TM}$	1700 Oval Lithocast Bath
083	$Karing_{\scriptscriptstyle TM}$	1600 Oval Lithocast Bath

Freestanding Acrylic Bath

089	Ceric	Freestanding Bath
091	Evok _{TM} 2.0	Round Freestanding Bath
093	Evok _{TM} 2.0	1.7m Rectangular Freestanding Bath
095	$Evok_{\text{TM}} 2.0$	1.7m Oval Freestanding Bath
097	$Evok_{\rm TM} 2.0$	1.6m Oval Freestanding Bath
099	$Evok_{\rm TM}2.0$	1.5m Oval Freestanding Bath
101	$\text{Cumulus}_{\scriptscriptstyle TM}$	1700 Freestanding Bath
101	$\text{Cumulus}_{\text{\tiny TM}}$	1300 Freestanding Bath
103	$Doble_{{}^{TM}}$	1.5m Freestanding Bath
105	Evok _{TM}	1.7m D-Shape Freestanding Bath
105	Evok _{TM}	1.5m D-Shape Freestanding Bath
107	$Evok_{{}^{TM}}$	Oval Freestanding Bath
109	$Evok-S_{{}^{TM}}$	1.7m Oval Freestanding Bath
111	Sunstruck,	M Oval Freestanding Bath
113	Sunstruck	M Rectangular Freestanding Bath

Contents

Corner & Drop-in Plain Bath

117	Aleutian	1.7 Plain Bath
118	$\text{Aleutian}_{\text{\tiny TM}}$	1.5 Plain Bath
119	$\text{Aleutian}_{\text{\tiny TM}}$	1.3 Plain Bath
120	$\text{Aleutian}_{\text{\tiny TM}}$	Plain Bath (Corner)
121	$\text{Cumulus}_{\text{\tiny TM}}$	1.7 Plain Bath
121	$\text{Cumulus}_{\text{\tiny TM}}$	1.3 Plain Bath
123	$0 deon_{\scriptscriptstyle TM}$	Plain Bath
125	Presquile,	, Plain Bath
126	$Duo_{{}^{TM}}$	1700 Plain Bath
127	$Duo_{{}^{TM}}$	1675 Plain Bath
127	$Duo_{{}^{TM}}$	1600 Plain Bath
129	Evok _{TM}	1800 Plain Bath
131	$Evok_{{}^{TM}}$	Oval 1700 Plain Bath
133	$Evok_{{}^{TM}}$	1670 Plain Bath
135	$0ve_{\scriptscriptstyle TM}$	Plain Bath
137	Patio _™	1700 Plain Bath
138	Patio _™	1600 Plain Bath
139	Patio _™	1500 Plain Bath
141	$\text{Regatta}_{{}^{\text{\tiny TM}}}$	Plain Bath
143	$\text{Reach}_{\text{\tiny TM}}$	1700 Plain Bath
144	$\text{Reach}_{\text{\tiny TM}}$	1500 Plain Bath
145	Studio _{TM}	Plain Bath



KOHLER. Bathtubs

Art, Innovation and Life are combined into one philosophy to turn your bathroom into a gallery where all the precious works of art are displayed.

150 years of experience allows for a thorough understanding of your desire for everlasting beauty to enrich your life and enhance the character of your home. KOHLER makes every day of your life aesthetic as well as pleasurable.

This is it...The MASTERPIECE from KOHLER



Dual System Bath & Bubble Massage Bath



BubbleMassage™ Airjet Design

With 120-122 jets (depending on the model) precisely positioned on the lower perimeter of the bath, our proprietary airjet design ensures that the bubbling action is complete and balanced throughout the bath, even at low speed. The result embraces at any airflow speed.

An exceptionally hygienic and easily maintained system. Sensors activate the automatic cycle to purge residual water from the air channel when the bath is drained to eliminate/prevent creation of fungus and unpleasant smell-given supreme hygienic bathing system.



Airjets

Airjets is individually adjustable to create the intensity that suits your body needs. The body jets are designed to target those tired calf and thigh muscles while the back jets provide relief for the hips and lower back






A targeted feet

massage

A full-body massage provides a refreshing bubble embrace

Available on select models, the zones of control feature allows bathers to target massage in different parts of the bath, and to adjust intensity from high to low.



ART OF WELL-BEING

Breathe new life in the bathing experience by increasing flexibility and ensuring user-control convenience. Multiple levels of water intensity and individual massage zone deliver a variety of treatments, from light to invigorating massage. BubbleMassage, the bath technology by KOHLER transforms the bathroom into a home spa environment.




Hygienic System ⊰



Home Spa Creation with bath additives

Bathers can use bath oils, salts and other additives without harming the system.



Variable-Speed Blower/Motor

Designed to deliver a customizable air experience, the blower/motor blows heated air and offers variable-speed control, for a bubbling massage at multiple levels of intensity.



A targeted back and neck massage

Zones of Control Feature


A targeted legs and feet massage





Evok_{TM} Two Person Rectangular Dual System K-18749X-W03C-0

• Size :	1850 x 1100 x 600 mm.
• Weight :	72 kg.
Water Capacity :	320 <i>l</i>
• Jets :	Back jets 12 jests,
	Adjustable body jets 6 jets
• Airjets :	18 jets
• Pump :	1.5 hp, 220-240 V
Included parts :	2 Dark grey pillow, hand grip,
	pop-up drain, overflow
	and electronic breaker (ELCB)



KOHLER BATHTUBS 13






$\mathsf{Evok}_{{}^{\mathrm{\tiny TM}}}$ 1800 BubbleMassage Bath

K-77092X-G1PC-0

• Size :	1800 x 800 x 550 mm.
• Weight :	37 kg.
Water Capacity :	271 <i>l</i>
• Airjets :	120 Bubblemassage airjets
• Pump :	Blower motor, 220-240 V
• Included parts :	Pop-up drain, overflow
	Bath pillow
	and electronic breaker (ELCB)



KOHLER BATHTUBS






 $Serif_{{}^{_{\mathsf{TM}}}} BubbleMassage Bath$

K-1337X-G1C-0 / K-1337X-G2C-0

• Size :	1525 x 1060 x 533 mm.
• Weight :	40 kg.
• Water Capacity :	276 l
• Airjets :	120 Bubblemassage airjets
• Pump :	Blower motor, 220-240 V
• Included parts :	Pop-up drain, overflow
	Bath pillow
	and electronic breaker (ELCB)
• Detail :	K-1337X-G1C-0 (Left Hand Keypad)
	K-1337X-G2C-0 (Right Hand Keypad)



- (eypad)






$Regatta_{{}^{\mathrm{TM}}}$ 1800 BubbleMassage Bath

K-11303X-G1C-0 / K-11303X-G2C-0

• Size :	1672 x 762 x 550 mm.	
• Weight :	34 kg.	
Water Capacity :	234 l	
• Airjets :	120 Bubblemassage airjets	F (Blow
• Pump :	Blower motor, 220-240 V	Contr 500 V
Included parts :	Pop-up drain, overflow	
	Black pillow	
	and electronic breaker (ELCB)	
• Detail :	K-11303X-G1C-0 (Left Hand Keypa	d)
	K-11303X-G2C-0 (Right Hand Keyp	ad)









Ove_™ BubbleMassage Bath


K-97195X-G11PC-0 / K-97195X-G158C-0 K-97195X-G21PC-0 / K-97195X-G258C-0

• Size :	1750 x 850 x 470 mm.
• Weight :	37 kg.
Water Capacity :	283 <i>l</i>
• Airjets :	120 Bubblemassage airjets
• Pump :	Blower motor, 220-240 V
 Included parts : 	Pop-up drain, overflow
	Bath pillow
	and electronic breaker (ELCB)

•	Detail	:

K-97195X-G21PC-0 (Right Hand Keypad / Orange Bath Pillow)

*Where bather is on the position that his/her head placed on bath pillow.



- K-97195X-G11PC-0 (Left Hand Keypad / Orange Bath Pillow)
- K-97195X-G158C-0 (Left Hand Keypad / Grey Bath Pillow)
- K-97195X-G258C-0 (Right Hand Keypad / Grey Bath Pillow)






Patio_™ 1700 BubbleMassage Bath

K-97194X-G1C-0 / K-97194X-G2C-0

• Size :	1700 x 800 x 450 mm.	
• Weight :	34 kg.	
• Water Capacity :	240 <i>l</i>	
• Airjets :	120 Bubblemassage airjets	Minimum acce panel air blowe 500 W x 450 H
• Pump :	Blower motor, 220-240 V	
• Included parts :	Pop-up drain, Overflow	
	Bath Pillow,	
	and electronic breaker (ELCB)	
• Detail :	K-97194X-G1C-0 (Left Hand H	Keypad)
	K-97194X-G2C-0 (Right Hand	l Keypad)






Patio_{TM} 1600 BubbleMassage Bath

K-78236X-G1C-0 / K-78236X-G2C-0

			1600
• Size :	1600 x 750 x 450 mm.		308 35 35 Becommended
• Weight :	21 kg.	Minimum access panel air blower 500 W x 450 H	faucet area
Water Capacity :	154 <i>l</i>		750
• Airjets :	120 Bubblemassage airjets		Minimum access panel bath drain 500 W x 450 H
• Pump :	Blower motor, 220-240 V	V	
• Included parts :	Pop-up drain, Overflow		
	Bath Pillow,		1-1/2" Bath Drain
	and electronic breaker (ELCB)		

• Detail :

K-78236X-G1C-0 (Left Hand Keypad) K-78236X-G2C-0 (Right Hand Keypad)






Patio_{TM} 1500 BubbleMassage Bath

K-78235X-G1C-0 / K-78235X-G2C-0

• Size :	1500 x 750 x 450 mm.
• Weight :	20 kg.
• Water Capacity :	145 <i>l</i>
• Airjets :	120 Bubblemassage airjets
• Pump :	Blower motor, 220-240 V
• Included parts :	Pop-up drain, Overflow
	Bath Pillow,
	and electronic breaker (ELCB)
• Detail :	K-78235X-G1C-0 (Left Hand K

K-78235X-G2C-0 (Right Hand Keypad)









Whirlpool Bath



Blackjet

The Bodyssage backjet system, with 10 KOHLER backjets that operate in sequences to simulate a massage, loosens tension throughout the back and encourages deep breathing





REFRESHING EMBRACE OF LIGHT BUBBLES

Create your dream spa with healing properties of water. KOHLER, whirlpool system brings the healing properties of water into your home. With special features, the system makes the at-home spa you've always dreamed of closer to reality and makes bathing pure luxury. Retrieve what is missing from your life to experience touch of well-being eveyday.



Flexjet

soaking

KOHLER Flexjet_™ whirlpool jets are individually adjustable to target specific areas of your body, and are available color-matched or in multiple finishes to coordinate with your bathroom de'cor.



BubbleMassage

With 120-122 jets (depending on the model) precisely positioned on the lower perimeter of the bath, our proprietary airjet design ensures that the bubbling action is complete and balanced throughout the bath, even at low speeds. The result - a complete and refreshing bubbling embrace at any



Effervesence

Champagne-like bubbles that cling to and caress the skin are emitted through special ports for a soothing, relaxing experience.



Lumbar Support

Molded lumbar support offers extra comfort while bathing; allows for deep



Easy to Control

The ergonomic control panel inside the bath is designed for simplicity and ease. Use it to adjust the whirlpool hydrotherapy jets and BubbleMassage jets to your preferences

Proflex Whirlpool System



Heated Massage Pillow

- Waterproof pillow with presicely distributed 3-dimensional neck massage, bi-direction kneading mode.
- Heated massage function accelerated your metabolism and relieves neck and shoulder tension.

Strong Lumbar Massage

- Simulates the force of a hand massage to relax tense muscles.
- Powerful water force is 3-4 times stronger than competing products.

Feet & Leg Massage

- Massage focused on the feet and legs gives deep relaxation and stimulated blood circulation.
- Unique ledge to rest your feet while you enjoy a massage on the lower leg.

E-Drain

 Electronic drain control with alarm automatically prevents overflow.





KOHLER BATHTUBS





Back Rolling Massage

- 10 jets perform a back massage along the key meridians in your back.
- Water pulses through each pair of jets in turn to relax your tight muscles and relieve pain.




User Interface

- Water temperature display and touch control ensure you have a safe and enjoyable experience.
- Intuitive interface gives direct access and easy control.



One-Touch Auto Cleaning

- One simple touch to flush and rinse pipes thoroughly.
- Remove dirties, prevent growth of bacteria, keep your whirlpool bath hygiene.






Karess_{TM} 1700 Integrated Massage System Bath

K-76449X-NWGR-0 / K-76448X-NWGR-0

• Size :	1703 x 803 x 642 mm.	
• Weight :	47 kg.	
• Water Capacity :	233 l	
• Jets :	12 Massage WP jets	
• Pump :	1.8 hp, 220-240 V	
• Included parts :	Electronic drain, Massage pillo	W,
	Desk mount faucet (K-72292T-	-4-CP),
	Grip rail (for K-76449X-NWGR	-0 and
	K-76448X-NWGR-0), and Elec	tronic b
• Detail :	Fee	0



K-76449X-NWGR-0 (Left Hand Bath)



1703

Junction








K-76448X-NWGR-0 (Right Hand Bath)



Karess_{TM} 1800 Integrated Massage System Bath

K-76445X-NWGR-0

• Size :	1800 x 900 x 625 mm.
• Weight :	32 kg.
Water Capacity :	276 <i>l</i>
• Jets :	12 Massage WP jets
• Pump :	1.8 hp, 220-240 V
• Included parts :	Electronic drain, Massage pillow,
	Grip rail and Electronic breaker (ELC






Karess_{TM} 1700 Integrated Massage System Bath

K-76442X-NWGR-0

• Size :	1700 x 800 x 625 mm.
• Weight :	30 kg.
Water Capacity :	233 l
• Jets :	12 Massage WP jets
• Pump :	1.8 hp, 220-240 V
• Included parts :	Electronic drain, Massage pillow,
	Grip rail and Electronic breaker (El








Aleutian_{TM} 1.7 Proflex Whirlpool Bath

K-99025X-ZY-0 / K-99026X-ZY-0


• Size :	1700 x 800 x 650 mm.
• Weight :	70 kg.
Water Capacity :	320 <i>l</i>
• Jets :	6 Adjustable whirlpool jets
	7 Adjustable whirlpool speed
• Pump :	220-240 V
• Included parts :	Electronic drain,
	Pipe cleaning function,
	Grip rail, Bath shelf, and
	Electronic breaker (ELCB)

• Detail :



K-99025X-ZY-0 (Left Hand Bath)

F (F





K-99026X-ZY-0 (Right Hand Bath)




Aleutian_™ 1.5 Proflex Whirlpool Bath

K-99019X-ZY-0 / K-99020X-ZY-0


• Size :	1500 x 800 x 650 mm.	Area for flexible	500 427
• Weight :	61 kg.	drain ø400mm	74
• Water Capacity :	242 <i>l</i>	803 600 355 421	I
• Jets :	6 Adjustable whirlpool jets		
	7 Adjustable whirlpool speed	10A Power outlet /	
• Pump :	220-240 V	440 410 0verflow Overflow 650	
• Included parts :	Electronic drain,	water level water level	
	Pipe cleaning function,		
	Grip rail, Bath shelf, and		
	Electronic breaker (ELCB)		

• Detail :



K-99019X-ZY-0 (Left Hand Bath)

K-99020X-ZY-0 (Right Hand Bath)





Aleutian_{TM} Proflex Whirlpool Bath

K-20059X-NW-0


• Size :	1500 x 1500 x 610 mm.
• Weight :	75 kg.
Water Capacity :	320 <i>l</i>
• Jets :	12 Fully adjustable hydrotherapy
	7 Adjustable whirlpool speed
• Pump :	220-240 V
Included parts :	Electronic drain,
	Pipe cleaning function,
	Deck mount faucet (K-72292T-4-
	Storage accessories, and Electro

• Detail :



(Deck mount faucet)

K-72292T-4-CP



Wood basket

Wood tray






Presquile_™ Whirlpool Bath

K-6047X-K-0

• Size :	1850 x 900 x 580 mm.
• Weight :	40 kg.
Water Capacity :	200 <i>l</i>
• Jets :	5 Adjustable jets
• Pump :	0.75 hp, 220-240 V
Included parts :	Pop-up drain, Adjustable leg,
	and Electronic breaker (ELCB)








Studio_{TM} Whirlpool Bath

K-11221X-K-0

• Size :	1670 x 760 x 540 mm.
• Weight :	32 kg.
Water Capacity :	231 <i>l</i>
• Jets :	6 Adjustable jets
• Pump :	1 hp, 220-240 V
• Included parts :	Bath drain, and Electronic bre

oreaker (ELCB)







Patio_™ 1600 Whirlpool Bath

K-78240X-K1-0 / K-K-78240X-K2-0

• Size :	1600 x 750 x 450 mm.	[³⁵
• Weight :	31 kg.	
• Water Capacity :	154 <i>l</i>	
• Jets :	6 Adjustable jets	Minimun access Customer panel air blower Access Panel W500xH450
• Pump :	1 hp, 220-240 V	
 Included parts : 	Pop-up drain, Overflow, Bath pillow,	
	and Electronic breaker (ELCB)	30,1






0	۲	۲	
			٢
		e) (0
			3)
0	۲	œ	

Patio_™ 1500 Whirlpool Bath

K-78239X-K1-0 / K-K-78239X-K2-0

• Size :	1500 x 750 x 450 mm.
• Weight :	30 kg.
Water Capacity :	145 <i>l</i>
• Jets :	6 Adjustable jets
• Pump :	1 hp, 220-240 V
Included parts :	Pop-up drain, Overflow, Bath pill
	and Electronic breaker (ELCB)

• Detail :	K-78240X-K1-0 (Left Pneumatic Switch)	• Detail :	K-78239X-G1C-0 (Left Pneumatic Sv
	K-78240X-K2-0 (Right Pneumatic Switch)		K-78239X-G2C-0 (Left Pneumatic Sv
	*Where bather is on the position that his/her head placed on bath pillow.		*Where bather is on the position that his/her I



Switch)

Switch)

*Where bather is on the position that his/her head placed on bath pillow.






Duo_™ Whirlpool Bath

K-18779X-K-0

• Size :	1670 x 760 x 430 mm.
• Weight :	38 kg.
Water Capacity :	188 <i>l</i>
• Jets :	4 Adjustable jets
• Pump :	1.5 hp, 220-240 V
Included parts :	Pop-up drain,
	and Electronic breaker (ELCB)





Plain Bath



Freestanding Bath

MATERIAL WORLD

Our baths come in a range of high-quality materials to fit your style without breaking your budget. We were inspired to create baths full of expression and unique character with crisp detailing. The result is a statement piece for your bathroom, one that reflects your taste and style while inviting you to immerse yourself in the depths of its design.

Cast Iron

Iconic KOHLER enameled cast iron baths provide vintage appeal in an array of colors. Each bath embodies over 150 years of KOHLER craftsmanship for a lasting presence that makes a bold statement. The baths are made in part with recycled material and come with a Lifetime Limited Warranty.*

Lithocast

Our strong cast resin material allows for geometries with dynamic style that are hand-finished to create crisp detail that is full of character. The original Lithocast Matte has three modern designs with a finish that captures the beauty of real stone. The new Lithocast Gloss has a full spectrum of designs that are lighter weight than Lithocast Matte baths and has an easy-to-clean gloss finish.

Acylic

A strong, light-weight, flex-resistant material, acrylic has a smooth finish that resists chipping and cracking, and is easy to clean.



E N A M E L E D CASTIRON STRENGTH. STYLE. SOUL.





Cast Iron - Install a Legacy



Lifetime Limited Warranty

KOHLER warrants the cast iron components to be free of defects in material and workmanship during noemal use.



Glamorous

Available in an extensive array of colors





Cast Iron Specialist for over 150 years

Crafted with exquisite workmanship and advanced technology, each piece embodies Kohler's commitment to crafting the finest for over 140 years.




Thick Enamel Surface

Thick, durable and easy-to-clean enamel surface stands the test of time.



 $\rm KOHLER_{\odot}$ carefully considers ergonomic details and consumer experiences with every bath we manufacture. For example, our freestanding baths provide deep soaking wells to help you unwind. Our lumbar supports are engineered to accommodate a wide range of body types. And the slope of our baths facilitates both a comfortable upright position as well as a relaxing lounge position, which



RELAX IN COMFORT

MODEL SIZE 5'5"





$\text{Cleo}_{\mbox{\tiny TM}}$ Freestanding Cast Iron Bath


K-11195X-0

• Size :	1750 x 800 x 640 mm.
• Weight :	178 kg.
Water Capacity :	226 <i>l</i>
Included parts :	Bath drain, and Overflow,

Required Accessories

Drain : K-18436X-CP
 Bath feet : K-11194T-0

KOHLER BATHTUBS







Volute_™ Freestanding Cast Iron Bath

K-99718T-0 / K-99718T-GR-0 (with hole for grip rails)

• Size :	1800 x 800 x 540 mm.
• Weight :	160 kg.
Water Capacity :	230 <i>l</i>
 Included parts : 	Bath Drain, Feets

K-99311T-0 / K-99311T-GR-0 (with hole for grip rails)


• Size :	1700 x 800 x 550 mm.
• Weight :	150 kg.
Water Capacity :	216 <i>l</i>
 Included parts : 	Bath Drain, Feets


K-99313T-0 / K-99313T-GR-0 (with hole for grip rails)

- Size : 1600 x 750 x 500 mm.
- Weight : 135 kg.
- Water Capacity : 170 ℓ
- Included parts : Bath Drain, Feets


Required Accessories

• Grip rail : K-5791T-CP (For K-99718T-GR-0) (For K-99311T-GR-0) (For K-99313T-GR-0)






















Lovee_{{}^{_{\mathsf{TM}}}} Oval Freestanding Cast Iron Bath


K-9287T-0 / K-9287T-GR-0 (with hole for grip rails)

• Size :	1700 x 750 x 567 mm.
• Weight :	132 kg.
Water Capacity :	231 <i>l</i>
	Both Droin

• Included parts : Bath Drain

Required Accessories

• Grip Rail : K-8243T-CP (For 9287T-GR-0)



		r -	
	7		
			I I
			I I
		567	I I
			I I
			I I
			I I
بر <u>بر ب</u>		_	



Lithocast Bathtub



Lithocast Bath Series



Stella Design

Extraordinary design with outstanding innovation to create a premium look.



Premium Quality

Quality combination of pure acrylic and proprietary minerals to produce a durable bath resistant to tarnish.



Lasting Durability

Integral moulding technology to create a seamless design with enhanced sturdiness and lasting beauty.








Ceric_{TM} Lithocast Freestanding Bath K-833TX-0

• Size :	1651 x 790 x 586 mm.
• Weight :	146 kg.
Water Capacity :	334 <i>l</i>
 Included parts : 	Bath Drain










Veil_™ Lithocast Freestanding Bath K-8331X-0

• Size :	1649 x 954 x 619 mm.
• Weight :	146 kg.
Water Capacity :	312 ℓ
 Included parts : 	Bath Drain









Brazn™ Oval Lithocast Freestanding Bath K-21388X-0

• Size :	1673 x 887 x 609 mm.
• Weight :	142 kg.
Water Capacity :	310 <i>l</i>
 Included parts : 	Bath Drain








Brazn_™ Oval Lithocast Freestanding Bath K-21388X-HB1

• Size :	1673 x 887 x 609 mm.
• Weight :	142 kg.
Water Capacity :	310 <i>l</i>
 Included parts : 	Bath Drain








Abrazo_™ Lithocast Freestanding Bath K-1800X-0

• Size :	1676 x 800 x 725 mm.
• Weight :	238 kg.
Water Capacity :	340 <i>l</i>
 Included parts : 	Bath Drain










Karing_™ 1300 Round Lithocast Bath K-20247X-0

• Size :	1300 x 1300 x 600 mm.
• Weight :	165 kg.
Water Capacity :	386 <i>l</i>
 Included parts : 	Bath Drain








$\mathsf{Evok}_{{}^{\mathrm{\tiny TM}}}$ Lithocast Bath


K-21096X-0

• Size :	1800 x 800 x 600 mm.
• Weight :	198 kg.
Water Capacity :	400 <i>l</i>
Included parts :	Bath Drain

K-21095X-0

• Size :	1700 x 750 x 600 mm.
• Weight :	175 kg.
• Water Capacity :	335 <i>l</i>
 Included parts : 	Bath Drain









Karing_™ Lithocast Bath

K-20249X-0


• Size :	1800 x 800 x 605 mm.
• Weight :	155 kg.
Water Capacity :	305 <i>l</i>
 Included parts : 	Bath Drain

K-20374X-0

• Size :	1700 x 800 x 605 mm.
• Weight :	140 kg.
Water Capacity :	270 <i>l</i>
Included parts :	Bath Drain, Feets

K-20248X-0

• Size :	1600 x 760 x 555 mm.
• Weight :	136 kg.
• Water Capacity :	274 l
Included parts :	Bath Drain, Feets



Acrylic Bathtub





KOHLER Acrylic Bath Quality



Pressure Test

The bath will not crack or deform when pressed by a 300-pound hammer as many as 100,000 times



Impact Test

The bath will not crack or deform when hit on the bottom by a steel ball with a Strike Test of 38 mm.



Water Boiling Test

The bath will not crack, deform or discolor when boiled in hot water at 80 °C over 100 hours.



Torque Test

The drain opening area will not crack or deform when torqued by 50 pounds at 610 mm.






$\operatorname{Ceric}_{{}^{\mathrm{TM}}}$ Freestanding Bath

K-30904X-0 / K-30904X-GR-0 (with grip rail)

• Size :	1700 x 800 x 610 mm.
• Weight :	53 kg.
Water Capacity :	339 <i>l</i>
Included parts :	Bath Drain,
	Grip Rail for K-30904X-GR-0



Area for flexible drain ø200-400 mm.







Evok_{TM} 2.0 Freestanding Bath


K-25163T-0 / K-25163T-P5-0

• Size :	1500 x 1500 x 610 mm.
• Weight :	58 kg.
• Water Capacity :	390 <i>l</i>
 Included parts : 	Bath Drain

• Detail :



K-25163T-P5-0 (Black) (*Non-Stock item)







$Evok_{\mbox{\tiny TM}}$ 2.0 1.7M Freestanding Bath


K-25164T-0 / K-25164T-P5-0

• Size :	1700 x 750 x 610 mm.
• Weight :	53 kg.
Water Capacity :	282 <i>l</i>
 Included parts : 	Bath Drain

• Detail :



K-25164T-P5-0 (Black)





KOHLER BATHTUBS 93





Evok_{TM} 2.0 1.7M Freestanding Bath


K-25165T-0 / K-25165X-P5-0


- Size :
- 1700 x 750 x 610 mm.
 - 53 kg.
- Weight : Water Capacity : 284 *l*
- Bath Drain Included parts :

• Detail :



K-25165X-P5-0 (Black)









$Evok_{\text{TM}}$ 2.0 1.6M Freestanding Bath


K-25166X-0 / K-25166T-P5-0


• Size :	1600 x 750 x 610 mm.
• Weight :	49 kg.
Water Capacity :	256 <i>l</i>
• Included parts :	Bath Drain

• Detail :



K-25166T-P5-0 (Black)









$Evok_{\scriptscriptstyle \mathsf{TM}}$ 2.0 1.5M Freestanding Bath


K-25167X-0 / K-25167T-P5-0 / K-25167X-GR-0 (with grip rail)

• Size :	1500 x 750 x 610 mm.
• Weight :	42 kg.
Water Capacity :	228 <i>l</i>
 Included parts : 	Bath Drain

• Detail :



K-25167T-P5-0 (Black)



1500

K-25167X-GR-0 (with grip rail) model






Cumulus_™ Freestanding Bath K-98154X-GR58-0


• Size :	1700 x 800 x 722 mm.
• Weight :	66 kg.
Water Capacity :	277 l
Included parts :	Adjustable bath pillow, Bath Drain,
	Soft grip rails

K-45599X-GR58-0

• Size :	1350 x 800 x 732 mm.
• Weight :	50 kg.
Water Capacity :	270 <i>l</i>
Included parts :	Adjustable bath pillow, Bath Dra
	Soft grip rails














Doble_™ 1.5M Freestanding Bath

K-77702X-0

- Size : 1500 x 800 x 585 mm. • Weight : 47.2 kg. Water Capacity : 226 *l*
- Bath Drain Included parts :





Area for flexible drain ø400 mm.








Evok_{TM} 1.7M D-Shape Freestanding Bath K-22161X-0

Size : 1705 x 758 x 612 mm.
Weight : 37 kg.
Water Capacity : 240 ℓ
Included parts : Bath Drain

Evok™ 1.5M D-Shape Freestanding Bath

K-22160X-0

- Size : 1498 x 758 x 612 mm.
- Weight : 33 kg.
- Water Capacity : 211ℓ
- Included parts : Bath Drain








$Evok_{TM}$ Oval Freestanding Plain Bath

K-18347X-0

• Size :	1700 x 750 x 610 mm.
• Weight :	49 kg.
• Water Capacity :	238 <i>l</i>
 Included parts : 	Bath Drain










Evok-S_™ 1.7 Oval Freestanding Bath K-22193X-0

• Size :	1710 x 795 x 620 mm.
• Weight :	40 kg.
Water Capacity :	280 <i>l</i>
 Included parts : 	Bath Drain











$\mathsf{Sunstruck}_{{}^{\mathsf{TM}}}$ Oval Freestanding Bath

K-20124X-0

Size :	1730 x 831 x 600 mm
Weight :	62 kg.
Water Capacity :	224 <i>l</i>

• Included parts : Bath Drain


K-20124X-BFH1-0 (with KOHLER faucet hole)


• Size :	1730 x 831 x 600 mm
• Weight :	62 kg.
Water Capacity :	224 <i>l</i>
• Included parts :	Bath Drain
• Detail :	with KOHLER faucet hole
	for K-72292T-4-*

K-20124X-BFH2-0 (with KOHLER faucet hole)


• Size :	1730 x 831 x 600 mm
• Weight :	62 kg.
Water Capacity :	224 <i>l</i>
 Included parts : 	Bath Drain
• Detail :	with KOHLER faucet hole

for P45224X-ZZ-*









Area for flexible drain ø500 mm.








Sunstruck_{TM} Rectangle Freestanding Bath K-20125X-0


• Size :	1731 x 831 x 600 mm
• Weight :	72 kg.
Water Capacity :	226 <i>l</i>
 Included parts : 	Bath Drain



KOHLER BATHTUBS 113

Drop-in Acrylic Bathtub










Aleutian_{TM} 1.7 Plain Bath K-99023X-ZY-0 / K-99024X-ZY-0

• Size :	1700 x 800 x 650 mm.
• Weight :	50 kg.
Water Capacity :	334 <i>l</i>
• Included parts :	Pop-up drain, Overflow,
	Grip rail, and Bath shelf

• Detail :

K-99023X-ZY-0 (Left Hand Bath)






K-99024X-ZY-0 (Right Hand Bath)



Aleutian_{TM} 1.5 Plain Bath

K-99017X-ZY-0 / K-99018X-ZY-0

- Size : 1500 x 800 x 650 mm.
- Weight : 45 kg.
- Water Capacity : 291 ℓ
- Included parts : Pop-up drain, Overflow,
 - Grip rail, and Bath shelf





Aleutian_{TM} 1.3 Plain Bath

K-99013X-ZY-0 / K-99014X-ZY-0

• Size :	1300 x 800 x 650 mm.
• Weight :	42 kg.
Water Capacity :	275 l
• Included parts :	Pop-up drain, Overflow,
	Grip rail, and Bath shelf

• Detail :




K-99017X-ZY-0 (Left Hand Bath)



K-99018X-ZY-0 (Right Hand Bath) • Detail :



K-99013X-ZY-0 (Left Hand Bath) k





K-99014X-ZY-0 (Right Hand Bath)




Aleutian_™ Plain Bath

K-20058X-0

• Size :	1500 x 1500 x 610 mm.
• Weight :	65 kg.
Water Capacity :	340 <i>l</i>
 Included parts : 	Pop-up drain, Overflow,

Grip rail, and Bath shelf





Area for flexible

• Detail :



Wood basket

Wood tray



Cumulus_™ 1.7 Plain Bath

K-45601X-GR58-0

• Size :	1700 x 800 x 640 mm.
• Weight :	30 kg.
Water Capacity :	277 l

• Included parts : Adjustable bath pillow,

Pop-up drain, and Soft grip rail





Cumulus_™ 1.3 Plain Bath

K-45598X-GR58-0

- Size : 1350 x 800 x 640 mm.
- Weight : 22 kg.
- Water Capacity : 270ℓ
- Included parts : Adjustable bath pillow,

Pop-up drain, and Soft grip rail









 $\operatorname{Odeon}_{{}^{\mathrm{\tiny TM}}}\operatorname{Plain}\operatorname{Bath}$


K-18255X-0

• Size :	1800 x 900 x 480 mm.
• Weight :	27 kg.
• Water Capacity :	296 <i>l</i>
• Included parts :	Bath pillow, Pop-up drain
	and Overflow

Odeon_™ Plain Bath

K-18255X-ZZ-0	(with KOHLER faucet hole)
• Size :	1800 x 900 x 480 mm.
• Weight :	27 kg.
• Water Capacity :	296 <i>l</i>
• Included parts :	Bath pillow, Pop-up drain,
	and Overflow
• Detail :	with KOHLER faucet hole

for K-72292T-4-*








Presquile_™ Plain Bath

K-6060X-0

• Size :	1850 x 900 x 540 mm.
• Weight :	25 kg.
Water Capacity :	200 <i>l</i>
• Included parts :	Pop-up drain, and Overflow



<u>1</u> 60 - 1 150 _







Duo_™ 1675 Plain Bath

K-18775X-0

- Size : 1670 x 760 x 430 mm.
- Weight : 22 kg.
- Water Capacity : 190 ℓ
- Included parts : Armrest, Pop-up drain,

and Overflow

Duo™ 1700 Plain Bath

K-45702X-0 / K-45702-ZZ-0

• Size : 1700 x 800 x 450 mm.


25 kg.

220 *l*

- Weight :
- Water Capacity :
- Included parts :
- Overflow, and

Armrest, Pop-up drain,

White pillow (only for K-45702-ZZ-0)









Duo_™ 1600 Plain Bath

K-45701X-0 / K-45701X-ZZ-0


- Size: 1600 x 700 x 450 mm.
 Weight: 20 kg.
 Water Capacity: 190 ℓ
- Included parts : Armrest, Pop-up drain,
 - Overflow, and
 - White pillow (only for K-45701-ZZ-0)

26 KOHLER BATHTUBS





Customer Interface Access Panel W500xH450









Evok_{TM} 1800 Plain Bath

K-1704X-1P-0


• Size :	1800 x 800 x 550 mm.
• Weight :	28 kg.
• Water Capacity :	271 <i>l</i>
• Included parts :	Bath pillow, Pop-up drain,
	and Overflow

K-1704X-BFH1-0 (with KOHLER faucet hole)

• Size :	1800 x 800 x 550 mm.
• SIZE .	1000 X 000 X 000 IIIIII.

- Weight : 28 kg.
- Water Capacity : 271 ℓ
- Included parts : Bath pillow, Pop-up drain, and Overflow
- Detail :
- with KOHLER faucet hole

for K-72292T-4-*



KOHLER BATHTUBS 129






$\mathsf{Evok}_{{}^{\mathrm{\tiny TM}}}$ Oval 1700 Plain Bath

K-18345X-0

• Size :	1700 x 760 x 550 mm.
• Weight :	23 kg.
• Water Capacity :	238 <i>l</i>
Included parts :	Pop-up drain, and Overflow,












Evok_™ 1670 Plain Bath

K-18207X-0

• Size :	1675 x 760 x 530 mm.
• Weight :	22 kg.
Water Capacity :	200 <i>l</i>
 Included parts : 	Pop-up drain, and Overflow,








Ove_™ Plain Bath

K-18256X-0 / K-18256X-NP-0 (without pillow)

• Size :	1750 x 850 x 470 mm.
• Weight :	25 kg.
Water Capacity :	283 l
Included parts :	Pop-up drain, Overflow and
	Pillow (only for K-18256X-0)







Patio_™ 1700 Plain Bath

• Detail :

K-18257X-0 / K-18257X-NP-0 (without pillow)


• Size :	1700 x 800 x 450 mm.
• Weight :	22 kg.
Water Capacity :	240 <i>l</i>
• Included parts :	Pop-up drain, Overflow and
	Bath pillow (only for K-18257X-0)

K-18257X-NP-0 without pillow

K-18257X-BFH1-0 (with KOHLER faucet hole)

• Size :	1700 x 800 x 450 mm.
• Weight :	22 kg.
Water Capacity :	240 <i>l</i>
Included parts :	Pop-up drain, Overflow and
	Bath pillow
• Detail :	with KOHLER faucet hole

for K-72292T-4-*






Patio_{TM} 1600 Plain Bath

K-45699X-0

Size: 1600 x 750 x 450 mm.
Weight: 21 kg.
Water Capacity: 154 l
Included parts: Bath pillow, Pop-up drain,

and Overflow






Patio_™ 1500 Plain Bath

K-45703X-0 / K-45703X-NP-0

• Size :	1500 x 750 x 450 mm.
• Weight :	20 kg.
Water Capacity :	145 <i>l</i>
Included parts :	Pop-up drain, Overflow and
	Bath pillow (only for K-45703X-0)

• Detail :

K-45703X-NP-0 without pillow








Regatta_™ Plain Bath

K-11301X-0

• Size :	1672 x 762 x 530 mm.
• Weight :	23 kg.
Water Capacity :	240 <i>l</i>
Included parts :	Bath pillow, Pop-up drain,
	and Overflow,









Reach_{TM} 1700 Plain Bath

K-72800X-0

• Size :	1700 x 750 x 460 mm.
• Weight :	23 kg.
Water Capacity :	242 <i>l</i>
 Included parts : 	Pop-up drain, and Overflow,







Recommender faucet area



Reach_™ 1500 Plain Bath

K-15847X-0 / K-15847X-GR-0


- Size : 1500 x 700 x 460 mm.
- Weight :
- Water Capacity :
- Included parts :
- Overflow, and

22 kg.

145 *l*

Grip rail (only for K-15847X-GR-0)

Bath pillow, Pop-up drain,






Stud	і0 тм	P	lai	n	Ba	ıth	

K-11201X-0

• Size :	1670 x 760 x 530 mm.
• Weight :	23 kg.
Water Capacity :	230 <i>l</i>
Included parts :	Armrest, Pop-up drain,
	and Overflow,



KOHLER_® Since 1873_™



KOHLER. The Perfect Blend of Design Excellence and Performance

John Michael Kohler followed his own path. He was a first-generation immigrant who saw the value of entrepreneurship. He was an independent spirit, an artist and a craftsman. His passion to create and innovate is what drove him to build the company that would become the legacy of his family moving forward.

In 1873, John Michael, an innovator at heart and owner of a small cast-iron farm equipment foundry, saw an opportunity to enhance the lives of his customers, and with white enamel and a cast-iron horse trough, he crafted Kohler's first bathtub. Gracious living was designed and offered in both form and function.

John Michael's family built upon his vision, establishing the company as a global leader in craftsmanship and artistry with manufacturing facilities across the globe that produce and service markets all over the world. The company has expanded to include power systems, decorative categories and a portfolio of luxury hospitality resorts, wellness brands and four of the top-100 golf courses in the world. And, in the process, developed an Olmstead-designed community called the Village of Kohler where residents and innovation reside.

Today, the fourth generation of Kohler leaders continue the history of innovation and growth, harnessing the passion of more than 38,000 associates worldwide to fulfill an even greater purpose. The company's ongoing commitment to design, craftsmanship, and quality is matched by a dedication to sustainable environmental solutions and creating positive social impact.

KOHLER.

Kohler (Thailand) Public Co., Ltd. 16th floor, Jasmine City Building, 2 Soi Sukhumvit 23, Sukhumvit Road, Klongtoey Nua, Wattana, Bangkok 10110, Thailand Tel. +66 (0) 2 204 6000 Call Center +66 (0) 2 700 9299 E-mail: callcenterthailand@kohler.com www.kohler.co.th