

KOHLER®


Commercial & Hospitality



THE BOLD LOOK
OF **KOHLER®**

Life without labor is guilt. Labor without art is brutality.

- John Ruskin



and closets that carry the Kohler mark are well designed and well made, to the last minor detail. If you use colored fixtures, Kohler colors are pure, uniform, harmonious. If you prefer white, Kohler white is as immaculate as freshly laundered linen. Kohler fixtures and handles and



Kohler Washers feature heavy cast and stamped brass floor leveling . . . look with October 1919 fittings.



Kohler Sycamore sink with Octobronne fittings, equipped with Quartzite.



Kohler Washers soap-suds mixing faucet with third water supply.

escutcheons are advanced in design—all the mechanical parts are sure, silent and safe. Those who work on Kohler products have the true tradition of craftsmanship. The beautiful village of Kohler is an inspiration to excellence. The men who do each intricate detail of manufacture work on rigid engineering requirements—and with the earnestness of high art.


An all-Kohler bathroom—at the same cost. Quality is not a matter of money—but of knowledge and vision. Even the small home must have the finest fixtures

plumbing contractor. Actual estimates will show you that an all-Kohler installation costs surprisingly little. Write for Booklet A-5, which has color schemes, floor plans and various vital facts on good plumbing. . . . Kohler Co. Founded 1873, Kohler, Wisconsin. Branches in principal cities. Look for the Kohler mark on every fixture and fitting.

ELEVEN IMPORTANT POINTS

- 1 Kohler designs are distinctive, purposeful, correct.
- 2 Bathtub fitted with an evoluting bond . . . smooth, glazing surface.
- 3 Fixtures shown equipped with a smooth, lustrous, lasting glass.
- 4 Kohler colors are soft, livable pastels. The white is a perfect white.
- 5 Metal fittings mark the fixtures in style, character and quality.
- 6 Made of finest materials . . . show craftsmanship and care.
- 7 The cost of Kohler products are based on the best ideas in plumbing.
- 8 Kohler quality extends to fixtures and handling, minor items.
- 9 Kohler quality costs no more . . . and saves money later.
- 10 Handled and installed by qualified plumbers.
- 11 Backed by an entire community . . . beautiful Kohler Village.

KOHLER OF KOHLER



KOHLER OF KOHLER NEWS October, 1946



THE NEW MIAMI BEACH HOTEL, VARIOUS GRADES FINISHES

Kohler Ware Chosen for New Florida Hotel

From time to time we have shown in the News, new hotels, apartment buildings and homes in which Kohler Enameled Ware has been installed. The picture on this page illustrates another magnificent hotel, the Miami Biltmore at Coral Gables, Florida, in which the architects have again specified Kohler Ware. In all there will be two hundred and ninety-eight of the popular "Victrol" built-in both installed. The building will be completed about January 1 of next year.

The purpose of the drive was to establish a permanent fund, the income of which will take care of the dependents of the men who were disabled or who gave their lives when their country called. A part of the amount raised now will be used to support the rehabilitation camp, located at Tomahawk Lake, Wisconsin, where disabled veterans may build up their health and regain their self-confidence.

The American Legion is sponsoring a noble cause and it is gratifying to know that the Village of Kohler responded so generously.

What John Michael Kohler saw in 1883 when he looked at a cast-iron horse trough was the bathtub that launched a global plumbing company. That pioneering spirit of ingenuity – the kind that sees a bathing revolution in a horse trough – has defined Kohler Co. from its earliest days. A visionary, John Michael Kohler understood the importance of innovative design and an uncompromising commitment to craft and quality. After four generations, we remain a family-owned company with diverse international businesses and over 26,000 products and 13,000 patents to our name. Still leading the industry in innovation and design. **Bolder than ever.**

Balancing style and comfort with tough, hardworking designs, our commercial and hospitality products help today's designers and architects create some of the world's most innovative built environments. We create products that equip today's universities and hospitals for the future. We develop designs that inspire new ways of imagining our public and shared spaces, from luxury hotels to stadiums. With smart, water-saving features and advanced technologies, our products bring beautiful, efficient structures to life.

Explore design ideas and detailed specification information for commercial and hospitality products at [us.KOHLER.com](https://www.us.kohler.com).

Table of Contents

Why KOHLER®

Hybrid Energy System 8

Engineered Efficiency 10

Saving Without Sacrificing 14

Industry Solutions 16

Things to Consider 26

Product Portfolio

Faucets 28

Sinks 44

Flushometers 54

Toilets & Seats 60

Urinals 70

Showering 76

Bathing 94

Finishing Touches 104

Indexes

Glossary of Terms 122

Colors & Finishes 124



Why KOHLER®?

For more than a 135 years, people have been choosing KOHLER plumbing products for their homes, their businesses and their commercial ventures. After so many years, we're pretty sure we know why. It comes down to how we approach each product. For us, every product we design is a measure of the standards we set in performance, innovation and conservation. Every product we manufacture is evidence of our commitment to you. So year after year, we deliver not only the best plumbing products on the market, but those that offer the best options for your projects.

Hybrid Energy System

Revolutionizing the commercial bathroom, the Hybrid energy system delivers 30 years of no-hassle power.* Just one hybrid energy cell will power a flushometer or faucet for at least 875,000 cycles – no maintenance required. That's about once every 20 minutes, 24 hours a day, 365 days a year for 30 years.

Engineered Efficiency

We push performance further than our competitors by designing and manufacturing our own paired performance solutions. Each commercial toilet and urinal is engineered not only to be the best of its kind but to achieve its peak efficiency when paired with a KOHLER flushometer. In addition, our AccuFlush™ toilets and urinals provide incredible performance across a range of gpf platforms, so you can pair the design of your choice with the gpf that best meets your building requirements.


Saving Without Sacrificing

Kohler offers a wide range of WaterSense®-labeled products that can help buildings earn points toward LEED certification. Whether you're developing patient rooms that set new standards of care or designing the ultimate in luxe hotel suites, KOHLER water-saving products can help you achieve measurable cost savings without sacrificing performance or design. See the sample savings calculations on pages 14-15 to get a better sense of the actual cost-saving potential for your building.

Industry Solutions

Our full offering of commercial and hospitality fixtures and faucets is designed and manufactured with industry needs in mind. We offer customized solutions to meet the specific demands of your next endeavor, from public buildings to educational institutions, resorts and hospitals. We help you choose the right combination of products to provide optimized performance as well as natural resource and cost savings.

*Battery life calculations are based on an estimated product usage of 80 uses per day for 365 days per year. Actual battery life may vary depending on product settings, usage patterns and operating environments.



HYBRID

energysystem

The Hybrid energy system operates hassle-free for 30 years.* No moving parts. No need for sunlight. No maintenance. Period. Working with faucets and flushometers powered by Hybrid goes something like this: install, celebrate 30 birthdays, take 30 awesome annual vacations and start your retirement. Oh, and remind the new guy to swap out the hybrid energy cells in 2042.

Powering Both Faucets and Flushometers

Now available with WAVE and Tripoint® flushometers as well as Insight™ faucets, the Hybrid energy system combines low-energy-draw sensors with excellent energy storage. So you get 30 years of innovative Touchless performance.

Hassle-Free for 30 Years. Seriously.

Hybrid energy cells don't rely on turbines or photovoltaic cells to operate. Parts don't wear out. Low light isn't an issue. The Hybrid energy system works no matter if traffic is high or low. It's really that simple.



Better for the Environment

Free of mercury and heavy metals, the hybrid energy cell helps reduce landfill numbers of alkaline and lithium batteries, which typically need to be replaced every few years. And in 30 years, Kohler will recycle your hybrid energy cell in-house.

*Battery life calculations are based on an estimated product usage of 80 uses per day for 365 days per year. Actual battery life may vary depending on product settings, usage patterns and operating environments.

Engineered Efficiency

Research & Development



Concepts & Sketches

3-D Modeling & Prototyping

Research & Development

Research and development is where paired performance begins – understanding our customers' needs, studying design trends, drawing on technological advances in science and industry, and exploring new materials and technologies.

Concepts & Sketches


Armed with the latest research, our teams of international designers begin to develop concepts that push the envelope on design. These teams are always in conversation, designing flushometers based on the toilet or urinal team's most recent innovations and vice versa.

3-D Modeling & Prototyping

Using computer models and prototypes to precision-engineer the inner workings of each component, our engineers map the velocity and force of water to optimize the efficiency of flushometers and fixtures individually and paired together.

Paired Performance

Kohler is in the unique position of being able to design, engineer and manufacture our toilets and urinals in tandem with our flushometers – adjusting each to enhance their combined efficiency. Together, they create a commercial solution that’s more effective and powerful than the sum of its parts.



Performance Testing

Our domestic and international test labs perform hundreds of tests and measurements from cycle testing of single pieces to stain-resistance testing. Third-party evaluations by IAPMO* help ensure that our labs are compliant with ISO** Guide 17025 for calibration and testing laboratories.

* International Association of Plumbing and Mechanical Officials
** International Organization for Standardization

Design Review

At various stages in the process, each design is reviewed by our executive team to ensure that each product represents the KOHLER® brand and stays on the leading edge of design and innovation.

Manufacturing

We manufacture our fixtures and faucets in advanced facilities located in 16 countries. Kohler manages every step from concept to end product with the goal of creating award-winning products that bring beauty and comfort to life.

AccuFlush™



Kingston™ elongated wall-hung toilet (K-4325-0) Page 65
Stronghold® elongated toilet seat (K-4731-SC-0) Page 68
Touchless 1.28 gpf flushometer with WAVE technology (K-10673-CP) Page 58
36" contemporary grab bar (K-14564-S) Page 108
42" contemporary grab bar (K-14565-S) Page 108
18" contemporary grab bar (K-14561-S) Page 108

As a result of using a specialized dynamic flow profile to optimize water velocity and flushing power, we've been able to develop a selection of toilets and urinals that perform with powerful precision across a variety of gpf platforms. AccuFlush products afford versatility in matching style preferences with gpf requirements based on local plumbing codes and green building practices.

AccuFlush™

To find specific toilets and urinals that accommodate multiple gpf options, look for the AccuFlush logo on pages 64-65 and 74.



AccuFlush toilet

+



or



AccuFlush urinal

+



or



or



Saving Without Sacrificing

All calculations based on a combined water and sewer rate of \$7.50 per 1,000 gallons.





Hotel Savings

Based on 150 rooms with an average of 1.5 guests per room and 70% occupancy

Toilets	1.28 GPF (Replaces 3.5 GPF)
Initial Investment (Material & Labor per Toilet)	\$150
Flushes per Day	3 (guests and housekeeping)
Water Savings	553,050 gallons
Annual Savings	\$4,148
Faucets	1.5 GPM (Replaces 2.2 GPM)
Initial Investment (Material & Labor per Faucet)	\$65
Faucet Use per Day	225 seconds (guests and housekeeping)
Water Savings	130,784 gallons
Annual Savings	\$981
Showerheads	1.75 GPM (Replaces 2.5 GPM)
Initial Investment (Material & Labor per Showerhead)	\$40
Shower Use per Day	13 minutes (guests and housekeeping)
Water Savings	517,388 gallons
Annual Savings	\$3,880
Urinals	
Initial Investment (Material & Labor per Urinal)	-
Flushes per Day	-
Water Savings	-
Annual Savings	-
Totals	
Material Investment	\$38,250
Annual Water Cost Savings	\$18,780
Savings (Based on Typical Maintenance & Repair Costs)	\$9,771
Payback Period	2 years

We've put together a few scenarios below to give you a sense of the significant impact water-saving products can have on your bottom line. We've used an average water and sewer rate to calculate savings; however, these rates may vary widely based on location and business. In addition, the details of each project are based on typical situations in the industry and may differ in scale from your own project.



 Patient Room Savings Based on 300 individual patient rooms with 70% occupancy		 Office Building Savings Based on 400 employees working 250 days per year	
1.28 GPF (Replaces 3.5 GPF)		1.28 GPF (Replaces 3.5 GPF)	
\$200		\$200	
5 (patients and cleaning staff)		4 (employees)	
850,815 gallons		444,000 gallons	
\$6,381		\$3,330	
1.5 GPM (Replaces 2.2 GPM)		0.5 GPM (Replaces 1.5 GPM)	
\$65		\$65	
60 seconds (patients and cleaning staff)		45 seconds (employees)	
67,069 gallons		75,000 gallons	
\$503		\$563	
1.75 GPM (Replaces 2.5 GPM)			
\$50		-	
2.5 minutes (patients and cleaning staff)		-	
413,719 gallons		-	
\$1,078		-	
		0.125 GPF (Replaces 1.0 GPF)	
-		\$200	
-		2 (employees)	
-		875,000 gallons	
-		\$656	
\$94,500		\$6,650	
\$21,428		\$9,638	
\$13,466		\$5,089	
3.8 years		0.6 years	

Industry Solutions



We know that every commercial or hospitality project is different – different in scale, user needs and traffic patterns, not to mention design, material and budget considerations. So whether your primary concern is hygiene or conservation, luxurious comfort or affordability, our extensive and varied product portfolio offers custom solutions that fit the needs of your individual project.

We invite you to take a look at some of the smart, inviting spaces, both new and renovated, that architects and designers have created with KOHLER®.



Healthcare

Where accessibility and cleanliness are the top priorities, KOHLER® commercial and institutional products deliver a range of ADA-compliant and hygienic solutions.

- Touchless faucets and flushometers reduce the spread of germs
- Wide selection of ADA-compliant products from toilets and showers to sinks and faucets provide comprehensive accessibility
- Commercial fixtures comply with strict load-bearing standards of 500 to 1,000 pounds, making them well suited to patient needs and hospital environments



Education

From preschools to law schools, educational institutions can save operating and maintenance costs by using KOHLER commercial products.

- WAVE flushometers activate only when a hand is waved over them, eliminating random flushing that can frighten children
- Each waterless urinal can save up to 39,000 gallons of water annually
- Replacing a 3.5 gpf toilet with a 1.28 gpf toilet can save thousands of gallons of water annually
- The 1.28 gpf Primary™ toilet is sized for preschoolers and kindergarteners



Public Spaces

Settings that see near constant foot traffic require products that feature exceptional quality and durability – the kind Kohler has been committed to since manufacturing its first bathtub over a century ago.

- KOHLER commercial faucets and flushometers are designed to be vandal-resistant
- Hybrid energy system eliminates battery maintenance for faucets and flushometers
- Constructed of durable forged brass bodies, our Touchless faucets deliver style that stands up to the demands of public spaces



Hospitality

We recognize that luxury is communicated through details – attention to quality and design. Our hospitality products, no matter the price point, reflect meticulous precision and craft.

- Wide array of styles and price points provide the right look and feel without going over budget
- Spa-inspired products deliver customized showering and bathing experiences
- Variety of water-saving solutions make it easy to meet local requirements, including reduced-water-use codes, without sacrificing performance



Education



Marquette Law School, Wisconsin

Housing Marquette University Law School, Eckstein Hall is a bold addition to the Marquette campus and already an iconic structure in the Milwaukee landscape. As in any college environment, every component of Eckstein Hall needs to be virtually impervious to unrelenting traffic. Solid brass KOHLER® faucets and flushometers as well as our incredibly durable fixtures will stand up to constant use semester after semester. And, with faucets powered by nearly maintenance-free 30-year Hybrid energy systems, Eckstein Hall will be well on its way to outlasting its 86-year-old predecessor.

- law.marquette.edu

Product Portfolio



Tripoint.
0.5 gpf Touchless urinal flushometer with Tripoint technology
K-10958-CP



Sculpted
Touchless bathroom sink faucet with Hybrid energy system and Insight™ technology
K-7515-CP



Bardon.
Urinal with top spud
K-4960-ET-0



Pennington.
Drop-in bathroom sink
K-2196-1N-0



Public Spaces





Citi Field, New York

Home of the New York Mets and a state-of-the-art ballpark, Citi Field was designed to offer baseball fans a comfortable, amenity-rich game day experience. With 646 toilets and capacity for 41,800 fans, the stadium requires tough, efficient KOHLER® plumbing products, manufactured with premium materials and built to last in even the harshest environments while reducing water use. And just how much water can Citi Field save? Even if we conservatively estimate the water savings from our fixtures and faucets to 1 gallon per person per game, over the course of 81 home games with the stadium at three-fourths capacity, Citi Field would save over 2 million gallons of water. That's equal to a lifetime of drinking water for more than 50 people.

- mets.com

Product Portfolio



Gooseneck
Touchless bathroom sink faucet with Insight™ technology
K-13472-CP



Steward.
Waterless urinal
K-4918-0



Hudson.
Wall-mount bathroom sink
K-2805-0



Caxton.
Under-mount bathroom sink
K-2209-0



Hospitality






Proximity Hotel, North Carolina

Built for the express purpose of offering an intimate, luxurious experience in a truly sustainable environment, the Proximity Hotel has been recognized for its innovative approach to conserving natural resources. KOHLER® plumbing products made it possible for the hotel to achieve LEED Platinum status, the United States Green Building Council's highest rating, and at the same time provide guests with an exceptional level of comfort and pleasure.

- proximityhotel.com

Product Portfolio



Bancroft.
Monoblock bathroom sink faucet with White ceramic lever handles
K-10579-4P-CP



Cimarron.
Comfort Height® elongated 1.28 gpf toilet and Brevia® toilet seat
K-3828-0 / K-4774-0




Farmington.
Drop-in bathroom sink
K-2905-1-0



Steward. S
Waterless urinal
K-4917-0



KOHLER® products grace the interior of buildings throughout the world, from the incredible Burj Khalifa in Dubai to The Savoy in London. Our Corporate Accounts teams, located internationally, are eager to share their expertise to help build inspired spaces anywhere in the world. We offer solutions for every aesthetic, budget and experience from spa indulgence to high-rise chic. From public settings to guest rooms, Kohler will help transform your property from a place to visit to a place to indulge.



Fairmont Pacific Rim Vancouver, British Columbia

Fairmont Banff Springs Banff, Alberta

Park Hyatt Washington, D.C.

The Cosmopolitan Las Vegas, Nevada

Wynn Encore Las Vegas, Nevada

The Ritz-Carlton Dallas, Texas

W Hotel Austin, Texas

St. Regis Atlanta, Georgia

The Roosevelt Hotel New Orleans, Louisiana

Hilton Orlando, Florida

The Ritz-Carlton Charlotte, North Carolina

Trump International Chicago, Illinois

JW Marriott Indianapolis, Indiana

Hôtel Plaza Athénée New York, New York

InterContinental New York, New York

St. Regis Bahia Beach Rio Grande, Puerto Rico

Westin Playa Bonita Panama City, Panama

W Hotel Santiago, Chile

Tambo del Inka Urubamba, Peru

Banyan Tree Cabo Marqués Acapulco, Mexico

St. Regis Mexico City, Mexico

Four Seasons Punta Mita, Mexico

Taj Cape Town, South Africa

Four Seasons Marrakech, Morocco

The Savoy London, England

Four Seasons London, England

Sheraton Paris, France

Sofitel Grand Sopot, Poland

Dom Hotel Cologne, Germany

Aramani Hotel Milan, Italy

Four Seasons St. Petersburg, Russia

Atlantis Dubai, United Arab Emirates

Burj Khalifa Dubai, United Arab Emirates

Seven Stars Resort Providenciales,
Turks & Caicos Islands

Raffles Makkah Palace Makkah, Saudi Arabia

Sonesta Sharm El Sheikh, Egypt

Fairmont Towers Heliopolis Cairo, Egypt

Ciragan Palace Kempinski Istanbul, Turkey

Leela Kempinski Delhi, India

ITC Grand Chola Chennai, India

Westin Siray Bay Phuket, Thailand

Shangri-La Hotel Mumbai, India

Sofitel Mumbai, India

Fairmont Peace Hotel Shanghai, China

Peninsula Shanghai, China

Furama Hotel Dalian, China





The Ritz-Carlton Sanya, China

The Ritz-Carlton Kowloon, Hong Kong

Sheraton Shenzhen, China

The Ritz-Carlton Beijing, China

Things to consider before you get started:



Faucets

Built to last a lifetime, KOHLER® faucets are tested well beyond what the industry requires for performance and durability, from 1 million on/off cycles – about 50 years' worth – to 24 hours in a saltwater solution. A result of our commitment to quality, our faucet finishes resist corrosion twice as well as industry standards. Faucets that feature Vibrant® PVD finishes and ceramic disc valves carry a Lifetime Limited Warranty.

- Touchless Page 32
- Hybrid Page 32
- Manual Page 36
- Hospitality Page 42

Sinks

From artistic Vessels sinks to durable utility sinks, we bring you a broad selection of sink styles, shapes and sizes for commercial and hospitality projects. Designed to be beautiful as well as durable, KOHLER sinks stand up to the demands of high-traffic areas.

- Wall-Hung Page 48
- Institutional Page 50
- Hospitality Page 52

Flushometers




Kohler offers a full spectrum of flushometers from innovative touchless options to workhorse manual flushometers. Each flushometer features accurate piston technology, solid-brass construction and chloramine-resistant materials to eliminate frequent maintenance. And each design is cycle-tested to twice the industry standard.

- Toilet Flushometers Page 58
- Urinal Flushometers Page 58

Toilets & Seats

Incredible performance. Great design. With Kohler, you can count on both. Our toilets are serious performers that come in a wide array of attractive, water-saving designs. Designed to reach peak efficiency when paired with KOHLER flushometers, our toilets are available in a range of standard or water-saving gpf platforms.

- Floor-Mount Page 64
- Wall-Mount Page 64
- Assisted Flush Page 64
- Toilet Seats Page 68



Urinals

With award-winning designs and a variety of flushing options, waterless to 1.0 gpf, KOHLER® urinals bring standout style and exceptional performance to commercial and hospitality venues. Engineered to endure the wear and tear of heavy traffic, our urinals are easy to clean and require minimal maintenance.

- [Wall-Mount](#) Page 74
- [Floor-Mount](#) Page 74
- [Waterless](#) Page 74

Showering

Kohler manufactures everything you need to create customized showering spaces from luxurious spa showers to accessible ADA-compliant showers. Our showering products include bases, stalls, water delivery components and accessories.

- [Water Delivery](#) Page 80
- [Bases](#) Page 90
- [Stalls](#) Page 92

Bathing

Our extensive catalog of bathing products features baths and whirlpools in a variety of shapes and sizes. We offer designs suited for a range of commercial and hospitality settings and budgets. Choose from simple, sleek styles, unique hydrotherapy experiences and smart conveniences.

- [Acrylic](#) Page 96
- [Enameled Cast Iron](#) Page 96

Finishing Touches

We've given careful consideration to even the smallest details – grab bars, slidebars, drains and accessories – to help you design bathrooms that deliver convenience and safety.

- [Grab Bars](#) Page 108
- [Bath Drains](#) Page 112
- [Fittings](#) Page 116

KOHLER® Touchless and manual faucets deliver uncompromising performance you can depend on day in, day out. Tirelessly exploring new technologies and materials, we work to push the efficiency and quality of our products further. We take the extra time to precision-engineer each element of every faucet, from design to manufacture.

Faucets

Touchless ³²

Coralais[®] ³⁶



Institutional ³⁸

Hospitality ⁴²

Before You Choose a Commercial Faucet

To help you specify the best KOHLER® faucets for your commercial or hospitality enterprise, we've outlined some of the key features that you'll want to keep in mind as you browse our portfolio of products.







Hybrid Energy System

Enjoy maintenance-free Touchless faucet power for 30 years.* The Hybrid energy system is quick to install; doesn't require constant use, solar power or repeated maintenance to operate; and is free of mercury and heavy metals. That means no turbines, no photovoltaic cells, no nonsense.

Insight™ Technology

Improved over traditional infrared sensors that rely on fixed settings and may misread environments, Insight technology features an adaptive infrared sensor that has the ability to analyze the surrounding area once installed. After recording these details, Insight is able to calibrate the sensor to filter false triggers and optimize the faucet's operation.



Manual Configurations



In addition to Touchless faucets for commercial applications, we offer manual faucets in a variety of configurations, including wall-mount, widespread, centerset and single-handle, to accommodate any number of bathroom designs and functionality needs.

Institutional Solutions

Kohler offers specialized institutional faucets that provide maximum durability in the most demanding environments. Like all of our faucets, they are manufactured with premium materials and faucet finishes that resist wear twice as well as industry standards.

*Battery life calculations are based on an estimated product usage of 80 uses per day for 365 days per year. Actual battery life may vary depending on product settings, usage patterns and operating environments.

Touchless Faucets with Insight™ Technology



Sculpted

- Hybrid energy cell-powered K-7514
- Hybrid energy cell-powered with mixer K-7515
- DC-powered K-13461
- DC-powered with mixer K-13460
- AC-powered K-13463
- AC-powered with mixer K-13462

Geometric

- Hybrid energy cell-powered K-7516
- Hybrid energy cell-powered with mixer K-7517
- DC-powered K-13467
- DC-powered with mixer K-13466
- AC-powered K-13469
- AC-powered with mixer K-13468

Gooseneck

- Hybrid energy cell-powered K-7518
- Hybrid energy cell-powered with mixer K-7519
- DC-powered K-13473
- DC-powered with mixer K-13472
- AC-powered K-13475
- AC-powered with mixer K-13474

Wall-mount valve and sensor kit

- Hybrid energy cell-powered round K-11830
- AC-powered round K-11843
- Hybrid energy cell-powered square K-11831
- AC-powered square K-11842

Memoirs®

- Wall-mount faucet trim K-T11838

Falling Water®

- Wall-mount faucet trim K-T11836

Purist®

- 9½" 90° spout (shown) K-T11839
- 6½" 90° spout K-T11841

Purist

- 8½" 35° spout (shown) K-T11837
- 6¼" 35° spout K-T11840

Optional Escutcheon Plates



Name/Design	Model Number	Power			Spout Reach/Design	Flow Rate	With Temperature Mixer	Vandal-Resistant Aerator	Flexible Supplies	Required Valve/Sensor Kit	ADA	Polished Chrome CP	Vibrant Stainless VS
		AC	DC	Hybrid									
Deck-Mount													
Geometric	K-7516			•	6¾"	0.5 gpm		•	•		•	•	•
	K-7517			•	6¾"		•	•	•		•	•	•
	K-13466		•		6¾"		•	•	•		•	•	•
	K-13467		•		6¾"			•	•		•	•	•
	K-13468	•			6¾"		•	•	•		•	•	•
	K-13469	•			6¾"			•	•		•	•	•
Gooseneck	K-7518			•	6⅞"			•	•		•	•	•
	K-7519			•	6⅞"	•	•	•		•	•	•	
	K-13472		•		6⅞"	•	•	•		•	•	•	
	K-13473		•		6⅞"		•	•		•	•	•	
	K-13474	•			6⅞"	•	•	•		•	•	•	
	K-13475	•			6⅞"		•	•		•	•	•	
Sculpted	K-7514			•	5¾"			•	•		•	•	•
	K-7515			•	5¾"	•	•	•		•	•	•	
	K-13460		•		5¾"	•	•	•		•	•	•	
	K-13461		•		5¾"		•	•		•	•	•	
	K-13462	•			5¾"	•	•	•		•	•	•	
	K-13463	•			5¾"		•	•		•	•	•	
Wall-Mount													
Falling Water	K-T11836			•	7⅞"	0.5 gpm			•	K-11830	•	•	•
	K-T11836	•			7⅞"				•	K-11843	•	•	•
Memoirs	K-T11838			•	8⅞"			•	K-11831	•	•	•	
	K-T11838	•			8⅞"			•	K-11842	•	•	•	
Purist	K-T11837			•	8½" 35°-angle			•	K-11830	•	•	•	
	K-T11837	•			8½" 35°-angle			•	K-11843	•	•	•	
	K-T11839			•	9½" 90°-angle			•	K-11830	•	•	•	
	K-T11839	•			9½" 90°-angle			•	K-11843	•	•	•	
	K-T11840			•	6¼" 35°-angle			•	K-11830	•	•	•	
	K-T11840	•			6¼" 35°-angle			•	K-11843	•	•	•	
	K-T11841			•	6½" 90°-angle			•	K-11830	•	•	•	
	K-T11841	•			6½" 90°-angle			•	K-11843	•	•	•	

If tempered or premixed water is desired, order thermostatic mixing valve K-13601. Up to 16 faucets can be installed per valve at 0.5 gpm. See Price Book for optional aerators available for faucets.

Triton® Commercial Faucets



Centerset bathroom sink base faucet

K-7401 / K-7404

Widespread bathroom sink base faucet

K-7307 / K-7437 / K-7443 / K-7471

Centerset bathroom sink base faucet with gooseneck spout

K-7305 / K-7422

Widespread bathroom sink base faucet with gooseneck spout

K-7313

Widespread bathroom sink base faucet with high gooseneck spout

K-7303 / K-7304 / K-7435

Widespread bathroom sink base faucet with gooseneck spout

K-7465

Service sink faucet with gooseneck spout

K-7320

Service sink faucet with gooseneck spout

K-7319

Service sink faucet with low gooseneck spout

K-7308




Shelf-back service sink base faucet with gooseneck spout

K-7302

Shelf-back bathroom sink faucet

K-8040 / K-8046

Handle Styles



Model Number	Spout			Aerated Flow	Vandal-Resistant Aerator	Flow Rate (GPM)	Drilling	Drain		Handles	WaterSense	ADA	Polished Chrome CP
	Reach	Height	Wall to Spout Outlet					Pop-Up	Grid				
Centerset													
K-7305-5A	5¼"	7⅞"		•		1.5	4"			Wristblade lever	•	•	•
K-7305-K/-KE	5¼"	7⅞"		•	-KE	1.5	4"			Order separately	•	•	•
K-7401-2A	4"	1½"		•		1.5	4"	•		Standard	•		•
K-7401-5A	4"	1½"		•		1.5	4"	•		Wristblade lever	•	•	•
K-7401-K	4"	1½"		•		1.5	4"	•		Order separately	•	•	•
K-7404-2A	4"	1½"		•		1.5	4"			Standard	•	•	•
K-7404-5A	4"	1½"		•		1.5	4"			Wristblade lever	•	•	•
K-7404-K/-KE	4"	1½"		•	-KE	1.5	4"			Order separately	•	•	•
K-7422-K	5¼"	7⅞"		•		1.5	4"	•		Order separately	•	•	•
Widespread													
K-7303-K	5¼"	10½"		•		2.1	8"			Order separately		•	•
K-7303-KC	5¼"	10½"				2.0	8"			Order separately		•	•
K-7303-KE	5¼"	10½"		•	•	2.1	8"			Order separately		•	•
K-7304-5A	5¼"	12½"		•		2.1	8"-16"			Wristblade lever		•	•
K-7304-K	5¼"	12½"		•		0.35	8"-16"			Order separately		•	•
K-7304-KE	5¼"	12½"		•	•	0.35	8"-16"			Order separately		•	•
K-7307-K/-KE	5"	1¾"		•	-KE	2.0	8"			Order separately		•	•
K-7313-K	5¼"	10½"		•		2.0	12"			Order separately		•	•
K-7313-KE	5¼"	10½"		•	•	2.0	12"			Order separately		•	•
K-7435-K	5¼"	7¾"		•		2.2	8"-16"	•		Order separately		•	•
K-7437-2A	5"	1¾"		•		2.0	8"-16"	•		Standard		•	•
K-7437-K	5"	1¾"		•		2.0	8"-16"	•		Order separately		•	•
K-7443-2A	5"	1¾"		•		2.0	8"-16"			Standard			•
K-7443-5A	5"	1¾"		•		2.0	8"-16"			Wristblade lever		•	•
K-7443-K/-KE	5"	1¾"		•	-KE	2.0	8"-16"			Order separately		•	•
K-7465-K	3¾"	6"		•		2.0	8"	•		Order separately		•	•
K-7471-K	5"	1¾"		•		2.0	8"	•		Order separately		•	•
Shelf-Back													
K-8040-2A	1¼"			•			5½"	•		Standard			•
K-8040-3A	1¼"			•			5½"	•		Cross		•	•
K-8040-4A	1¼"			•			5½"	•		Lever		•	•
K-8040-5A	1¼"			•			5½"	•		Wristblade lever		•	•
K-8046-2A	1¼"			•			5½"		•	Standard			•
K-8046-3A	1¼"			•			5½"		•	Cross		•	•
K-8046-4A	1¼"			•			5½"		•	Lever		•	•
K-8046-5A	1¼"			•			5½"		•	Wristblade lever		•	•
Utility and Service													
K-13624	7"		13"							Lever		•	•
K-13625	7"		11⅞"							Lever		•	•
K-7302-5A	3⅞"		3⅞"	•						Wristblade lever		•	•
K-7308-5A	3⅞"		7⅞"	•						Wristblade lever		•	•
K-7309-5A	9¾"		14¼"							Wristblade lever		•	•
K-7319-3	5⅞"		8⅞"			2.2				Cross		•	•
K-7319-4	5⅞"		8⅞"			2.2				Lever		•	•
K-7320-3	5⅞"		8⅞"	•		2.2				Cross		•	•
K-7320-4	5⅞"		8⅞"	•		2.2				Lever		•	•

Coralais® Commercial Faucets



Single-handle centerset bathroom sink faucet
K-15198 / K-15199 / K-15592
K-15593 / K-15597 / K-15598

Two-handle centerset bathroom sink faucet
K-15240 / K-15243

Widespread bathroom sink faucet
K-15265

Single-handle centerset bathroom sink faucet with pop-up drain
K-15583

Two-handle centerset bathroom sink faucet with pop-up drain
K-15241

Widespread bathroom sink faucet with pop-up drain
K-15261

Handle Styles



Model Number	Spout		Aerated Flow	Flow Rate (GPM)	Drilling	Drain		Handles	Red & Blue Indexing	WaterSense	ADA	Polished Chrome CP	Brushed Chrome G
	Reach	Height				Pop-Up	Grid						
Single-Handle Centerset													
K-15198-F	4¼"	2¾"	•	1.5	4"		•	Lever	•	•	•	•	
K-15198-P	4¼"	2¾"	•	1.5	4"		•	Lever	•	•	•	•	
K-15199-F	4¼"	2¾"	•	1.5	4"			Lever	•	•	•	•	•
K-15199-P	4¼"	2¾"	•	1.5	4"			Lever	•	•	•	•	
K-15583-5P	4¼"	2¾"	•	1.5	4"	•		Vandal-resistant long lever	•	•	•	•	
K-15583-F	4¼"	2¾"	•	1.5	4"	•		Vandal-resistant lever	•	•	•	•	
K-15583-F5	4¼"	2¾"	•	1.5	4"	•		Vandal-resistant long lever	•	•	•	•	
K-15583-P	4¼"	2¾"	•	1.5	4"	•		Vandal-resistant lever	•	•	•	•	
K-15592-5P	4¼"	2¾"	•	1.5	4"			Vandal-resistant long lever	•	•	•	•	
K-15592-F	4¼"	2¾"	•	1.5	4"			Vandal-resistant lever	•	•	•	•	
K-15592-F5	4¼"	2¾"	•	1.5	4"			Vandal-resistant long lever	•	•	•	•	
K-15592-P	4¼"	2¾"	•	1.5	4"			Vandal-resistant lever	•	•	•	•	
K-15593-5P	4¼"	2¾"	•	0.5	4"			Vandal-resistant long lever	•		•	•	
K-15593-F	4¼"	2¾"	•	0.5	4"			Vandal-resistant lever	•		•	•	
K-15593-F5	4¼"	2¾"	•	0.5	4"			Vandal-resistant long lever	•		•	•	
K-15593-P	4¼"	2¾"	•	0.5	4"			Vandal-resistant lever	•		•	•	
K-15597-5P	4¼"	2¾"	•	0.5	4"		•	Vandal-resistant long lever	•		•	•	
K-15597-F	4¼"	2¾"	•	0.5	4"		•	Vandal-resistant lever	•		•	•	
K-15597-F5	4¼"	2¾"	•	0.5	4"		•	Vandal-resistant long lever	•		•	•	
K-15597-P	4¼"	2¾"	•	0.5	4"		•	Vandal-resistant lever	•		•	•	
K-15598-5P	4¼"	2¾"	•	1.5	4"		•	Vandal-resistant long lever	•	•	•	•	
K-15598-F	4¼"	2¾"	•	1.5	4"		•	Vandal-resistant lever	•	•	•	•	
K-15598-F5	4¼"	2¾"	•	1.5	4"		•	Vandal-resistant long lever	•	•	•	•	
K-15598-P	4¼"	2¾"	•	1.5	4"		•	Vandal-resistant lever	•	•	•	•	
Two-Handle Centerset													
K-15240-4	4¼"	2¾"	•	1.5	4"			Lever	•	•	•	•	
K-15241-4	4¼"	2¾"	•	1.5	4"	•		Lever	-CP	•	•	•	•
K-15243-4	4¼"	2¾"	•	1.5	4"		•	Lever	•	•	•	•	
K-15243-7	4¼"	2¾"	•	1.5	4"		•	Sculptured acrylic		•		•	
Widespread													
K-15261-4	4¼"	2¾"		1.5	8"-16"	•		Lever	-CP	•	•	•	•
K-15261-7	4¼"	2¾"		1.5	8"-16"	•		Sculptured acrylic		•		•	
K-15265-4	4¼"	2¾"		1.5	8"-16"			Lever	•	•	•	•	
K-15265-7	4¼"	2¾"		1.5	8"-16"			Sculptured acrylic		•		•	

Institutional Faucets



Triton® service sink faucet
K-7319

Triton service sink faucet
K-7320

Clearwater® utility sink faucet
K-7853


Knoxford™ service sink faucet
K-8924

Knoxford service sink faucet
K-8905

Knoxford service sink faucet
K-8906

Triton service sink faucet
K-13624

Triton service sink faucet
K-13625



Triton® service sink faucet
K-7308

Kinlock™ service sink faucet
K-8907

Kinlock service sink faucet
K-8908

Triton service sink faucet
K-7309

Triton service sink faucet
K-7302

Service sink faucet
K-8928


Calder™ service sink faucet
K-8888

Cannock™ service sink faucet
K-8892


Institutional Faucets



Shelf-back bathroom sink faucet
K-7485



Hewitt service sink faucet
K-7870-C



Hewitt service sink faucet
K-7871-C



Soap dish
K-8880



Gooseneck spout
K-13770




Gooseneck spout with rosespray
K-13774




Gooseneck spout
K-13782




Gooseneck spout with rosespray
K-13786




Sentry self-closing faucet
K-7500



Sentinel compression faucet
K-7510




Signal self-closing faucet
K-7504



Bubbler
K-7524

Name	Model Number	Spout		Aerated Flow	Threaded Spout	Rosespray	Drain with Non-Removable Stopper	Without Drain	Pail Hook	Wall Brace	Cold Water Only	Hot Water Only	Wall Thickness for Shelf-Back Installation	Handles	ADA	Polished Chrome CP	Rough Plate RP
		Reach	Wall to Spout Outlet														
Two-Handle Faucets																	
Calder	K-8888	4 ³ / ₈ "	4 ³ / ₈ "			•		•						Lever	•		•
Cannock	K-8892	4"	8 ³ / ₈ "			•		•						Lever	•		•
Clearwater	K-7853	8"	10 ³ / ₄ "	•				•						Lever	•	•	
Kinlock	K-8907	4 ⁵ / ₈ "	7 ¹ / ₄ "		•			•	•	•				Lever	•	•	•
	K-8908	4 ⁵ / ₈ "	8 ⁵ / ₈ "		•			•	•	•				Lever	•	•	•
Knoxford	K-8905	2 ¹ / ₄ "	4 ⁷ / ₈ "		•			•	•					Lever	•	•	•
	K-8906	2 ¹ / ₄ "	6 ¹ / ₄ "		•			•	•					Lever	•	•	•
	K-8924	2"	4 ⁵ / ₈ "		•			•	•					Lever	•	•	•
KOHLER	K-7485	1 ¹ / ₄ "		•			•						1"	Indexed push-button		•	
	K-7485-C	1 ¹ / ₄ "		•			•						5"	Indexed push-button		•	
	K-7485-E	1 ¹ / ₄ "		•			•						8"	Indexed push-button		•	
	K-7485-J	1 ¹ / ₄ "		•			•						3"	Indexed push-button		•	
	K-8928	3"	7"		•			•						Lever	•	•	
Triton	K-7302-5A	3 ³ / ₈ "	5"	•				•						Wristblade lever	•	•	
	K-7308-5A	3 ³ / ₈ "	7 ⁵ / ₈ "	•				•						Wristblade lever	•	•	
	K-7309-5A	9 ³ / ₄ "	14 ¹ / ₄ "					•	•	•				Wristblade lever	•	•	
	K-7319-3	5 ³ / ₁₆ "	8 ⁵ / ₁₆ "			•		•						Cross	•	•	
	K-7319-4	5 ³ / ₁₆ "	8 ⁵ / ₁₆ "			•		•						Lever	•	•	
	K-7320-3	5 ³ / ₁₆ "	8 ⁵ / ₁₆ "	•				•						Cross	•	•	
	K-7320-4	5 ³ / ₁₆ "	8 ⁵ / ₁₆ "	•				•						Lever	•	•	
	K-13624	7"	13 ³ / ₈ "		•				•						Lever	•	•
K-13625	7"	12 ¹ / ₄ "		•				•						Lever	•	•	
Single Spouts																	
Bubbler	K-7524	2 ¹ / ₁₆ "						•						Push-button		•	
Gooseneck	K-13770	5"		•				•								•	
	K-13774	5"				•		•								•	
	K-13782	5"	6 ⁵ / ₈ "	•				•								•	
	K-13786	5"	6 ⁵ / ₈ "			•		•								•	
Hewitt	K-7870-C	4 ¹¹ / ₁₆ "	4 ¹¹ / ₁₆ "					•			•			Lever	•	•	
	K-7871-C	4 ¹¹ / ₁₆ "	4 ¹¹ / ₁₆ "		•			•			•			Lever	•	•	
Sentinel	K-7510-C/-H	3 ¹ / ₂ "						•			-C	-H		Cross		•	
Sentry	K-7500-C/-H	3 ¹ / ₂ "						•			-C	-H		Cross		•	
Signal	K-7504-C/-H	3 ¹ / ₂ "						•			-C	-H		Push-button		•	

Hospitality Faucets



Toobi® single-handle bathroom sink faucet
K-8959

Stance® Tall single-handle bathroom sink faucet
K-14761

Symbol® single-handle bathroom sink faucet
K-19480

Purist® single-handle bathroom sink faucet
K-14402

Alteo® centerset bathroom sink faucet
K-45100-4

Forté® centerset bathroom sink faucet
K-10270

Archer® centerset bathroom sink faucet
K-11075

Taboret® centerset bathroom sink faucet
K-8201

Memoirs® Stately widespread bathroom sink faucet
K-454

Loure® widespread bathroom sink faucet
K-14661

Margaux® widespread bathroom sink faucet
K-16232

Refinia® widespread bathroom sink faucet
K-5317

Falling Water® wall-mount bathroom sink faucet
K-T196

Oblo® wall-mount bathroom sink faucet
K-10087

Stillness® wall-mount bathroom sink faucet
K-T944

Revival® wall-mount bathroom sink faucet
K-T16106

Name	Model Number	Required Valve	WaterSense	ADA	Polished Chrome CP	Brushed Chrome G	Vibrant Polished Nickel SN	Vibrant Brushed Nickel BN	Vibrant French Gold* AF	Vibrant Polished Brass PB	Vibrant Moderne Brushed Gold* BGD	Vibrant Brushed Bronze BV	Oil-Rubbed Bronze 2BZ	Satin Black TB
Centerset														
Alteo	K-45100-4		•	•	•			•					•	
Archer	K-11075-4		•	•	•			•						
Forté	K-10270-4		•	•	•	•		•						
Taboret	K-8201-4		•	•	•									
Single-Handle														
Purist	K-14402-4A		•	•	•		•	•	•		•	•		
Stance	K-14761-4		•		•			•						
Symbol	K-19480-4		•	•	•			•						
Toobi	K-8959-7		•	•	•			•						
Wall-Mount														
Falling Water	K-T196	K-307-K	•	•	•			•				•		•
Oblo	K-10087-9		•		•			•						
Revival	K-T16106-4A	K-410-K	•	•	•			•		•		•		
Stillness	K-T944-4	K-410-K	•	•	•			•						
Widespread														
Loure	K-14661-4			•	•		•	•						
Margaux	K-16232-4		•	•	•		•	•	•			•		
Memoirs Stately	K-454-4V		•	•	•			•				•		
Refinia	K-5317-4		•	•	•			•						

*No gold content

Outfitting your commercial and hospitality bathrooms with sinks that are practical yet inviting is a simple process with Kohler. Crafted from premium materials, our sinks are made to withstand even the most demanding environments year after year without losing their luster. Choose from stylish Vessels designs, basic wall-hung sinks and a variety of institutional sinks. For a complete catalog of hospitality sinks, visit [KOHLER.com/BathroomSinks](https://www.kohler.com/BathroomSinks).

Sinks

Commercial 48


Institutional 50

Hospitality 52


Before You Choose a Commercial Sink

There's a lot to consider when specifying sinks for your commercial or hospitality project – material, accessibility, workspace. To help you choose the best option, we've outlined some of the key features you'll want to keep in mind.





ENAMELED CAST IRON



Vitreous China




Vitreous china sinks are comprised of ceramic materials fired at a high temperature to form a nonporous body. KOHLER Glaze protects the exposed surfaces of each nonporous china sink that Kohler creates. The result is a clean, sanitary product that maintains its polished shine.

KOHLER® Enameled Cast Iron

KOHLER enameled cast iron products are built with lasting beauty and the strength to withstand the test of time, every time. Enameled cast iron products produced in Kohler, Wisconsin, are crafted from at least 80% recycled material and come with a Lifetime Limited Warranty.*

Sink Accessories

We offer durable accessories in styles and finishes that complement our faucets and fixtures. Soap/lotion dispensers, offset drains, shrouds and knee-control mixing valves are available to complete the look of KOHLER commercial sinks and help them work harder.



ADA-Compliance

Bringing style and accessibility together, our portfolio of sinks features a variety of ADA-compliant wall-mount sinks with offset drains and concealed arm carrier drillings. Paired with KOHLER ADA-compliant faucets, these sinks are ideal for environments that require or benefit from universal design solutions.

Institutional

In addition to standard wall-mount sinks, our product line includes institutional floor-mount and wall-mount service, surgeon, utility and wash sinks, many with integrated backsplashes. Kohler also manufactures several drinking fountains for use in commercial facilities.

Hospitality

We've included a select offering of Vessels and under-mount sinks well suited for hospitality applications. Kohler designs and manufactures a wide range of bathroom sinks, including specialty Artist Editions® and Wading Pool® sinks. To view the complete catalog of styles, shapes, sizes and colors, visit KOHLER.com/BathroomSinks.

Commercial Bathroom Sinks



Brenham™

Wall-mount bathroom sink

4" drilling (shown) K-1997-4
8" drilling K-1997-8
Single drilling K-1997-1

Brenham

Wall-mount bathroom sink with shroud

8" drilling (shown) K-1999-8
Single drilling K-1999-1

Soho®

Wall-mount bathroom sink

4" drilling (shown) K-2054
8" drilling K-2053

Chesapeake™

Wall-mount bathroom sink

4" drilling (shown) K-1728
8" drilling K-1724
Single drilling K-1722

Greenwich™

Wall-mount bathroom sink

4" drilling K-2032
8" drilling (shown) K-2030
Single drilling K-2031
Single drilling with knee valve K-12643

Kingston™

Wall-mount bathroom sink

4" drilling (shown) K-2005
8" drilling K-2006
Single drilling K-2007

Hampton™

Wall-mount sink

5½" shelf-back drilling K-2705-EH
With factory-installed faucet K-2705

Trailer™

Wall-mount sink

5½" shelf-back drilling K-2753-EH
With factory-installed faucet K-2753

Taunton™

Wall-mount sink

K-2485

Morningside™

Wall-mount wheelchair-accessible sink

4" drilling K-12636
11½" drilling (shown) K-12634
Single drilling K-12638

Chardon™

Wall-mounted sink

K-2475

Marston™

Wall-mount corner bathroom sink

5½" shelf-back drilling K-2766-EH
With factory-installed faucet K-2766

Name	Model Number	Dimensions (L x W)	Faucet Hole Drilling					Other Drilling		Includes	ADA	White 0	Biscuit 96	Innocent Blush 55	Almond 47	Sandbar G9	Mexican Sand 33	Black Black 7
			Single	4" Centerset	5½" Shelf-Back	6½" Shelf-Back	8" Widespread	11½" Widespread	For Concealed Arm Carrier									
KOHLER Enameled Cast Iron																		
Hampton	K-2703	22" x 19"			•					Factory-installed faucet K-8040-2A		•						
	K-2703-EH	22" x 19"			•						•	•						
	K-2705	19" x 17"			•					Factory-installed faucet K-8040-2A		•		•	•	•	•	
	K-2705-EH	19" x 17"			•						•	•		•	•	•	•	
Hudson	K-2805	19" x 17"	•								•	•						
	K-2812	20" x 18"	•							Lugs for chair carrier	•	•						
	K-2861	19" x 17"		•							•	•						
	K-2863	19" x 17"					•				•	•						
	K-2867	20" x 18"		•						Lugs for chair carrier	•	•						
	K-2868	20" x 18"					•			Lugs for chair carrier	•	•						
Marston	K-2766	16" x 16"			•					Factory-installed faucet K-8040-2A		•		•	•	•	•	
	K-2766-EH	16" x 16"			•						•	•		•	•	•	•	
Taunton	K-2485	16" x 14"			•						•	•						
Trailer	K-2753	13" x 13"			•					Factory-installed faucet K-8046-2A		•						
	K-2753-EH	13" x 13"			•						•	•						
Vitreous China																		
Brenham	K-1997-1	21 ⁵ / ₁₆ " x 19 ³ / ₄ "	•						•		•	•	•	•	•	•	•	
	K-1997-4	21 ⁵ / ₁₆ " x 19 ³ / ₄ "		•					•		•	•	•	•	•	•	•	
	K-1997-8	21 ⁵ / ₁₆ " x 19 ³ / ₄ "					•		•		•	•	•	•	•	•	•	
	K-1999-1	21 ⁵ / ₁₆ " x 19 ³ / ₄ "	•						•	Shroud K-1998	•	•	•	•	•	•	•	
	K-1999-4	21 ⁵ / ₁₆ " x 19 ³ / ₄ "		•					•	Shroud K-1998	•	•	•	•	•	•	•	
	K-1999-8	21 ⁵ / ₁₆ " x 19 ³ / ₄ "					•		•	Shroud K-1998	•	•	•	•	•	•	•	
Chardon	K-2475	14" x 12"			•					Integral bubbler and soap dish		•						
Chesapeake	K-1721	20" x 18¼"	•						•		•	•	•	•	•	•	•	
	K-1722	19¼" x 17¼"	•						•		•	•	•	•	•	•	•	
	K-1723	20" x 18¼"					•		•		•	•	•	•	•	•	•	
	K-1724	19¼" x 17¼"					•		•		•	•	•	•	•	•	•	
	K-1728	19¼" x 17¼"		•					•		•	•	•	•	•	•	•	
	K-1729	20" x 18¼"		•					•		•	•	•	•	•	•	•	
Greenwich	K-12643	20¾" x 18¼"	•						•	•	•	•						
	K-2030	20¾" x 18¼"					•		•		•	•	•	•	•	•	•	
	K-2031	20¾" x 18¼"	•						•		•	•	•	•	•	•	•	
	K-2032	20¾" x 18¼"		•					•		•	•	•	•	•	•	•	
Kingston	K-2005	21¼" x 18½"		•					•		•	•	•	•	•	•	•	
	K-2006	21¼" x 18½"					•		•		•	•	•	•	•	•	•	
	K-2007	21¼" x 18½"	•						•		•	•	•	•	•	•	•	
Morningside	K-12634	20" x 27"						•	•		•	•	•	•	•	•	•	
	K-12636	20" x 27"		•					•		•	•	•	•	•	•	•	
	K-12638	20" x 27"	•						•		•	•	•	•	•	•	•	
Soho	K-2053	20" x 18"					•		•		•	•	•	•	•	•	•	
	K-2054	20" x 18"		•					•		•	•	•	•	•	•	•	
	K-2084	20" x 18"	•						•		•	•	•	•	•	•	•	

ADA-compliant products will comply with the Americans with Disabilities Act of 2004 when installed per the requirements of the accessibility guidelines Section 606 of the Act.

Institutional Sinks & Drinking Fountains



Camerton™
Wall-mount service sink
K-12867

Sudbury™
Wall-mount service sink
8" drilling K-6650
No drilling K-6652

Gifford™
Wall-mount service sink
8" drilling K-12787
Single drilling K-12781 / K-12784

Hollister™
Wall-mount service sink
8" drilling K-12794
Single drilling K-12793

Bannon™
Wall-mount service sink with rim guard
8" drilling K-6714 / K-6716
No drilling K-6718 / K-6719

Brockway™
Wall-mount wash sink
2 faucet drillings K-3200 / K-3202
3 faucet drillings (shown) K-3203 / K-3204

Whitby™
Floor-mount corner service sink
K-6710

Tyrrell™
Floor-mount service sink
K-6676

Brookhaven®
Sitz bath
27" x 32" K-12515
Pedestal K-12512
Bell supply K-13023

Serra™
Wall-mount drinking fountain
K-5250

Millbrook™
Wall-mount drinking fountain
K-5264

Glenbrook™
Semi-recessed drinking fountain (shown)
K-5293

Glenguard™
Semi-recessed cuspidor
K-5295

Name	Model Number	Dimensions (L x W)	Material	Faucet Hole Drilling				Includes	Recommended Accessories	White 0
				Single	Two-Hole	8" Widespread	No Drilling			
Floor-Mount										
Tyrrell	K-6676	21" x 27 ¹ / ₈ "	Vitreous china					• 1 ¹ / ₂ " top spud	Rim guard K-8935	•
Whitby	K-6710	28" x 28"	KOHLER enameled cast iron					•	Rim guard K-8940	•
Wall-Mount										
Bannon	K-6714	22 ¹ / ₄ " x 18 ¹ / ₄ "	KOHLER enameled cast iron		•				Rim guard	•
	K-6716	24" x 20 ¹ / ₄ "	KOHLER enameled cast iron		•				Rim guard	•
	K-6718	22 ¹ / ₄ " x 18 ¹ / ₄ "	KOHLER enameled cast iron					•	Rim guard	•
	K-6719	24" x 20 ¹ / ₄ "	KOHLER enameled cast iron					•	Rim guard	•
Brockway	K-3200	36" x 17 ¹ / ₂ "	KOHLER enameled cast iron		(2)•				Drillings for two faucets and one soap dish	Two Cannock faucets K-8892, K-8880 soap dish
	K-3202	48" x 17 ¹ / ₂ "	KOHLER enameled cast iron		(2)•				Drillings for two faucets and one soap dish	Two Cannock faucets K-8892, K-8880 soap dishes, adjustable pedestal K-3264-P/-PP or K-3265-P/-PP
	K-3203	60" x 17 ¹ / ₂ "	KOHLER enameled cast iron		(3)•				Drillings for three faucets and two soap dishes	Three Cannock faucets K-8892, two K-8880 soap dishes, adjustable pedestal K-3264-P/-PP or K-3265-P/-PP
	K-3204	72" x 17 ¹ / ₂ "	KOHLER enameled cast iron		(3)•				Drillings for three faucets and two soap dishes	Three Cannock faucets K-8892, two K-8880 soap dishes, adjustable pedestal K-3264-P/-PP or K-3265-P/-PP
Camerton	K-12867	21 ¹ / ₂ " x 25"	Vitreous china					• 1 ¹ / ₂ " top spud		•
Gilford	K-12781	30" x 22"	Vitreous china	•						•
	K-12784	24" x 22 ¹ / ₈ "	Vitreous china	•						•
	K-12787	30" x 22"	Vitreous china		•					•
Hollister	K-12793	28" x 22"	Vitreous china	•						•
	K-12794	28" x 22"	Vitreous china			•				•
Sudbury	K-6650	22" x 20"	Vitreous china		•					•
	K-6652	22" x 20"	Vitreous china					•		•

Name	Model Number	Dimensions (L x W x H)	Material		White 0	Biscuit 96	Almond 47	Sandbar G9	Mexican Sand 33	Black Black 7
Glenguard	K-5295	14 ¹ / ₄ " x 11 ¹ / ₈ " x 26 ⁵ / ₈ "**	Vitreous china		•	•	•	•	•	•
Drinking Fountain										
Glenbrook	K-5293	14 ¹ / ₄ " x 11 ¹ / ₈ " x 26 ⁵ / ₈ "**	Vitreous china		•	•	•	•	•	•
Millbrook	K-5264	14" x 13" x 15 ¹ / ₄ "	Vitreous china		•	•	•	•	•	•
Serra	K-5250	19 ¹ / ₂ " x 12 ³ / ₈ " x 7 ¹ / ₄ "	Vitreous china		•	•	•	•	•	•
Sitz Bath										
Brookhaven	K-12515	27" x 23" x 24"	Vitreous china		•					

*Semi-recessed installation. Finished dimensions are 14¹/₄" x 6⁵/₈" x 26⁵/₈".

Hospitality Bathroom Sinks



Caxton®
Vitreous china
K-2210

Ladena®
Vitreous china
K-2214

Verticyl® Rectangle
Vitreous china
K-2882

Canvas®
KOHLER® enameled cast iron
K-2874

Bachata®
Stainless steel
K-2609

Escale®
Vitreous china
K-19029

Tresham® Rectangle
Vitreous china
K-2991

Pennington®
Vitreous china
K-2196

Vox® Vessels Rectangle
Vitreous china
K-2660

Leaf™ Vessels
Fireclay
K-2530

Inscribe® Wading Pool®
KOHLER enameled cast iron
K-2388

Briolette™ Vessels
Glass
K-2373

FC = Fireclay, GL = Glass, KECI = KOHLER® Enameled Cast Iron, SS = Stainless Steel, VC = Vitreous China

Name	Model Number	Dimensions (L x W)	Material	Faucet Hole Drilling				ADA	Ice B11	Stainless Steel NA	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Vapour Pink KF	Vapour Orange KE	Vapour Green KG	Vapour Blue KC	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Ember RR	Thunder Grey 58	Black 'n Tan KA	Black Black 7			
				Single-Hole	4" Centerset	8" Widespread	No Faucet Holes																												
Above-Counter																																			
Briolette	K-2373	17½" diameter	GL																																
Inscribe	K-2388	16½" diameter	KECI																																
Leaf	K-2530	23⅝" x 15"	FC																																
Vox Rectangle	K-2660-1	23" x 18⅞"	VC																																
	K-2660-8	23" x 18⅞"	VC																																
Drop-In																																			
Bachata	K-2609	19⅞" x 16⅛"	SS																																
Escale	K-19029-1	23⅝" x 17½"	VC																																
	K-19029-8	23⅝" x 17½"	VC																																
Pennington	K-2196-1	20¼" x 17½"	VC																																
	K-2196-4	20¼" x 17½"	VC																																
	K-2196-8	20¼" x 17½"	VC																																
Tresham Rectangle	K-2991-1	21⅛" x 16⅞"	VC																																
	K-2991-4	21⅛" x 16⅞"	VC																																
	K-2991-8	21⅛" x 16⅞"	VC																																
Under-Mount																																			
Canvas	K-2874	19⅞" x 16⅛"	KECI																																
Caxton	K-2210	19¼" x 16¼"	VC																																
Ladena	K-2214	20⅞" x 14⅞"	VC																																
Verticyl Rectangle	K-2882	19⅜" x 15⅞"	VC																																

ADA-compliant products will comply with the Americans with Disabilities Act of 2004 when installed per the requirements of the accessibility guidelines, Section 606 of the Act.

Precision engineering, advanced technology, superior materials and design – these are the hallmarks of KOHLER®. Touchless and manual flushometers. Developed in tandem with our toilets and urinals to achieve maximum efficiency, KOHLER flushometers are easy to install and deliver consistently accurate flush volumes for years to come.

Flushometers

Manual ⁵⁸




Tripoint[®] ⁵⁸

WAVE ⁵⁸

Before You Choose a Flushometer

We offer a variety of flushometer technologies to ensure that you have the right tool for the job. The following definitions will help you determine which option is the best for your project.





Hybrid




An innovative power source now available on WAVE and Tripoint® flushometers, the hybrid energy cell provides maintenance-free energy for 30 years.* That means no turbines, no photovoltaic cells, no periodic battery replacement. It just works without hassle. Day after day, month after month, year after year.

WAVE

Putting control back in the hands of the user, WAVE technology offers hygienic touchless operation on command. Activating only when a hand is waved directly over the flushometer, the sensor eliminates random flushing that can be frightening for children. And by removing false actuations, WAVE technology provides even greater water savings.

Tripoint

Similar to an autofocus camera, Tripoint technology senses the true distance of an object and is not affected by changes in color, lighting, reflections or distant movement – circumstances that compromise traditional infrared sensors. Tripoint delivers dependable, precise performance every time a user wishes to activate the toilet or urinal.



Manual

Built to last with solid-brass construction, our manual flushometers feature chloramine-resistant materials to eliminate the need for frequent maintenance or repairs. The self-cleaning filter keeps debris from affecting flushing performance, and the non-hold-open lever is ADA-compliant.

Piston

All KOHLER® flushometers feature a durable piston design. Delivering accurate flush volumes even when pressure varies, our flushometers are cycle-tested to 500,000 flushes, twice the industry standard.

Paired Performance

Each commercial toilet and urinal is engineered not only to be the best of its kind, but to achieve peak efficiency when paired with a KOHLER flushometer. Because we manage every step from concept to manufacture, our teams ensure that any adjustments are accounted for in the design of both.

*Battery life calculations are based on an estimated product usage of 80 uses per day for 365 days per year. Actual battery life may vary depending on product settings, usage patterns and operating environments.

Flushometers



Manual toilet flushometer

1.6 gpf K-13516
1.28 gpf K-13517

Manual urinal flushometer

0.125 gpf washout K-13520
0.5 gpf washout K-13519
1.0 gpf washout/siphon-jet K-13518
1.0 gpf blowout K-13522



Tripoint® toilet flushometer

1.6 gpf K-10957
1.28 gpf K-10956

Tripoint urinal flushometer

0.125 gpf washout K-10949
0.5 gpf washout K-10958
1.0 gpf blowout K-10959
1.0 gpf washout K-10960
1.0 gpf siphon-jet K-10961



WAVE toilet flushometer

1.6 gpf K-10674
1.28 gpf K-10673

WAVE urinal flushometer

0.125 gpf washout K-10668
0.5 gpf washout K-10675
1.0 gpf washout/siphon-jet K-10676

Name	Model Number	Retrofit Design Model*	Gallons per Flush					Flush Type	Spud Coupling	WaterSense	ADA	Polished Chrome CP
			0.125	0.5	1.0	1.28	1.6					
Toilet Flushometers												
Manual	K-13516	K-13516-RF					•	Siphon-jet	1½"		•	•
	K-13517	K-13517-RF					•	Siphon-jet	1½"		•	•
Touchless with Tripoint Technology	K-10956	K-10669					•	Siphon-jet	1½"		•	•
	K-10957	K-10962					•	Siphon-jet	1½"		•	•
Touchless with WAVE Technology	K-10673	K-10666					•	Siphon-jet	1½"		•	•
	K-10674	K-10677					•	Siphon-jet	1½"		•	•
Urinal Flushometers												
Manual	K-13518	K-13518-RF			•			Washout/siphon-jet	¾"		•	•
	K-13519	K-13519-RF		•				Washout	¾"		•	•
	K-13520	K-13520-RF	•					Washout	¾"		•	•
	K-13522	K-13522-RF			•			Blowout	1¼"		•	•
Touchless with Tripoint Technology	K-10949		•					Washout	¾"	•	•	•
	K-10958	K-10963		•				Washout	¾"	•	•	•
	K-10959	K-10964			•			Blowout	1¼"		•	•
	K-10960	K-10965			•			Washout	¾"		•	•
	K-10961	K-10966			•			Siphon-jet	¾"		•	•
Touchless with WAVE Technology	K-10668		•					Washout	¾"	•	•	•
	K-10675	K-10678		•				Washout	¾"	•	•	•
	K-10676	K-10679			•			Washout/siphon-jet	¾"		•	•

*Retrofit models require a control stop and vacuum breaker

Kohler is an industry leader in the design and manufacture of toilets and seats, pioneering water-efficient designs and integrating innovative technologies. Today, the advanced features and proven durability of our toilet and toilet seat offering are redefining ideas of personal comfort and cleanliness.

Toilets & Toilet Seats


Toilets ⁶⁴

Toilet Seats ⁶⁸

Before You Choose a Toilet or Toilet Seat

We design and test our toilets to provide you with all-around exceptional performance – that means great rinsing power and plug-resistant flushing. We've included a brief list of things to keep in mind as you make your selection.





AccuFlush™




Our AccuFlush toilets provide incredible performance across a range of gpf platforms. Designed to be as powerful and efficient with 1.28 gpf or 1.6 gpf, AccuFlush toilets allow you to pair the design of your choice with the gpf that best meets your building requirements.

Floor-Mount

Featuring several gpf options, 10" or 12" rough-in variations and close-coupled or flushometer styles, KOHLER® commercial-grade floor-mount toilets allow you to combine the right components for your commercial or hospitality bathroom.

Wall-Mount

Wall-mount toilets are a smart option for high-traffic venues requiring near continuous cleaning. With the base of the toilet raised, cleaning is easier and more effective.



Top & Rear Spud

To accommodate the unique configurations of individual commercial projects, we manufacture both top- and rear-spud toilets.

Rear Outlet

Kohler offers rear-outlet toilets as well as standard floor-outlet toilets. In addition to wall-mount toilets, several of the close-coupled Pressure Lite® models, along with top-spud floor-mount toilet models, feature rear outlets.

Bedpan Lugs

Designed specifically for hospital and institutional use, a number of our toilets are available with integral bedpan lugs to aid caregivers in their work.

Commercial Toilets



San Raphael® Comfort Height®
Elongated
1.0 gpf K-3597-NF

Wellworth® Classic
Elongated
1.0 gpf (shown) K-3531
1.6 gpf K-3505

Cimarron® Comfort Height
Elongated
1.28 gpf (shown) K-3609
1.6 gpf K-3589

Highline® Classic Comfort Height
Elongated
1.0 gpf (shown) K-3519
1.6 gpf K-3493

Barrington™ Comfort Height
Elongated
1.0 gpf (shown) K-3578

Barrington
Elongated
1.0 gpf (shown) K-3652
1.6 gpm K-3554

Anglesey™ Comfort Height
Elongated
1.28 or 1.6 gpf K-4352

Anglesey
Elongated
1.6 gpf with top spud (shown) K-4386
1.6 gpf with rear spud K-4396

Suffield™
Elongated with integral seat
3.5 gpf K-4475

Sifton™
Elongated
3.5 gpf K-4460

Stratton™
Elongated
3.5 gpf K-4450

Highcrest™
Elongated
1.6 gpf with top spud (shown) K-4302
1.6 gpf with rear spud K-4301



Primary™
Elongated child-size

1.25 gpf K-4384
1.6 gpf (shown) K-4321

Wellworth®
Elongated

1.28 or 1.6 gpf K-4406

Highline®
Elongated

1.28 or 1.6 gpf K-4405

Wellcomme™
Elongated

1.6 gpf with top spud (shown) K-4350
1.6 gpf with rear spud K-4349

Highcliff™
Elongated

1.6 gpf with top spud (shown) K-4368
1.6 gpf with rear spud K-4367

Kingston™
Elongated

1.28 or 1.6 gpf with top spud (shown) K-4325
1.28 or 1.6 gpf with rear spud K-4323

Commercial Toilets Features & Colors Index

Name	Model Number	Comfort Height	Dimensions (L x W x H)	Rough-In	Flushing Technology	Gallons per Flush	AccuFlush™	Top or Rear Spud
Floor-Mount								
Anglesey	K-4352	•	31½" x 14⅞" x 17"	4"	Siphon-jet	1.6 or 1.28	•	T
	K-4386		27½" x 14½" x 15"	4½"	Siphon-jet	1.6		T
	K-4396		27½" x 14½" x 15"	4½"	Siphon-jet	1.6		R
Barrington	K-3554/-RA		31½" x 21¼" x 29¼"	4"	Pressure Lite	1.6		
	K-3578/-RA	•	31" x 21¼" x 31¼"	4"	Pressure Lite	1.0		
	K-3652/-RA		31½" x 21¼" x 29¼"	4"	Pressure Lite	1.0		
Cimarron	K-3589/-RA	•	28¾" x 17⅞" x 30¾"	12"	Class Five	1.6		
	K-3609/-RA	•	28¾" x 17⅞" x 30¾"	12"	Class Five	1.28		
Highcliff	K-4367	•	26" x 14½" x 17½"	11"	Siphon-jet	1.6		R
	K-4368	•	26" x 14½" x 17½"	10" or 12"	Siphon-jet	1.6		T
Highcrest	K-4301	•	26" x 14½" x 16½"	11"	Siphon-jet	1.6		R
	K-4302	•	26" x 14½" x 16½"	10" or 12"	Siphon-jet	1.6		T
Highline	K-4405	•	28¼" x 14⅞" x 17⅞"	10"	Siphon-jet	1.6 or 1.28	•	T
Highline Classic	K-3493/-RA	•	30⅞" x 21¼" x 31¼"	12"	Pressure Lite	1.6		
	K-3519/-RA	•	30⅞" x 21¼" x 31¼"	12"	Pressure Lite	1.0		
Primary	K-4321		26⅞" x 12⅞" x 10¾"	10"	Siphon-jet	1.6		T
	K-4384		26⅞" x 12⅞" x 10¾"	10"	Siphon-jet	1.28		T
San Raphael	K-3597-NF	•	30" x 19½" x 21½"	12"	Pressure Lite	1.0		
Wellcomme	K-4349		26" x 14½" x 14¾"	11"	Siphon-jet	1.6		R
	K-4350		26" x 14½" x 14¾"	10" or 12"	Siphon-jet	1.6		T
Wellworth	K-4406		28¼" x 14⅞" x 15"	10" or 12"	Siphon-jet	1.6 or 1.28	•	T
Wellworth Classic	K-3505/-RA		30¼" x 21¼" x 29¼"	12"	Pressure Lite	1.6		
	K-3531/-RA		30⅞" x 21¼" x 29¼"	12"	Pressure Lite	1.0		
Wall-Hung								
Kingston	K-4323		26½" x 16½" x 16¾"		Siphon-jet	1.6 or 1.28	•	R
	K-4325		26½" x 16½" x 13¼"		Siphon-jet	1.6 or 1.28	•	T
Sifton	K-4460-C		21½" x 14" x 15¼"		Blowout	3.5		R
Stratton	K-4450-C		26" x 14" x 11¾"		Blowout	3.5		T
Suffield	K-4475-C		21½" x 14" x 15¼"		Blowout	3.5		R

Suffix "-RA" designates toilet with right-hand trip lever

*See 2012 Price Book for ordering information

ADA-compliant products will comply with the Americans with Disabilities Act of 2004 when installed per the requirements of the accessibility guidelines Section 604 (toilets) of the Act.

Recommended Flushometer	Recommended Toilet Seat	With Tank Cover Locks*	With Bedpan Lugs*	With 4 Bolt Holes*	WaterSense	ADA	White 0	Honed White HW1	Dune NY	Biscuit 96	Almond 47	Ice Grey 95	Sandbar G9	Mexican Sand 33	Thunder Grey 58	Black Black 7	Yellow Y	Blue B	Red R	Floor-Mount	
1.28 gpf: Touchless K-10673/66, K-109566/69; manual K-13517/-RF 1.6 gpf: Touchless K-10674/77, K-10957/62; manual K-13516/-RF	K-4731-C/-SC, K-4654-A, K-4670-CA																				
Touchless K-10674/77, K-10957/62; manual K-13516/-RF	K-4731-C/-SC, K-4671-C, K-4679-CA																				
	K-4731-C/-SC, K-4671-C, K-4679-CA																				
	K-4731-C/-SC, K-4636, K-4650, K-4679-CA																				
	K-4731-C/-SC, K-4636, K-4650, K-4679-CA																				
	K-4731-C/-SC, K-4636, K-4650, K-4679-CA																				
	K-4636, K-4650																				
	K-4636, K-4650																				
	K-4654-A, K-4671-C																				
Touchless K-10674/77, K-10957/62; manual K-13516/-RF	K-4654-A, K-4671-C																				
	K-4731-C/-SC, K-4654-A, K-4671-C																				
Touchless K-10674/77, K-10957/62; manual K-13516/-RF	K-4731-C/-SC, K-4654-A, K-4671-C																				
1.28 gpf: Touchless K-10673/66, K-109566/69; manual K-13517/-RF 1.6 gpf: Touchless K-10674/77, K-10957/62; manual K-13516/-RF	K-4731-C/-SC, K-4654-A, K-4670-CA																				
	K-4731-C/-SC, K-4636, K-4650																				
	K-4731-C/-SC, K-4636, K-4650																				
Touchless K-10674/77, K-10957/62; manual K-13516/-RF	Included																				
Touchless K-10673/66, K-10956/669; manual K-13517/-RF	Included																				
	Included																				
	K-4731-C/-SC, K-4671-C																				
Touchless K-10674/77, K-10957/62; manual K-13516/-RF	K-4731-C/-SC, K-4671-C																				
1.28 gpf: Touchless K-10673/66, K-109566/69; manual K-13517/-RF 1.6 gpf: Touchless K-10674/77, K-10957/62; manual K-13516/-RF	K-4731-C/-SC, K-4654-A, K-4670-CA																				
	K-4731-C/-SC, K-4636, K-4650																				
	K-4731-C/-SC, K-4636, K-4650																				
Wall-Hung																					
	K-4731-C/-GC/-SC																				
1.28 gpf: Touchless K-10673/66, K-109566/69; manual K-13517/-RF 1.6 gpf: Touchless K-10674/77, K-10957/62; manual K-13516/-RF	K-4731-C/-GC/-SC																				
	K-4731-C/-SC, K-4671-C																				
	K-4731-C/-SC, K-4671-C																				
	Integral																				

Commercial Toilet Seats



Stronghold®

Elongated

Open-front with integrated handle K-4731-C

Lustra™

Open-front with check hinge

Elongated (shown) K-4670-C

Round K-4680-C

Lustra

Round-front with seat cover

Open-front (shown) K-4660

Closed-front with Q2™ K-4662

Lustra

Elongated with seat cover

Open-front K-4650

Closed-front with Q2 K-4652

Lustra

Elongated with support arms with anti-microbial agent added to protect toilet seat*

Open-front (shown) K-4654-A

Closed-front K-4655-A

*Includes an anti-microbial agent that protects the toilet seat from odor- and stain-causing bacteria, mold and mildew. **Anti-microbial agent does not protect the user from disease-causing bacteria.**

Name	Model Number	Elongated	Round-Front	Open-Front	Includes/Features	Anti-Microbial Agent Added to Protect Toilet Seat*	White 0	Dune NY	Earthen White W2	Biscuit 96	Innocent Blush 55	Almond 47	Ice Grey 95	Sandbar G9	Mexican Sand 33	Cashmere K4	Thunder Grey 58	Black Black 7
Check Hinges																		
Lustra	K-4666-C	•		•	Extra-heavy construction		•											
Lustra	K-4666-CA	•		•	Extra-heavy construction	•	•											
Lustra	K-4667-C	•		•	Extra-heavy construction													•
Lustra	K-4670-C	•		•			•		•	•	•	•	•	•	•	•		
Lustra	K-4670-CA	•		•		•	•											•
Lustra	K-4671-C	•		•														•
Lustra	K-4679-CA	•		•	2" lift	•	•											
Lustra	K-4680-C		•	•			•											
Lustra	K-4680-CA		•	•		•	•											
Lustra	K-4681-C		•	•														•
Stronghold	K-4731-C	•		•	Integrated handle		•		•	•	•	•	•	•	•	•		•
Stronghold	K-4731-CA	•		•	Integrated handle	•	•											
Stronghold	K-4731-GC	•		•	Integrated handle, Quiet-Close technology		•		•		•	•	•	•	•			•
Plastic Hinges																		
Lustra	K-4650	•		•	Cover		•	•		•	•	•	•	•	•	•		•
Lustra	K-4650-A	•		•		•	•											
Lustra	K-4652**	•			Cover, Quick-Attach hardware, Quick-Release functionality		•	•	•	•	•	•	•	•	•	•	•	•
Lustra	K-4652-A	•				•	•											
Lustra	K-4660		•	•	Cover		•		•	•	•	•	•	•	•			
Lustra	K-4662**		•		Cover, Quick-Attach hardware, Quick-Release functionality		•	•	•	•	•	•	•	•	•	•	•	•
Lustra	K-4662-A		•			•	•											
Self-Sustaining Check Hinges																		
Lustra	K-4666-SA	•		•	Extra-heavy construction	•	•											
Lustra	K-4666-SC	•		•	Extra-heavy construction		•											•
Lustra	K-4670-SA	•		•		•	•											
Lustra	K-4670-SC	•		•			•											
Lustra	K-4671-SC	•		•														•
Stronghold	K-4731-SA	•		•	Integrated handle	•	•											
Stronghold	K-4731-SC	•		•	Integrated handle		•	•	•		•	•	•	•	•			•
Specialty Seats																		
Lustra	K-4654-A	•		•	Cover, support arms	•	•											
Lustra	K-4655-A	•			Cover, support arms	•	•											
Lustra	K-4672	•		•	Self-raising hinge		•											
With Q2/Q3																		
Cachet Q2	K-4688	•			Cover, Quick-Attach hardware, Quick-Release functionality		•	•		•		•						
Grip-Tight Cachet Q3	K-4636	•			Cover, Grip-Tight bumpers, Quick-Attach hardware, Quick-Release functionality, Quiet-Close technology		•	•		•	•	•	•	•	•	•	•	•

*Includes an anti-microbial agent that protects the toilet seat from odor- and stain-causing bacteria, mold and mildew. **Anti-microbial agent does not protect the user from disease-causing bacteria.**

**Also available in Classic colors.

Whether the focus of your venture is great style, water conservation, durability or all three, KOHLER® urinals deliver. With a wide selection of Touchless and manual models featuring a range of gpf platforms, our urinal offering helps you imagine and create smart, hygienic bathroom spaces.

Urinals

Waterless ⁷⁴

Washout ⁷⁴



Siphon-Jet ⁷⁴

Blowout ⁷⁴

Before You Choose a Urinal

Kohler has developed a urinal offering that raises the bar on design and water conservation. Here are a few features of KOHLER® urinals to look for as you browse the product portfolio.






Touchless

From the Bardon™ Touchless urinal featuring an integrated sensor to a wide selection of urinals that combine with KOHLER® Touchless flushometers, our Touchless solutions ensure dependable water savings and added hygiene.

AccuFlush™

Our AccuFlush urinals can be paired with a range of gpf platforms. Delivering exceptional performance with a 0.125-, 0.5- or 1-gallon flush, AccuFlush urinals allow you to pair the design of your choice with the gpf that best meets your building requirements.



Waterless

Kohler has redefined the paradigm for urinal design and functionality by offering waterless, virtually splash-free urinals. In a typical installation, these urinals can save 39,000 gallons of water per fixture per year and significantly reduce sewage and maintenance costs.

Water Options

For projects that require flushing urinals, Kohler manufactures urinals in a range of gpf platforms, from water-saving 0.125 gpf to standard 1.0 gpf. We offer a number of flushing styles, including washout, blowout and siphon-jet systems.

Commercial Urinals



Steward® S
Wall-mount waterless urinal
K-4917

Steward
Wall-mount waterless urinal
K-4918

Steward L
Wall-mount waterless urinal
K-4919

Bardon™ Touchless
Wall-mount washout urinal
0.5 gpf K-4915

Bardon
Wall-mount washout urinal
0.125 gpf with rear spud (shown) K-4904-ER
0.125 gpf with top spud K-4904-ET

Stanwell™
Wall-mount blowout urinal
1.0 gpf with rear spud (shown) K-4972-ER
1.0 gpf with top spud K-4972-ET

Freshman™
Wall-mount siphon-jet urinal
1.0 gpf with rear spud (shown) K-4989-R
1.0 gpf with top spud K-4989-T

Dexter™
Wall-mount siphon-jet urinal
0.5 gpf with rear spud (shown) K-5016-ER
0.5 gpf with top spud K-5016-ET

Darfield™
Wall-mount washout urinal
0.5 gpf K-5024-T

Jarves®
Wall-mount washout trough urinal
36" (shown) K-5055
48" K-5056
60" K-5057
72" K-5058

Branham™
Floor-mount washout urinal*
1.0 gpf with rear spud (shown) K-4920-R
1.0 gpf with top spud K-4920-T

Name	Model Number	Dimensions		Gallons per Flush	Spud		Flushometers	AccuFlush™	WaterSense*	ADA**	White 0	Biscuit 96	Innocent Blush 55	Almond 47	Ice Grey 95	Sandbar G9	Mexican Sand 33	Black Black 7
		Wall to Rim	Width x Height		Top	Rear												
Blowout																		
Stanwell	K-4972-ER	14½"	18¼" x 27⅝"	1.0		1¼"				•	•	•			•		•	•
	K-4972-ET	14½"	18¼" x 27⅝"	1.0	1¼"		Touchless K-10959/64; manual K-13522/-RF			•	•	•			•		•	•
Siphon-Jet																		
Dexter	K-5016-ER	14½"	13½" x 20⅝"	0.5 or 1.0		¾"			•	•	•	•	•		•		•	•
	K-5016-ET	14½"	13½" x 20⅝"	0.5 or 1.0	¾"		0.5 gpf: Touchless K-10675/78, K-10958/63; manual K-13519/-RF 1.0 gpf: Touchless K-10961/66		•	•	•	•	•		•		•	•
Freshman	K-4989-R	12½"	16¼" x 24"	1.0	¾"	¾"					•	•		•		•	•	•
	K-4989-T	12½"	16¼" x 24"	1.0			Touchless K-10961/66				•	•		•		•	•	•
Washout																		
Bardon	K-4904-ER	14⅞"	18" x 26⅞"	0.125, 0.5 or 1.0		¾"			•	•	•	•	•	•		•	•	•
	K-4904-ET	14⅞"	18" x 26⅞"	0.125, 0.5 or 1.0	¾"		0.125 gpf: Touchless K-10668, K-10949; manual K-13520/-RF 0.5 gpf: Touchless K-10675/78, K-10958/63; manual K-13519/-RF 1.0 gpf: Touchless K-10676/79, K-10960/65; manual K-13518/-RF		•	•	•	•	•	•		•	•	•
Bardon Touchless	K-4915	14¼"	18¼" x 32⅝"	0.5	½"	½"				•	•	•		•		•	•	•
Branham	K-4920-R	16⅞"	18¼" x 42½"	0.5 or 1.0		¾"				•	•	•		•		•	•	•
	K-4920-T	16⅞"	18¼" x 42½"	0.5 or 1.0	¾"		0.5 gpf: Touchless K-10675/78, K-10958/63; manual K-13519/-RF 1.0 gpf: Touchless K-10676/79, K-10960/65; manual K-13518/-RF			•	•	•		•		•	•	•
Darfield	K-5024-T	14½"	14" x 17½"	0.5 or 1.0	¾"		0.5 gpf: Touchless K-10675/78, K-10958/63; manual K-13519/-RF 1.0 gpf: Touchless K-10676/79, K-10960/65; manual K-13518/-RF			•	•	•		•		•	•	•
Jarves	K-5055	17½"	36" x 15⅝"	NA			Flush pipe K-9198				•							
	K-5056	17½"	48" x 15⅝"	NA			Flush pipe K-9199				•							
	K-5057	17½"	60" x 15⅝"	NA			Flush pipe K-9200				•							
	K-5058	17½"	72" x 15⅝"	NA			Flush pipe K-9213				•							
Waterless																		
Steward	K-4918	15⅝"	15" x 29⅝"	0						•	•	•		•			•	•
Steward L	K-4919	15⅝"	19⅞" x 31⅞"	0						•	•	•		•			•	•
Steward S	K-4917	14¾"	11" x 23¾"	0						•	•	•		•			•	•

*WaterSense®-compliant when used with WaterSense-labeled or 0.5 or 0.125 gpf flushometer

**ADA-compliant when rim is mounted no higher than 17" from the finished floor

Whether you're designing custom spa showers, building 300 or more patient rooms with showers, or simply upgrading showerheads, Kohler has a solution. With everything from digital shower systems and innovative spray experiences to barrier-free shower bases and fold-down seats, we can walk you through an easy upgrade or help you create a spa retreat. For a complete offering of showering products, visit [KOHLER.com/Showering](https://www.kohler.com/showers).

Showering

Showerheads & Handshowers ⁸⁰

Rainheads & Bodysprays ⁸²

Bath/Shower Trim Sets ⁸⁴

Showering Packages ⁸⁶

Institutional & Industrial Showers ⁸⁸



Shower Bases ⁹⁰

Shower Stalls ⁹²

Before You Choose a Shower


Kohler is committed to helping you create safe, inviting shower environments. To that end, we design and manufacture all the components you'll need – water delivery, fixtures and fittings.






Water Delivery

We've designed a wide range of water delivery solutions to accommodate commercial, institutional and hospitality showering and bathing spaces. Choose from single-function and multifunction showerheads and handshowers to customized digital shower systems.



Shower Bases

KOHLER® shower bases are available in a variety of sizes and shapes. In addition, we offer both acrylic and KOHLER enameled cast iron shower bases, several featuring integral seats for added safety and comfort.



Shower Stalls

Our one-piece shower stalls come in a range of standard sizes. Select ADA-compliant models feature molded-in textured floors and low thresholds that allow wheelchair access. Factory-installed grab bars enhance safety and accessibility.

Material

Acrylic



KOHLER high-gloss acrylic shower bases and stalls resist chipping and offer an easy-to-clean surface and rich color.

KOHLER Enameled Cast Iron

Enameled cast iron products produced in Kohler, Wisconsin, are crafted from at least 80% recycled material and come with a Lifetime Limited Warranty.*

*KOHLER enameled cast iron products installed in North America carry a Lifetime Limited Warranty for as long as the original consumer/purchaser owns his or her home. For complete warranty information, visit KOHLER.com/Warranty.

Hospitality Showerheads & Handshowers



Alteo®
Single-function showerhead
with Katalyst® spray

2.0 gpm (shown)	K-5240
2.5 gpm	K-45123
Showerarm and flange	K-45129

Purist®
Single-function showerhead
with Classic spray

2.5 gpm	K-965
Showerarm and flange	K-7397

Forté®
Multifunction showerhead
with Classic spray

1.75 gpm (shown)	K-10240
2.5 gpm	K-10284
Showerarm and flange	K-7397

Flipside® 01
Multifunction showerhead
with Flipstream® spray

2.0 gpm (shown)	K-45427
2.5 gpm	K-15996
Showerarm and flange	K-7397

Stillness®/Purist
Multifunction handshower
with Classic spray

1.75 gpm (shown)	K-978
2.5 gpm	K-973

Flipside 01
Multifunction handshower
with Flipstream spray

2.0 gpm (shown)	K-45425
2.5 gpm	K-17493

MasterShower®
Multifunction handshower

Relaxing 2.0 gpm	
Eco (shown)	K-8543
Relaxing 2.5 gpm	K-8502
Invigorating 2.5 gpm	K-8501

Shift™ Square
Multifunction handshower

2.0 gpm with black handle (shown)	K-45203
2.5 gpm black handle	K-14788
2.0 gpm grey handle	K-45203-GR
2.5 gpm grey handle	K-14788-GR

Name	Model Number	WaterSense	Polished Chrome CP	Brushed Chrome G	Rough Plate RP	Vibrant Polished Nickel SN	Vibrant Brushed Nickel BN	Vibrant French Gold* AF	Vibrant Polished Brass PB	Vibrant Moderne Brushed Gold* BGD	Vibrant Brushed Bronze BV	Oil-Rubbed Bronze 2BZ
Handshowers												
Flipside 01	K-17493		•			•	•					
	K-45425	•	•			•	•					
MasterShower	K-8501		•	•		•	•	•	•		•	
	K-8502		•	•		•	•	•	•		•	
	K-8543	•	•									
Shift Square	K-14788		•			•	•					
	K-14788-GR		•			•	•					
	K-45203	•	•			•	•					
	K-45203-GR	•	•			•	•					
Stillness/Purist	K-973		•			•	•	•		•	•	
	K-978	•	•				•			•		
Showerheads												
Alteo	K-5240	•	•				•					
	K-45123		•				•					•
Flipside 01	K-15996		•			•	•					
	K-45427	•	•			•	•					
Forté	K-10240	•	•				•					
	K-10284		•	•			•	•	•		•	
Purist	K-965		•			•	•	•		•		

*No gold content

Hospitality Rainheads & Bodysprays



Contemporary Square

2.5 gpm rainhead with Katalyst® spray

8" (shown)
10"

K-13695
K-13696

Contemporary Round

2.5 gpm rainhead with Katalyst spray

8"
10" (shown)
12"
14"

K-13688
K-13689
K-13690
K-13691

Traditional Round

2.5 gpm rainhead with Katalyst spray

8"
10" (shown)
12"

K-13692
K-13693
K-13694

WaterTile® Square

2.5 gpm bodyspray

22-nozzle
54-nozzle (shown)

K-8003
K-8002

WaterTile Round

2.0 gpm bodyspray

27-nozzle
54-nozzle (shown)

K-8013
K-8014

MasterShower®

Multifunction bodyspray







2.5 gpm Invigorating
spray (shown)
1.5 gpm

K-8509
K-8510

Name	Model Number	Polished Chrome CP	Brushed Chrome G	Rough Plate RP	Vibrant Polished Nickel SN	Vibrant Brushed Nickel BN	Vibrant French Gold* AF	Vibrant Polished Brass PB	Vibrant Moderne Brushed Gold* BGD	Vibrant Brushed Bronze BV	Oil-Rubbed Bronze 2BZ
Bodysprays											
MasterShower	K-8509	•	•		•	•	•	•		•	
	K-8510	•	•		•	•	•	•		•	
WaterTile Round	K-8013	•	•		•	•	•		•	•	•
	K-8014	•	•		•	•	•		•	•	•
WaterTile Square	K-8002	•	•		•	•	•		•	•	•
	K-8003	•	•		•	•	•		•	•	•
Rainheads											
Contemporary Round	K-13688	•			•	•			•	•	
	K-13689	•			•	•			•	•	
	K-13690	•			•	•			•	•	
	K-13691	•			•	•			•	•	
Contemporary Square	K-13695	•			•	•			•	•	
	K-13696	•			•	•			•	•	
Traditional Round	K-13692	•			•	•	•			•	•
	K-13693	•			•	•	•			•	•
	K-13694	•			•	•	•			•	•

*No gold content

Hospitality Bath/Shower Trim Sets



Alteo®

Rite-Temp® pressure-balancing

Bath/shower trim set (shown)	K-T45104
Shower trim set	K-T45106
Shower trim set with diverter	K-T45108

Forté®

Rite-Temp pressure-balancing

Bath/shower trim set	K-T10274
Shower trim set	K-T10276

Stillness®

Rite-Temp pressure-balancing

Bath/shower trim set	K-T948
Shower trim set	K-T949

Margaux®

Rite-Temp pressure-balancing

Bath/shower trim set	K-T16233
Shower trim set	K-T16234

Stance®

Rite-Temp pressure-balancing

Bath/shower trim set	K-T14776
Shower trim set	K-T14778
Shower trim set with diverter	K-T14777

Refinia®

Rite-Temp pressure-balancing

Bath/shower trim set	K-T5318
Shower trim set	K-T5320
Shower trim set with diverter	K-T5319

Fairfax®

Rite-Temp pressure-balancing

Bath/shower trim set	K-T12007
Shower trim set	K-T12014

Symbol®

Rite-Temp pressure-balancing

Bath/shower trim set	K-T18488
Shower trim set	K-T18489

Name	Model Number	Polished Chrome CP	Brushed Chrome G	Rough Plate RP	Vibrant Polished Nickel SN	Vibrant Brushed Nickel BN	Vibrant French Gold* AF	Vibrant Polished Brass PB	Vibrant Moderne Brushed Gold* BGD	Vibrant Brushed Bronze BV	Oil-Rubbed Bronze 2BZ
Bath/Shower Trim Sets											
Alteo	K-T45104-4	•				•					•
Fairfax	K-T12007-4	•				•					•
Forté	K-T10274-4	•	•			•					
Margaux	K-T16233-3	•			•	•	•			•	
Refinia	K-T5318-4	•				•					
Stance	K-T14776-4	•				•					
Stillness	K-T948-4	•				•					
Symbol	K-T18488-4	•				•					
Shower Trim Sets											
Alteo	K-T45106-4	•				•					•
Fairfax	K-T12014-4	•				•					•
Forté	K-T10276-4	•	•			•					
Margaux	K-T16234-3	•			•	•	•			•	
Refinia	K-T5319-4	•				•					
	K-T5320-4	•				•					
Stance	K-T14777-4	•				•					
	K-T14778-4	•				•					
Stillness	K-T949-4	•				•					
Symbol	K-T18489-4	•				•					

*No gold content

Hospitality Showering Packages



Bancroft®
Essentials performance
showering package
K-10828

Forté®
Essentials performance
showering package
K-10827

Fairfax®
Essentials performance
showering package
K-10826

Devonshire®
Essentials performance
showering package
K-10825

Contemporary
Handshower kit
K-9059


MasterShower®
Relaxing handshower kit
K-8520

Shift.. Ellipse
Handshower kit
K-8487


Name	Model Number	ADA	Polished Chrome CP	Brushed Chrome G	Rough Plate RP	Vibrant Polished Nickel SN	Vibrant Brushed Nickel BN	Vibrant French Gold* AF	Vibrant Polished Brass PB	Vibrant Moderne Brushed Gold* BGD	Vibrant Brushed Bronze BV	Oil-Rubbed Bronze 2BZ
Handshower Kits												
Contemporary	K-9059	•	•				•					
MasterShower	K-8520		•	•					•			
Shift Ellipse	K-8487		•	•			•					
Showering Packages												
Bancroft	K-10828-4		•				•					
Devonshire	K-10825-4		•				•					•
Fairfax	K-10826-4		•				•					•
Forté	K-10827-4		•				•					

*No gold content

Institutional & Industrial Showering



Triton®
Rite-Temp® pressure-balancing
bath/shower trim set
K-T6908



Triton
Rite-Temp pressure-balancing
shower trim set
K-T6910



Triton
Rite-Temp pressure-balancing
valve trim
K-T6913



Triton
Wall-mount faucet handle trim
K-T7744



Triton
Wall-mount faucet handle trim with
push-button diverter
K-T7751



K-7252
Industrial shower



K-7254
Industrial shower



K-7258
Industrial shower

Model Number	Polished Chrome CP	Brushed Chrome G	Rough Plate RP	Vibrant Polished Nickel SN	Vibrant Brushed Nickel BN	Vibrant French Gold* AF	Vibrant Polished Brass PB	Vibrant Moderne Brushed Gold* BGD	Vibrant Brushed Bronze BY	Oil-Rubbed Bronze 2BZ
Industrial Showers										
K-7252	•									
K-7254	•									
K-7258			•							
Showering Components										
K-T6908	•									
K-T6910	•									
K-T6913	•									
K-T7744	•									
K-T7751	•									

*No gold content

Shower Bases



Groove®
Alcove base with concealed drain
60" x 36" K-9928
Aluminum drain cover K-9333
Teak drain cover K-9337

Salient®
Alcove base
60" x 36" K-9055

Groove
Alcove base with concealed drain
60" x 32" left-hand drain K-9949
60" x 32" right-hand drain K-9948
Aluminum drain cover K-9330
Teak drain cover K-9334

Salient
Alcove base
60" x 30" left-hand drain K-9053
60" x 30" right-hand drain K-9054

Groove
Alcove base with concealed drain
48" x 48" K-9998
Aluminum drain cover K-9332
Teak drain cover K-9336

Groove
Alcove base with concealed drain
48" x 36" K-9925
Aluminum drain cover K-9332
Teak drain cover K-9336

Purist®
Alcove base
48" x 36" K-9026

Groove
Alcove base with concealed drain
42" x 42" K-9997
Aluminum drain cover K-9331
Teak drain cover K-9335

Name	Model Number	Dimensions	Drain Location	Required Drain Cover	Pivot Shower Doors*	Sliding Shower Doors*	Steam Pivot Shower Doors*	White 0	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black 'n Tan KA	Black Black 7
Acrylic																							
Groove	K-9925	48" x 36" x 4 1/4"	Center back	K-9332 or K-9336	•	•	•	•	•		•			•	•		•	•	•				•
	K-9928	60" x 36" x 4 3/8"	Center back	K-9333 or K-9337	•	•	•	•	•		•			•	•		•	•	•				•
	K-9948	60" x 32" x 4 3/4"	Right	K-9330 or K-9334	•	•	•	•	•		•			•	•		•	•	•				•
	K-9949	60" x 32" x 4 3/4"	Left	K-9330 or K-9334	•	•	•	•	•		•			•	•		•	•	•				•
	K-9996	60" x 42" x 4 9/16"	Center back	K-9333 or K-9337	•	•	•	•	•		•			•	•		•	•	•				•
	K-9997	42" x 42" x 4 9/16"	Center back	K-9331 or K-9335	•	•	•	•	•		•			•	•		•	•	•				•
	K-9998	48" x 48" x 4 9/16"	Center back	K-9332 or K-9336	•	•	•	•	•		•			•	•		•	•	•				•
KOHLER Enameled Cast Iron																							
Purist	K-9026	48" x 36" x 5 1/4"	Center		•			•		•	•	•	•	•	•		•	•	•	•	•	•	•
Salient	K-9053	60" x 30" x 3 3/4"	Left		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	K-9054	60" x 30" x 3 3/4"	Right		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	K-9055	60" x 36" x 4"	Center		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

*See Price Book for information about available shower doors

Shower Stalls



Sonata®

One-piece shower stall
with high-dome ceiling

60" x 36" x 90" K-1688
Grab bar kit K-9459

Sonata

One-piece bath/shower stall

60" x 34¹³/₁₆" x 90"
Left-hand drain K-1681
Right-hand drain K-1682
Grab bar kit K-9459

Sonata

One-piece shower stall
with high-dome ceiling

48" x 36" x 90" K-1687
Grab bar kit K-9459

Sonata

One-piece corner shower
stall with high-dome ceiling

48" x 36" x 90" K-1690
Grab bar kit K-9459

Sonata

One-piece shower stall
with high-dome ceiling

36" x 36¹/₂" x 90" K-1689
Grab bar kit K-9459

Freewill®

One-piece barrier-free shower
stall with folding seat

52" x 37¹/₂" x 84"
Left seat (shown) K-12111-C
Right seat K-12112-C

Freewill

One-piece barrier-free shower
stall with integral seat

52" x 37¹/₂" x 84"
Left seat (shown) K-12109-C
Right seat K-12110-C

Freewill

One-piece barrier-free shower
stall with folding seat

45" x 37¹/₄" x 84"
Right seat K-12100-C
Left seat (shown) K-12101-C

Freewill

One-piece barrier-free shower stall
with integral ledge

45" x 37¹/₄" x 84"
Ledge at left (shown) K-12107-C
Ledge at right K-12108-C

Name	Model Number	Dimensions	Seat	Grab Bars*	Dome Light	Steam Package**	Shower Doors**	ADA	White 0	Biscuit 96	Almond 47	Ice Grey 95	Sandbar G9
Shower Stalls													
Freewill	K-12100-C	45" x 37¼" x 84"	Included	Included (BS)	K-1665			•	•	•	•	•	•
	K-12100-P	45" x 37¼" x 84"	Included	Included (S)	K-1665			•	•	•	•	•	•
	K-12101-C	45" x 37¼" x 84"	Included	Included (BS)	K-1665			•	•	•	•	•	•
	K-12101-P	45" x 37¼" x 84"	Included	Included (S)	K-1665			•	•	•	•	•	•
	K-12107-C	45" x 37¼" x 84"		Included (BS)	K-1665		•		•	•	•	•	•
	K-12107-N	45" x 37¼" x 84"		Included (Nylon)	K-1665		•		•	•	•	•	•
	K-12107-P	45" x 37¼" x 84"		Included (S)	K-1665		•		•	•	•	•	•
	K-12108-C	45" x 37¼" x 84"		Included (BS)	K-1665		•		•	•	•	•	•
	K-12108-N	45" x 37¼" x 84"		Included (Nylon)	K-1665		•		•	•	•	•	•
	K-12108-P	45" x 37¼" x 84"		Included (S)	K-1665		•		•	•	•	•	•
	K-12109-C	52" x 37½" x 84"	Included	Included (BS)	K-1665				•	•	•	•	•
	K-12109-N	52" x 37½" x 84"	Included	Included (Nylon)	K-1665				•	•	•	•	•
	K-12109-P	52" x 37½" x 84"	Included	Included (S)	K-1665				•	•	•	•	•
	K-12110-C	52" x 37½" x 84"	Included	Included (BS)	K-1665				•	•	•	•	•
	K-12110-N	52" x 37½" x 84"	Included	Included (Nylon)	K-1665				•	•	•	•	•
	K-12110-P	52" x 37½" x 84"	Included	Included (S)	K-1665				•	•	•	•	•
	K-12111-C	52" x 37½" x 84"	Included	Included (BS)	K-1665				•	•	•	•	•
	K-12111-P	52" x 37½" x 84"	Included	Included (S)	K-1665				•	•	•	•	•
K-12112-C	52" x 37½" x 84"	Included	Included (BS)	K-1665				•	•	•	•	•	
K-12112-P	52" x 37½" x 84"	Included	Included (S)	K-1665				•	•	•	•	•	
Sonata	K-1681	60" x 34 ¹³ / ₁₆ " x 90"	K-9529	K-9459	K-1665	•			•	•	•	•	•
	K-1682	60" x 34 ¹³ / ₁₆ " x 90"	K-9529	K-9459	K-1665	•			•	•	•	•	•
	K-1687	48" x 36" x 90"	K-9499	K-9459	K-1665	•	•		•	•	•	•	•
	K-1688	60" x 36" x 90"	K-9499	K-9459	K-1665	•	•		•	•	•	•	•
	K-1689	36" x 36 ¹ / ₂ " x 90"		K-9459	K-1665		•		•	•	•	•	•
	K-1690	48" x 36" x 90"		K-9459	K-1665	•			•	•	•	•	•

ADA-compliant products will comply with the Americans with Disabilities Act of 2004 when installed per the requirements of the accessibility guidelines of Section 608 (shower stalls) of the Act.

*BS - Brushed stainless steel; S - Polished stainless steel; Nylon - Grey for Biscuit and White stalls, White for Almond, Ice™ Grey and Sandbar stalls

**See Price Book for information about available steam packages and shower doors

Every day at Kohler, we have the luxury of seeing firsthand the healthful effects of water treatments. Our designers and engineers collaborate with Kohler Waters Spa, a top-ranked spa, to design our bathing products so you can share the latest wellness discoveries and trends with your clients. Available in a range of sizes and shapes, our baths and whirlpools also feature added convenience and safety options.

Bathing



Baths ⁹⁸

Whirlpools ⁹⁹

Before You Choose a Bath

We take a holistic approach to bath design at Kohler, bringing together a team of our best industrial designers, engineers and human-factors experts. Together, they ensure that our baths deliver beautiful style, an incredibly comfortable fit and water experiences to suit individual preferences.







Elevance® Rising Wall

A stylish alternative to institutional-looking options, the Elevance Rising Wall bath lets bathers lounge comfortably and safely at a perfect soaking depth. ADA-compliant and Aging in Place products in the bathroom provide extra stability and ease of use without compromising attractive design.

Accessible Design

Select KOHLER® baths and whirlpools feature integrated grab bars, low thresholds, ergonomic lumbar support and armrests – all designed to provide additional accessibility, safety and comfort in commercial and hospitality settings.



Whirlpools

KOHLER whirlpools are engineered to maximize the unique benefits of targeted hydro-massage and, similar to a deep tissue massage, can potentially increase blood flow. Delivering powerful directed massage, our whirlpool jets rotate for precise positioning and adjust for intensity, customizing each bathing experience.

KOHLER Enameled Cast Iron

Kohler has been designing and manufacturing enameled cast iron since its earliest days over 135 years ago. Durable and enduring, our enameled cast iron is made in part with recycled material, making it a thoroughly modern choice.

Baths



Bellwether®
Three-wall alcove bath with apron
60" x 30¼"
60" x 32" K-837
 K-875

Dynametric®
Three-wall alcove bath with apron
60" x 32" K-519

Guardian™
Three-wall alcove bath with apron
and grab bars
60" x 32" K-785 / K-9620

Mendota®
Three-wall alcove bath with apron
60" x 32" K-505

Expansive®
Three-wall alcove bath with apron
60" x 32" K-1100

Elevance® Rising Wall
Three-wall alcove bath with grab bar
60" x 32" K-1913

Villager™
Three-wall alcove bath with apron
60" x 34½" K-713

Mariposa®
Three-wall alcove bath with apron and
tile flange
60" x 36" K-1242-LA

Tea-for-Two®
Drop-in bath
60" x 32" K-850

Hourglass®
Drop-in bath
60" x 32" K-1219

Mariposa
Drop-in bath
60" x 36" K-1242

Whirlpools




Hourglass  32
 Three-wall alcove whirlpool with apron and tile flange
 60" x 32" K-1209-LA



Mariposa
 Three-wall alcove whirlpool with apron and tile flange
 60" x 36" K-1239-LA




Hourglass  32
 Drop-in whirlpool
 60" x 32" K-1209



Mariposa
 Drop-in whirlpool
 60" x 36" K-1239

Bath Features & Colors Index

Name	Material	Model Number	Dimensions L x W x H	Installation Type				Recommended Drain	Drain Location				Number of People
				Drop-In	Three-Wall Alcove	Freestanding	Under-Mount		Reversible	Center	Left-Hand	Right-Hand	
Baths													
Bellwether	KECI	K-837	60" x 30" x 14"		IA			K-7259 or K-37383			•		1
	KECI	K-838	60" x 30" x 14"		IA			K-7259 or K-37383				•	1
	KECI	K-875	60" x 32" x 15½"		IA			K-7259 required			•		1
	KECI	K-876	60" x 32" x 15½"		IA			K-7259 required				•	1
Dynametric	KECI	K-519	60" x 32" x 16¼"		IA			K-7259 or K-37383			•		1
	KECI	K-520	60" x 32" x 16¼"		IA			K-7259 or K-37383				•	1
Elevance Rising Wall	ACR	K-1913-L	60¼" x 33½" x 38"		IA			K-7271 or K-7272 required			•		1
	ACR	K-1913-LB	60¼" x 33½" x 38"		IA			Included			•		1
	ACR	K-1913-R	60¼" x 33½" x 38"		IA			K-7271 or K-7272 required				•	1
	ACR	K-1913-RB	60¼" x 33½" x 38"		IA			Included				•	1
Expanse	ACR	K-1100-LA	60" x 38" x 17"		IA			K-7259 or K-37383			•		1
	ACR	K-1100-RA	60" x 38" x 17"		IA			K-7259 or K-37383				•	1
	ACR	K-1118-LA	60" x 34" x 17"		IA			K-7259 or K-37383			•		1
	ACR	K-1118-RA	60" x 34" x 17"		IA			K-7259 or K-37383				•	1
Guardian	KECI	K-785	60" x 32" x 16¼"		IA			K-7259 or K-37383			•		1
	KECI	K-786	60" x 32" x 16¼"		IA			K-7259 or K-37383				•	1
Hourglass  32	ACR	K-1219	60" x 32" x 20"	•				K-7259 or K-37383	•				1
	ACR	K-1219-L	60" x 32" x 20"		IF			K-7259 or K-37383			•		1
	ACR	K-1219-LA	60" x 32" x 20"		IA			K-7259 or K-37383			•		1
	ACR	K-1219-R	60" x 32" x 20"		IF			K-7259 or K-37383				•	1
	ACR	K-1219-RA	60" x 32" x 20"		IA			K-7259 or K-37383				•	1
Mariposa	ACR	K-1242	60" x 36" x 20"	•				K-7259 or K-37380 or K-37383	•				1
	ACR	K-1242-L	60" x 36" x 20"		IF			K-7259 or K-37380 or K-37383			•		1
	ACR	K-1242-LA	60" x 36" x 20"		IA			K-7259 or K-37380 or K-37383			•		1
	ACR	K-1242-R	60" x 36" x 20"		IF			K-7259 or K-37380 or K-37383				•	1
	ACR	K-1242-RA	60" x 36" x 20"		IA			K-7259 or K-37380 or K-37383				•	1
Mendota	KECI	K-505	60" x 32" x 16¼"		IA			K-7259 or K-37383			•		1
	KECI	K-506	60" x 32" x 16¼"		IA			K-7259 or K-37383				•	1
Tea-for-Two	KECI	K-850	60" x 32" x 18¼"	•			•	K-7169-AF required	•				1
Villager	KECI	K-713	60" x 34¼" x 14"		IA			K-7259 or K-37383			•		1
	KECI	K-714	60" x 34¼" x 14"		IA			K-7259 or K-37383				•	1
	KECI	K-715	60" x 30¼" x 14"		IA			K-7259 or K-37383			•		1
	KECI	K-716	60" x 30¼" x 14"		IA			K-7259 or K-37383				•	1

Elevance K-1913-L/-R models require grab bars K-1010; strainer drain K-8820 required for all Elevance models

Guardian K-785 and K-786 models require grab bars K-9620

ADA-compliant products will comply with the Americans with Disabilities Act of 2004 when installed per the requirements of the accessibility guidelines of Section 607 (baths) of the Act.

ACR = Acrylic, KECI = KOHLER® Enameled Cast Iron, IA = Integral Apron and Integral Three-Wall Flange, IF = Integral Three-Wall Flange, VC = Vitreous China

Bathing Well Dimensions		Water Capacity to Overflow	ADA													Name	
At Base	At Rim		White 0	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT		Thunder Grey 58
Baths																	
48¾" x 19⅝"	54 ¹¹ / ₁₆ " x 21 ³ / ₁₆ "	9"/32 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Bellwether
48¾" x 19⅝"	54 ¹¹ / ₁₆ " x 21 ³ / ₁₆ "	9"/32 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
41¼" x 18⅜"	51¼" x 23⅜"	11⅝"/44 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
41¼" x 18⅜"	51¼" x 23⅜"	11⅝"/44 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
41" x 22"	54" x 25"	8⅝"/35 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Dynametric
41" x 22"	54" x 25"	8⅝"/35 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
48¾" x 23⅝"	43" x 22½"	19¾"/72 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Elevance
48¾" x 23⅝"	43" x 22½"	19¾"/72 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Rising Wall
48¾" x 23⅝"	43" x 22½"	19¾"/72 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
48¾" x 23⅝"	43" x 22½"	19¾"/72 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
45 ¹¹ / ₁₆ " x 27⅝"	54" x 31"	12⅝"/60 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Expanse
45 ¹¹ / ₁₆ " x 27⅝"	54" x 31"	12⅝"/60 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
45⅝" x 25⅝"	52⅝" x 28 ¹ / ₁₆ "	12 ¹¹ / ₁₆ " /60 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
45⅝" x 25⅝"	52⅝" x 28 ¹ / ₁₆ "	12 ¹¹ / ₁₆ " /60 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Guardian
46" x 20"	54" x 24"	10⅞"/43 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
46" x 20"	54" x 24"	10⅞"/43 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
47" x 20"	53" x 23"	14½"/64 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Hourglass ³ / ₃₂
47" x 20"	53" x 23"	14½"/64 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
47" x 20"	53" x 23"	14½"/64 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
47" x 20"	53" x 23"	14½"/64 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
47" x 20"	53" x 23"	14½"/64 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
46" x 24"	54" x 27"	14"/63 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Mariposa
46" x 24"	54" x 27"	14"/63 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
46" x 24"	54" x 27"	14"/63 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
46" x 24"	54" x 27"	14"/63 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
46" x 24"	54" x 27"	14"/63 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
43" x 20"	54" x 24"	10⅞"/45 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Mendota
43" x 20"	54" x 24"	10⅞"/45 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
40½" x 20"	52¾" x 24"	13⅝"/60 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Tea-for-Two
47½" x 22"	55" x 24"	8⅝"/33 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Villager
47½" x 22"	55" x 24"	8⅝"/33 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
47½" x 22"	55" x 24"	8⅝"/33 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
47½" x 22"	55" x 24"	8⅝"/33 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	

Whirlpool Features & Colors Index

Name	Material	Model Number	Dimensions L x W x H	With In-Line Heater	Custom Pump Location	Installation Type			Recommended Drain	Drain Location				
						Drop-In	Three-Wall Alcove	120-Volt Hardwire		Reversible	Center	Left	Right	
Whirlpools														
Hourglass 32	ACR	K-1209	60" x 32" x 20"			•		•	K-7259 or K-37382	•				
	ACR	K-1209-CB	60" x 32" x 20"		•	•		•		•				
	ACR	K-1209-H	60" x 32" x 20"	•		•		(2)•		•				
	ACR	K-1209-HB	60" x 32" x 20"	•	•	•		(2)•		•				
	ACR	K-1209-HL	60" x 32" x 20"	•			IA	(2)•				•		
	ACR	K-1209-HR	60" x 32" x 20"	•			IA	(2)•					•	
	ACR	K-1209-L	60" x 32" x 20"				IF	•				•		
	ACR	K-1209-LA	60" x 32" x 20"				IA	•				•		
	ACR	K-1209-LH	60" x 32" x 20"	•			IF	(2)•				•		
	ACR	K-1209-R	60" x 32" x 20"				IF	•					•	
	ACR	K-1209-RA	60" x 32" x 20"				IA	•					•	
	ACR	K-1209-RH	60" x 32" x 20"		•		IF	(2)•					•	
Mariposa	ACR	K-1239	60" x 36" x 20"			•		•	K-7259 or K-37382	•				
	ACR	K-1239-CB	60" x 36" x 20"		•	•		•		•				
	ACR	K-1239-H	60" x 36" x 20"	•		•		(2)•		•				
	ACR	K-1239-HB	60" x 36" x 20"	•	•	•		(2)•		•				
	ACR	K-1239-HL	60" x 36" x 20"	•			IA	(2)•				•		
	ACR	K-1239-HR	60" x 36" x 20"	•			IA	(2)•					•	
	ACR	K-1239-L	60" x 36" x 20"				IF	•				•		
	ACR	K-1239-LA	60" x 36" x 20"				IA	•				•		
	ACR	K-1239-LH	60" x 36" x 20"	•			IF	(2)•				•		
	ACR	K-1239-R	60" x 36" x 20"				IF	•					•	
	ACR	K-1239-RA	60" x 36" x 20"				IA	•					•	
	ACR	K-1239-RH	60" x 36" x 20"		•		IF	(2)•					•	

ACR = Acrylic, IA = Integral Apron and Integral Three-Wall Flange, IF = Integral Three-Wall Flange

Number of People	Bathing Well Dimensions		Water Capacity to Overflow	Jets		White 0	Dune NY	Biscuit 96	Almond 47	Ice Grey 95	Sandbar G9	Name
	At Base	At Rim		Number of Jets	Jet Trim							
Whirlpools												
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	Hourglass 32
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	Mariposa
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	

Our complete selection of accessories and fittings offers exceptional functionality and coordinated design. We offer everything from foot and knee controls for hands-free operation to grab bars that provide stability when entering and exiting the bath or shower.

Finishing Touches

Grab Bars ¹⁰⁸

Shower Rods ¹⁰⁸

Shower Drains ¹¹⁰

Bathroom Sink Drains ¹¹⁰

Bath Drains ¹¹²

Traps, Supplies & Stops ¹¹⁶

Foot & Knee Controls ¹¹⁸


Bedpan Washers ¹¹⁸

Additional Items to Consider

Explore the finishing touches on the following pages, and find solutions designed to enhance the safety and convenience of the bathroom.



Kingston™ elongated wall-hung toilet (K-4325-0) Page 65
Stronghold® elongated toilet seat (K-4731-SC-0) Page 68
Touchless 1.28 gpf toilet flushometer with WAVE technology (K-10673-CP) Page 58
36" contemporary grab bar (K-14564-S) Page 108
42" contemporary grab bar (K-14565-S) Page 108



Grab Bars


KOHLER® ADA-compliant grab bars are available in an assortment of sizes, finishes and designs, and feature durable premium metal construction.

Shower Rods

Available in traditional, transitional or contemporary design, the Expanse® curved shower rod adds an extra six inches to the showering space and complements a variety of commercial or hospitality bathrooms.

Drains

We manufacture a wide variety of grid and pop-up sink drains, as well as universal and custom bath and shower drains. Built to last, KOHLER drains are constructed from premium materials.



Fittings

Kohler provides a selection of fittings needed for sink, urinal, toilet and shower installations – everything from P-traps and angle supplies to supply elbows and showerarms.


Foot & Knee Controls

For hands-free operation of faucets, Kohler offers a selection of foot and knee controls. Knee controls are available in a range of sizes to accommodate multiple configurations.

Bedpan Washers

Choose from a KOHLER standard sprayhead bedpan washer or a foot-controlled washer with hose and angled sprayhead to complete your facility's bedpan washing stations.

Grab Bars & Shower Rods



Margaux®
Grab bar

9" K-11880	32" K-1184
12" K-11881	36" K-1185
18" K-11882	42" K-1186
24" K-11883	48" K-1187

Traditional
Grab bar

9" K-11870	32" K-11874
12" K-11871	36" K-11875
18" K-11872	42" K-11876
24" K-11873	48" K-11877

Purist®
Grab bar

9" K-11890	32" K-11894
12" K-11891	36" K-11895
18" K-11892	42" K-11896
24" K-11893	48" K-11897

Traditional
Grab bar

12" K-10540	36" K-10544
18" K-10541	42" K-10545
24" K-10542	48" K-10546
32" K-10543	54" K-10547

Transitional
Grab bar

12" K-11390	36" K-11394
18" K-11391	42" K-11395
24" K-11392	48" K-11396
32" K-11393	54" K-11397

Contemporary
Grab bar

12" K-14560	36" K-14564
18" K-14561	42" K-14565
24" K-14562	48" K-14566
32" K-14563	54" K-14567

Expanse®
Traditional shower rod
K-9349

Expanse
Transitional shower rod
K-9350

Expanse®
Contemporary shower rod
K-9351


Length									1 1/4" Diameter	ADA	Polished Stainless S	Brushed Stainless BS	Vibrant Polished Nickel SN	Vibrant Brushed Nickel BN	Vibrant French Gold* AF	Vibrant Brushed Bronze BV	Oil-Rubbed Bronze 2BZ
9"	12"	18"	24"	32"	36"	42"	48"	54"									
Grab Bars																	
Contemporary																	
	K-14560	K-14561	K-14562	K-14563	K-14564	K-14565			•	•	•	•	•	•		•	
							K-14566	K-14567	•	•	•	•					
Margaux																	
K-11880											•	•	•	•		•	
	K-11881	K-11882	K-11883		K-11885	K-11886				•	•	•	•	•	•	•	
				K-11884			K-11887			•	•	•	•			•	
Purist																	
K-11890									•		•	•			•		•
	K-11891	K-11892	K-11893		K-11895	K-11896			•	•	•	•	•	•	•	•	
				K-11894			K-11897		•	•	•	•		•		•	
Traditional																	
	K-10540	K-10541	K-10542	K-10543	K-10544	K-10545			•	•	•	•	•	•	•	•	•
							K-10546	K-10547	•	•	•	•					
Traditional Decorative																	
K-11870				K-11874			K-11877		•		•	•		•		•	
	K-11871	K-11872	K-11873		K-11875	K-11876			•		•	•	•	•	•	•	
Transitional																	
	K-11390	K-11391	K-11392	K-11393	K-11394	K-11395			•	•	•	•		•	•	•	
							K-11396	K-11397	•	•	•	•					

*No gold content

Name	Model Number	Length	Polished Stainless S	Brushed Stainless BS	Oil-Rubbed Bronze 2BZ*
Expanse Shower Rods					
Contemporary	K-9351	5' - 6'	•	•	
Traditional	K-9349	5' - 6'	•	•	•
Transitional	K-9350	5' - 6'	•	•	

*2BZ finish is without highlights

Shower & Bathroom Sink Drains



K-7129
Bathroom sink grid drain

K-7131-A
Offset grid drain

K-9132
Round shower drain

K-9135
Round tile-in shower drain

K-9136
Square tile-in shower drain

K-7107
Decorative bathroom sink grid drain

K-7108
Decorative bathroom sink grid drain

K-7114
Bathroom sink pop-up drain

K-7124
Touch-activated bathroom sink pop-up drain

K-7126
Bathroom sink pop-up drain with lift rod


K-7127
Bathroom sink drain with non-removable metal stopper

K-7128-A
Bathroom sink drain with rubber stopper and chain

Model Number	For 2" and 3" PVC Connections	For 2" Caulk Connection	Through-the-Floor Tile-In Installation	1 1/4" Tailpiece	For Overflow Applications	For Non-Overflow Applications	Open Strainer	Polished Chrome CP	Brushed Chrome G	Vibrant Polished Nickel SN	Vibrant Brushed Nickel BN	Vibrant French Gold* AF	Vibrant Polished Brass PB	Vibrant Moderne Brushed Gold* BGD	Vibrant Brushed Bronze BV	Oil-Rubbed Bronze 2BZ
Bathroom Sink Drains																
K-7107				•		•		•	•	•	•	•		•	•	•
K-7108				•		•		•	•	•	•	•		•	•	•
K-7114				•		•		•	•	•	•	•	•		•	•
K-7114-A				•	•			•	•	•	•	•	•		•	•
K-7124				•		•		•	•	•	•	•	•	•	•	•
K-7124-A				•	•			•	•	•	•	•	•	•	•	•
K-7126				•	•			•								
K-7127				•		•		•	•	•	•	•	•	•	•	•
K-7127-A				•	•			•	•	•	•	•	•	•	•	•
K-7128-A				•	•			•								
K-7129				•		•		•	•	•	•	•	•	•	•	•
K-7129-A				•	•			•	•	•	•	•	•		•	•
K-7131-A				•			•	•								
Shower Drains																
K-9132		•						•	•	•	•	•	•	•	•	•
K-9135	•		•					•	•	•	•	•	•	•	•	•
K-9136	•		•					•	•	•	•	•	•	•	•	•

*No gold content

Custom & Universal Bath Drains



K-7271
Clearflo slotted overflow
toe-tap drain

K-7272
Clearflo slotted overflow
toe-tap drain

K-7147-AF / K-7169-AF
Clearflo pop-up drain

K-7213
Clearflo cable drain

K-7214
Clearflo cable drain

K-7116
Clearflo closing cable drain

K-7259 / K-7265
Clearflo toe-tap drain with
corrugated copper neck

K-7160-AF
Clearflo adjustable pop-up drain

K-7160-TF
Clearflo adjustable pop-up drain

K-7161-AF / K-7166-AF
Clearflo adjustable pop-up drain

K-7167
Clearflo adjustable pop-up
high-volume drain

K-11660
Swiftflo™ adjustable trip-lever drain

Name	Model Number	Type	Installation		Polished Chrome CP	Brushed Chrome G	Vibrant Polished Nickel SN	Vibrant Brushed Nickel BN	Vibrant French Gold* AF	Vibrant Polished Brass PB	Vibrant Moderne Brushed Gold* BGD	Vibrant Brushed Bronze BV	Oil-Rubbed Bronze 2BZ	Brushed Black BKB
			Above-the-Floor	Through-the-Floor										
Custom Drains														
Clearflo	K-7147-AF	Pop-up with contoured overflow	•	•	•	•	•	•	•	•		•	•	
	K-7169-AF	Pop-up with contoured overflow	•	•	•	•	•	•	•	•		•	•	•
	K-7271	Toe-tap with slotted overflow	•	•	•	•	•	•	•	•		•	•	
	K-7272	Toe-tap with slotted overflow	•	•	•	•	•	•	•	•		•	•	
Universal Drains														
Clearflo	K-7116	Pop-up with closing overflow	•	•	•	•	•	•	•		•	•		
	K-7160-AF	Pop-up	•	•	•	•	•	•	•	•		•		•
	K-7160-TF	Pop-up		•	•	•	•	•	•	•		•		•
	K-7161-AF	Pop-up	•	•	•	•	•	•	•	•		•		•
	K-7166-AF	Pop-up	•	•	•	•	•	•	•	•		•		•
	K-7167	Pop-up high-volume	•	•	•	•	•	•	•	•		•		•
	K-7213	Cable	•	•	•	•	•	•	•	•		•	•	
	K-7214	Cable	•	•	•	•	•	•	•	•		•	•	
	K-7259	Toe-tap	•	•	•	•	•	•	•		•	•	•	
	K-7265	Toe-tap	•	•	•	•	•	•	•		•	•	•	
Swiftflo	K-11660	Trip-lever		•	•					•				
	K-11677	Trip-lever		•	•					•				

*No gold content

PureFlo™ Bath Drains



K-37383
Rough cable drain

K-37385 / K-37386
Rough cable drain

K-37380 / K-37382
Rough cable drain

K-T37391
Basic rotary PureFlo drain handle trim kit

K-T37392
Contemporary rotary PureFlo drain handle trim kit

K-T37393
Traditional rotary PureFlo drain handle trim kit

K-T37394
Victorian rotary PureFlo drain handle trim kit

K-T37395
Contemporary push-turn PureFlo drain handle trim kit


K-T37396
Traditional push-turn PureFlo drain handle trim kit

K-T37397
Victorian push-turn PureFlo drain handle trim kit

Name	Model Number	Type	Cable Length	Installation		Polished Chrome CP	Brushed Chrome G	Vibrant Polished Nickel SN	Vibrant Brushed Nickel BN	Vibrant French Gold* AF	Vibrant Brushed Bronze BV	Oil-Rubbed Bronze 2BZ	NA
				Above-the-Floor	Through-the-Floor								
Drain Handle Trim Kits													
PureFlo	K-T37391	Basic rotary				•	•	•	•	•	•	•	
	K-T37392	Contemporary rotary				•		•	•		•		
	K-T37393	Traditional rotary				•		•	•	•	•	•	
	K-T37394	Victorian rotary				•		•	•	•	•	•	
	K-T37395	Contemporary push-turn				•		•	•	•	•		
	K-T37396	Traditional push-turn				•		•	•	•		•	
	K-T37397	Victorian push-turn				•		•	•	•	•	•	
Drains													
PureFlo	K-37380	Cable with brass pipe	30"	•	•								•
	K-37382	Cable with brass pipe	45"	•	•								•
	K-37383	Cable with PVC tubing	30"	•	•								•
	K-37385	Cable without tubing	45"	•	•								•
	K-37386	Cable without tubing	30"	•	•								•

*No gold content

Traps, Supplies & Stops



K-8995
Adjustable P-trap with NPT outlet

K-8998 / K-8999 / K-9000
Adjustable P-trap with tubing outlet

K-9018
Adjustable P-trap with tubing outlet

K-9033
Contemporary round bottle trap

K-7605-P / K-7606-P
NPT angle supplies with stops, cross handles and annealed vertical tubes

K-7607 / K-7608
NPT angle supplies with loose-key stops and annealed vertical tubes

K-7637 / K-7638
NPT angle supply with stop, cross handle and annealed vertical tube

K-7639
NPT angle supply with loose-key stop, cross handle and annealed vertical tube

K-7653
Angle supply with stop, cross handle and rigid vertical tube



K-7654
NPT angle supply with stop, cross handle and braided flexible hose

K-7659
NPT angle stop with cross handle

Model Number	Product	Connection	OD Inlet	Slip-Fit Inlet	Outlet	Polished Chrome CP	Brushed Chrome G	Vibrant Polished Nickel SN	Vibrant Brushed Nickel BN	Vibrant French Gold* AF	Vibrant Polished Brass PB	Vibrant Moderne Brushed Gold* BGD	Vibrant Brushed Bronze BY	Oil-Rubbed Bronze 2BZ	Satin Black TB	Brushed Black BKB	White 0	Black Black 7
Angle Supplies and Stops																		
K-7605-P	Supplies (pair)	3/8" NPT				•	•	•	•	•	•		•		•	•		
K-7606-P	Supplies (pair)	1/2" NPT				•					•							
K-7607	Supplies (pair)	3/8" NPT				•												
K-7608	Supplies (pair)	1/2" NPT				•												
K-7637	Supply	3/8" NPT				•	•	•	•	•	•		•			•		
K-7638	Supply	1/2" NPT				•	•	•	•		•		•					
K-7639	Supply	3/8" NPT				•			•									
K-7653	Supply	1/2" NPT				•	•	•	•		•		•					
K-7654	Supply	1/2" NPT				•												
K-7659	Stop	3/8" NPT				•												
Traps																		
K-8995	P-trap		1 1/4"	•	1 1/2" NPT	•												
K-8998	P-trap		1 1/4"	•	1 1/4" OD	•												
K-8999	P-trap		1 1/4"	•	1 1/2" OD	•												
K-9000	P-trap		1 1/2"	•	1 1/2" OD	•												
K-9018	P-trap		1 1/4"	•	1 1/4" OD	•	•	•	•	•	•	•	•		•		•	•
K-9033	Bottle trap		1 1/4"	•	1 1/4" OD	•	•	•	•	•		•	•	•				

*No gold content

Foot & Knee Controls & Bedpan Washers



K-13808
Floor-mount double foot control

K-13816
Wall-mount double foot control

K-13710
Wall-mount knee-control fitting

K-13715
Fixture-supported knee-control fitting

K-13925
Bedpan washer with loose-key stop

K-13931-2A
Triton® bedpan washer

K-13960
Bedpan washer with double foot control

K-13961
Bedpan washer with single foot control

K-13056
Vacuum breaker

Model Number	Description	For Sink Size	Polished Chrome CP
Bedpan Washers			
K-13925	Wall-mount		•
K-13931-2A	Built-in bedpan washer		•
K-13960	Wall-mount		•
K-13961	Wall-mount		•
Foot Controls			
K-13808	Floor-mount		•
K-13816	Wall-mount		•
Knee Control Fittings			
K-13710-A	Wall-mount	13" x 13"	•
K-13710-B	Wall-mount	18" x 15"	•
K-13710-C	Wall-mount	24" x 18" 20" x 18" 19" x 17" 36" countertop	•
K-13710-D	Wall-mount	20" x 18"	•
K-13710-E	Wall-mount	22" x 20"	•
K-13710-F	Wall-mount	24" x 20" 20" x 18" 21" countertop	•
K-13710-G	Wall-mount	28" x 22"	•
K-13710-H	Wall-mount	30" x 22" 24" x 22"	•
K-13710-J	Wall-mount	32" x 21" 30" x 21" 24" x 21" 25" countertop	•
K-13710-K	Wall-mount	30" countertop	•
K-13715-A	Fixture-supported	20" x 18"	•
K-13715-B	Fixture-supported	24" x 20" 20" x 18"	•
K-13715-C	Fixture-supported	28" x 22"	•
K-13715-D	Fixture-supported	30" x 22" 24" x 22"	•
Vacuum Breaker			
K-13056	Wall-mount		•

We encourage you to use the following glossary of terms as well as the color and finish index to help you in your decision-making process.

If you have questions about specific products, you should find most information in the charts that follow each product category. And, in the event that you still have questions, we invite you to talk with your nearest showroom representative and visit us online at us.KOHLER.com for more information.

Index

Glossary of Terms 122

Colors & Finishes 124

Glossary of Terms

Barrier-Free

A feature that provides better accessibility in the bathroom.

Blowout Flushing

A non-siphoning trapway where water used for flushing flows through a jet.

Concealed Arm Carrier

Fixture mounting arm that provides substantial additional structural support.

Diaphragm

Flow-control mechanism for certain types of flushometers.

Enamel

A powder coating applied to an iron casting. When exposed to high temperatures, the coating melts and fuses to the casting, creating a glass-like surface. The thickness of KOHLER enamel provides outstanding protection against chipping and scratching while offering deep color integrity.

Glazed Trapway

Toilet trapway in which the internal surface is glazed and provides a smooth surface to help resist plugging.

HET

Either a single-flush toilet using 1.28 or fewer gallons of water or a dual-flush toilet using 1.6 / 1.1 or fewer gallons of water.

HEU

Urinal using 0.5 or fewer gallons of water.

Hybrid Energy System

A hybrid energy cell paired with a KOHLER® Touchless flushometer or faucet, which combines low-energy draw with high-energy storage for 30 years of power.*

Infrared

Light waves outside of the visible spectrum frequently used in touch-free applications.

Insight™ Technology

Touchless technology featuring an adaptive infrared sensor that analyzes the surrounding area once installed. After recording these details, Insight is able to calibrate the sensor to filter false triggers and optimize the faucet's operation.

Manual Override

Manual actuation device on a flushometer that can be activated separately from the sensor actuation.

*Battery life calculations are based on an estimated product usage of 80 uses per day for 365 days per year. Actual battery life may vary depending on product settings, usage patterns and operating environments.

Piston

Flow-control mechanism for certain types of flushometers.

PVD

Stands for Physical Vapor Deposition; PVD is a process that bonds the finish color to the faucet, helping it resist scratches, corrosion and tarnishing.

Shroud

Material that conceals the piping under a bathroom sink.

Siphon-Jet

Toilet and urinal category where the jet water flows to a siphoning-style trapway.

Solenoid

Electromagnetic device used to control the flow of water in electronic faucets and flushometers.

Spud

Plumbing fitting at either the top or rear of toilet or urinal which allows a watertight connection to the flushometer tailpiece.

Tripoint® Technology

Touchless technology that senses the true distance of an object and is not affected by changes in color, lighting, reflections or distant movement – circumstances that compromise traditional infrared standards.

Urinal Balls

Environmentally safe object comprised of materials to release enzymes and other materials to maintain free-flowing drain systems on waterless urinals.

Vessels Bathroom Sink

A freestanding basin emulating the appearance of a bowl sitting on a countertop; inspired by Chinese washbasins.

Vitreous China

A term applied to plumbing fixtures that are comprised of ceramic materials, fired at a high temperature to form a nonporous body with exposed surfaces, and coated with ceramic glaze fused to the body.

Washout

Type of urinal in which all water used for flushing exits at the rim level.


WaterSense®

A partnership program by the U.S. Environmental Protection Agency that seeks to protect the future of our nation's water supply by offering people a simple way to use less water with water-efficient products.


WAVE Technology

Touchless technology that activates only when a hand is waved directly over the flushometer.

Bathroom Color Index



White (0)




Honed White (HW1)




Dune (NY)




Earthen White (W2)



Biscuit (96)



Innocent Blush™ (55)



Almond (47)




Ice™ Grey (95)



Sandbar (G9)



Mexican Sand™ (33)



Cashmere™ (K4)



Thunder™ Grey (58)



Black Black™ (7)

Faucet & Accessory Finish Index



Polished Chrome (CP)



Brushed Chrome (G)



Polished Stainless (S)



Vibrant® Stainless (VS)



Brushed Stainless (BS)



Rough Plate (RP)



Vibrant Polished Nickel (SN)




Vibrant Brushed Nickel (BN)



Vibrant French Gold* (AF)



Vibrant Polished Brass (PB)



Vibrant Moderne Brushed Gold* (BGD)




Vibrant Brushed Bronze (BV)



Oil-Rubbed Bronze (2BZ)



White (0)



Brushed Black (BKB)



Satin Black (TB)

*No gold content

Thank you.

If you'd like to learn more about Kohler and our complete product offering, we invite you to take a look at our literature, visit us online or stop by a KOHLER® Showroom.

Literature

Concise and easy to use, our full-line category books inspire you to create beautiful spaces and guide you through choosing kitchen and bath products that are right for you and your home.

In addition, *bold* magazine features ideas we're passionate about, the latest introductions to the KOHLER kitchen and bath lines, as well as a selection of our timeless, classic offerings.

View the full magazine at KOHLER.com/LiteratureStore. There you can download additional category books and brochures. KOHLER literature also can be ordered by calling 800-4-KOHLER.

us.KOHLER.com


For design inspiration and tips, help planning your space, and a comprehensive look at KOHLER kitchen and bath products, visit us at us.KOHLER.com.

Showrooms

To experience KOHLER kitchen and bath products firsthand and talk with a KOHLER representative, visit KOHLER.com/WhereToBuy to find a showroom near you.

Kohler Invites You to Explore


Full-Line Category Books




bold

us.KOHLER.com

Showrooms



The Kohler Family of Businesses



We are pleased to offer you additional resources as you design and furnish your home. In each of our businesses – kitchen and bath, tile and furniture, and residential generators – we are committed to designing innovative products that bring beauty and comfort to life. Discover the entire family of businesses at KOHLE.com.



KOHLER®

KALLISTA®

ANN SACKS®

robern®

Baker®

M c G U I R E®

STERLING®
A KOHLER COMPANY

KOHLER®
POWER SYSTEMS

A KOHLER Experience®



Join us for an unforgettable stay at the Old Course Hotel in St Andrews, Scotland, or The American Club® Resort in Kohler, Wisconsin, where you'll enjoy classically elegant settings, sumptuous cuisine, exclusive spa and golf experiences, luxurious amenities and quietly confident service. Plan your experience at aKOHLEExperience.com.



At the American club®



RIVERBEND
KOHLER



WHISTLING
STRAITS



BLACKWOLF
RUN



OLD COURSE HOTEL
ST. ANDREWS
GOLF RESORT & SPA

INN ON
WOODLAKE

JIGGER INN



THE DUKE'S
ST. ANDREWS

KOHLER
Waters
SPA

AT THE OLD COURSE HOTEL
& AT THE AMERICAN CLUB



Browse all KOHLER® commercial products
at KOHLER.com/Commercial.